1. POPULATION

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	708	669	1,377	2,850	2,897	5,747	8,204	7,748	15,952	7,716	7,813	15,529	311	436	748	39,352
% by age group			4%			15%			41%			39%			2%	100%

2. MORTALITY

2.1 Mortality

	Record ONE cause of mortality per case	< 1		Total <1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
		M	F		M	F			M	F		M	F		M	F			
1	Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2	Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3	URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4	LRTI	0	1	1	0	0	0	5%	0	0	0	0	1	1	0	0	0	2	5%
5	Neonatal death	9	5	14	0	0	0	74%	0	0	0	0	0	0	0	0	0	14	37%
6	Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7	Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8	Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9	Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10	Meningitis (Non-meningococcal)	1	0	1	0	0	0	5%	0	0	0	0	0	0	0	0	0	1	3%
11	HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12	Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13	Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14	Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15	Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16	Asthma	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	3%
17	Cancer	0	0	0	0	0	0	0%	0	0	0	1	1	2	0	0	0	2	5%
18	Cardiovascular disease (Non-IHD)	0	1	1	0	0	0	5%	0	0	0	1	0	1	2	0	2	4	11%
19	Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	2	0	2	0	1	1	3	8%
20	Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	1	1	1	0	1	2	5%
21	Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
22	Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
23	Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24	Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25	Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26	Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	3%
27	Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28	Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29	Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30	Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	3%
31	Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32	Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33	COVID-19	0	0	0	1	0	1	5%	0	0	0	0	0	0	0	2	2	3	8%
34	Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35	Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36	Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37	Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38	Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39	Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40	Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41	Salmonelosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42	Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43	Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44	Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45	Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46	Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47	Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48	Accidents	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49	Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50	Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51	Other	0	0	0	0	1	1	5%	0	0	0	0	0	0	2	1	3	4	11%
	Total	10	7	17	1	1	2	100%	0	0	0	5	5	10	5	4	9	38	100%
	% by age group			45%			5%				0%			26%			24%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.5	0.4	0.4
Infant Mortality Rate (IMR) (/1000/month)	2.4	1.7	2.1
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			22.5

2.2 Maternal death

Number of maternal deaths reported	2
Number of maternal deaths investigated	2
Proportion of maternal deaths investigated	100%

3. MORBIDITY

3.1 Staffing and service availability

Number of full-time clinicians	26.4
Average number of full days on which each health facility was functioning	5.7
Total number of outpatient consultations	133,534
Health facility utilisation rate	5.0
Consultations per clinician per day	34

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	44,540	53,948	98,488
Re-visit Consultations	15,648	19,398	35,046
TOTAL Consultations	60,188	73,346	133,534

3.2 Acute health conditions

	Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
		M	F			M	F		M	F		M	F				
1	URTI	6,151	5,458	11,609	1629.5	5,115	4,833	9,948	2,936	4,081	7,017	118	167	285	28,859	30%	733.4
2	ILI	994	819	1,813	254.5	469	430	899	640	814	1,454	17	23	40	4,206	4%	106.9
3	LRTI	1,381	995	2,376	333.5	191	152	343	139	161	300	12	18	30	3,049	3%	77.5
4	Watery diarrhoea	1,203	1,012	2,215	310.9	221	212	433	124	225	349	12	9	21	3,018	3%	76.7
5	Bloody diarrhoea	1	1	2	0.3	0	1	1	1	0	1	0	0	0	4	0%	0.1
6	Skin disease	766	732	1,498	210.3	538	802	1,340	548	833	1,381	51	50	101	4,320	5%	109.8
7	Eye disease	427	357	784	110.0	322	297	619	472	476	948	21	40	61	2,412	3%	61.3
8	Ear disease	496	439	935	131.2	332	370	702	478	868	1,346	22	35	57	3,040	3%	77.3
9	Dental conditions	129	140	269	37.8	1,786	1,913	3,699	4,128	5,819	9,947	109	126	235	14,150	15%	359.6
10	Intestinal worms	142	144	286	40.1	301	297	598	120	135	255	2	2	4	1,143	1%	29.0
11	Acute Jaundice Syndrome	0	0	0	0.0	1	0	1	1	1	2	1	0	1	4	0%	0.1
12	Urinary Tract Infection	110	502	612	85.9	210	1,006	1,216	656	2,700	3,356	46	68	114	5,298	6%	134.6
13	Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14	Measles (suspected)	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
15	Meningitis (suspected)	6	3	9	1.3	2	1	3	0	0	0	0	0	0	12	0%	0.3
16	Acute malnutrition- Moderate	0	0	0	0.0	0	2	2	0	8	8	0	0	0	10	0%	0.3
17	Acute malnutrition- Severe	1	1	2	0.3	0	0	0	0	0	0	0	0	0	2	0%	0.1
18	Anaemia	253	234	487	68.4	103	283	386	62	900	962	5	15	20	1,855	2%	47.1
19	Abortion	0	0	0	0.0	0	0	0	0	4	4	0	0	0	4	0%	0.1
20	HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21	Other	2,830	2,593	5,423	761.2	2,363	2,791	5,154	4,949	7,666	12,615	418	675	1,093	24,285	25%	617.1
	Total	14,890	13,430	28,320	3975.2	11,954	13,391	25,345	15,254	24,691	39,945	834	1,228	2,062	95,672	100%	2431.2
	% by age group			30%				26%			42%			2%	100%		

3.3 Notifiable diseases

	Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
		M	F			M	F		M	F		M	F				
1	COVID-19 (suspected)	19	9	28	3.9	211	183	394	613	613	1,226	14	26	40	1,688	66%	42.9
2	COVID-19 (confirmed)	33	28	61	8.6	129	111	240	216	335	551	8	8	16	868	34%	22.1
3	Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Salmonelosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Varicella	0	1	1	0.1	0	1	1	0	0	0	0	0	0	2	0%	0.1
14	Whooping cough	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	Total	52	38	90	12.6	340	295	635	829	948	1,777	22	34	56	2,558	100%	65.0
	% by age group			4%				25%			69%			2%	100%		

3.4 Chronic health conditions

	Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Diabetes	2	0	2	36	56	92	565	885	1,450	241	486	727	2,271	22%
2	Hypertension	1	0	1	0	1	1	963	1,419	2,382	420	676	1,096	3,480	33%
3	Ischaemic heart disease	0	0	0	1	3	4	207	122	329	114	118	232	565	5%
4	Cardiovascular disease (other)	7	25	32	11	13	24	71	112	183	37	58	95	334	3%
5	Asthma	90	57	147	93	50	143	132	197	329	68	41	109	728	7%
6	Chronic obstructive pulmonary disease	2	0	2	2	2	4	37	27	64	30	19	49	119	1%
7	Thyroid disorders	9	11	20	17	31	48	64	624	688	5	50	55	811	8%
8	Cancer	0	0	0	1	0	1	2	33	35	12	3	15	51	0%
9	Liver disease	2	3	5	2	0	2	1	5	6	3	0	3	16	0%
10	Musculoskeletal disorders	10	9	19	14	8	22	49	47	96	5	8	13	150	1%
11	Other	46	71	117	95	107	202	659	569	1,228	180	141	321	1,868	18%
	Total	169	176	345	272	271	543	2,750	4,040	6,790	1,115	1,600	2,715	10,393	100%
	% by age group			3%			5%			65%			26%	100%	

3.5 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	78	40	118	249	223	472	273	187	460	13	25	38	1,088	32%
2	Alcohol/Substance abuse	0	0	0	1	0	1	19	0	19	0	0	0	20	1%
3	Intellectual disability and development disorders	2	1	3	45	24	69	19	16	35	0	3	3	110	3%
4	Psychosis (including bipolar disorder)	0	0	0	0	9	9	162	98	260	11	32	43	312	9%
5	Moderate-severe emotional disorder	0	0	0	52	101	153	459	630	1,089	18	48	66	1,308	39%
6	Medically unexplained somatic complaint	0	0	0	3	3	6	32	14	46	1	0	1	53	2%
7	Dementia or delirium	0	0	0	0	2	2	1	2	3	0	13	13	18	1%
8	Other psychological complaint	0	3	3	106	161	267	66	79	145	10	15	25	440	13%
	Total	80	44	124	456	523	979	1,031	1,026	2,057	53	136	189	3,349	100%
	% by age group			4%			29%			61%			6%	100%	

3.6 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Burns	43	52	95	64	34	98	13	40	53	2	2	4	250	5%
2	Bites	1	0	1	10	3	13	1	2	3	1	0	1	18	0%
3	Assault	0	0	0	6	1	7	4	0	4	0	0	0	11	0%
4	Accidents	149	170	319	360	186	546	212	180	392	9	2	11	1,268	0%
5	Self-harm	2	0	2	0	0	0	2	1	3	0	0	0	5	0%
6	Suicidal attempt	0	0	0	0	1	1	0	1	1	0	0	0	2	0%
7	Other	422	380	802	713	418	1,131	719	976	1,695	52	87	139	3,767	71%
	Total	617	602	1,219	1,153	643	1,796	951	1,200	2,151	64	91	155	5,321	100%
	% by age group			23%			34%			40%			3%	100%	

3.7 Reproductive Tract Infections

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	0	0	0	44	44	0	1,365	1,365	0	6	6	1,415	47%
3	Genital ulcer disease	0	0	0	0	0	0	1	16	17	0	0	0	17	1%
4	Pelvic inflammatory disease	0	0	0	0	42	42	1	1,081	1,082	0	2	2	1,126	37%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	2	2	1	471	472	0	0	0	474	16%
	Total	0	0	0	0	88	88	3	2,933	2,936	0	8	8	3,032	100%
	% by age group			0%			3%			97%			0%	100%	

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		112	102	214	29	43	72	36	111	147	1	5	6	439
Total admissions		433	274	707	99	121	220	121	679	800	4	6	10	1,737
Number of exits	authorized	401	254	655	82	96	178	61	633	694	2	2	4	1,531
	unauthorized	3	7	10	11	18	29	57	44	101	1	4	5	145
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	31	13	44	6	5	11	0	0	0	0	0	0	55
Total exits		435	274	709	99	119	218	118	677	795	3	6	9	1,731
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	182
Number of beds	65
Sum number of days stay for authorised discharges	4,081
Average length of stay (days)	**2.7**
Bed occupancy	**39%**
Hospitalisation rate (/1000/month)	**7.4**

4.2 In-patient Admissions and Deaths

		0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1	Paediatric medicine	559	0		101	0		0	0		0	0	660	0	
2	General Surgery	137	0		44	0		116	0		2	0	299	0	
3	Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4	Internal medicine	0	0		22	0		493	0		0	0	515	0	
5	Obstetrics	0	0		0	0		17	0		0	0	17	0	
6	Gynaecology	11	0		53	0		174	0		8	0	246	0	
7	COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
8	COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
9	Other	0	0		0	0		0	0		0	0	0	0	
	Total	707	0		220	0		800	0		10	0	1,737	0	

Adm. = Admission; CFR = Case Fatality Rate

5. REFERRALS

5.1 Referrals by location

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	MOH Hospital	65	80	161	24	330
2	Jordan University Hospital	20	11	34	3	68
3	Private affiliated Hospital	251	223	932	35	1,441
4	Royal Medical Services	0	0	0	0	0
5	Other	0	0	0	0	0

Total No of reffered cases out side the Camp	**1,839**
Referral Rate (/1000/month)	**7.8**

5.2 Referrals by service

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	Paediatrics	300	177	0	0	477
2	Internal medicine	0	39	891	50	980
3	Obstetric	0	6	128	0	134
4	Gynaecological	0	0	15	0	15
5	Surgical	36	92	93	12	233
6	Other	0	0	0	0	0

6. LABORATORY

	Total
Number of laboratory tests conducted	57,487

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

		< 18	≥ 18	Total
1	First antenatal visit (during the first trimester)	26	667	693
2	First antenatal visit (after the first trimester)	7	72	79
3	Repeat antenatal visit	255	5,874	6,129
4	High risk pregnancies detected	8	379	387
5	Tested for anaemia	148	3,128	3,276
6	Confirmed severe and moderate anaemia	16	427	443
7	Number tested for syphilis	0	0	0
8	Number tested positive for syphilis	0	0	0
9	Abortions	5	140	145

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	90%

7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	23	543	566
	2 TT doses	6	194	200
	anaemia screening	23	549	572
	syphilis screening	0	0	0

Coverage of complete antenatal care	91%
Coverage of antenatal tetanus immunisation	32%
Coverage of anaemia screening in pregnancy	92%

7.3 Delivery care

		< 18	≥ 18	Total
1	Livebirths	25	597	622
2	Stillbirths	0	7	7
3	Low birth weight (< 2500g)	1	38	39
4	Attended by a skilled health worker	25	589	614
5	Obstetric complications	0	1	1
6	Caesarean sections	5	161	166

Delivery Indicators	
Crude birth rate (/1000 population/ month)	2.6
Proportion of births attended by skilled health worker (excl. TBA)	99%
Proportion of low birth weight deliveries	6%
Proportion of all births performed by caesarean section	27%
Proportion of obsetric complications treated among girls < 18	

7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	12	320	332

Postnatal Indicators	
Coverage of complete postnatal care	53%

7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	0	1	1	16	18
Combined pill (highdose)	0	8	0	21	29
Progesterone pill (Micro-val; Micro-lut)	21	577	9	748	1355
Emergency contraceptive pill	0	0	0	0	0
Injectable (Depo-Provera)	1	113	0	67	181
Implantable (Norplant)	0	0	0	0	0
Intra-uterine device (IUD)	0	102	0	4	106
Condom (male)	17	465	1	211	694
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	26	230	55	3,171	3482
Other	0	0	0	5	5

7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	2	2

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

8. NUTRITION

8.1 Outpatient Therapeutic Program

		6 to 23 months		24 to 59 months		≥ 60 months	
		M	F	M	F	M	F
1	New admissions	3	2	0	0	0	0
2	Re-visits	0	0	0	0	0	0
3	Exits- Recovered (moved to TSFP)	2	1	0	0	0	0
4	Exits - None response	1	0	0	0	0	0
5	Exits - Moved to SC	0	0	0	0	0	0
6	Exits - Moved to other OTP	0	1	1	0	0	0
7	Exists - Medical Referral	0	0	0	0	0	0
8	Exits- Death	1	1	0	0	0	0
9	Exists- Defaulter	0	0	0	0	0	0

8.2 Suuplementary Feeding Program - U5

		6 to 23 months		24 to 59 months		≥ 60 months	
		M	F	M	F	M	F
1	New admissions	20	31	2	1	0	1
2	Re-visits	1	1	1	1	0	1
3	Exits- Recovered	12	20	2	2	0	1
4	Exits - None response	1	1	0	0	0	1
5	Exits - Moved to SC	0	0	0	0	0	0
6	Exits - Moved to OTP	0	0	0	0	0	0
7	Exits - Moved to other TSFP	2	2	0	1	2	0
8	Exists - Medical Referral	0	0	0	0	0	0
9	Exits- Death	0	0	0	0	0	0
10	Exists- Defaulter	0	0	0	0	1	0

8.3 Suuplementary Feeding Program - PLW

		< 18	≥ 18
1	New admissions	5	13
2	Re-visits	0	13
3	Exits- Recovered	4	23
4	Exits - None response	0	0
5	Exits - Moved to other TSFP	0	6
6	Exists - Medical Referral	0	0
7	Exits- Death	0	0
8	Exists- Defaulter	0	0

8.4 MUAC (Health Facility)

		6 to 23 months		24 to 59 months	
		M	F	M	F
1	Children screened - Green (normal)	1,491	1,521	612	582
2	Children screened - Yellow (borderline)	17	34	1	2
3	Children screened - Red (danger)	4	0	0	0
4	Children screened - Oedema	0	0	0	0

8.5 GMP (Community)

		6 to 23 months		24 to 59 months	
		M	F	M	F
1	Children screened - Green (normal)	3,502	3,631	4,703	4,869
2	Children screened - Yellow (borderline)	3	9	1	0
3	Children screened - Red (danger)	0	2	0	0
4	Children screened - Oedema	0	0	0	0

Data Source Health Information System

Publication date: 17/07/2022

Contact Information

Azraq
Muhammad Fawad
Tasneem Obaid
Email: fawad@unhc.org
Email: obaidt@unhcr.org

Amman
Adam Musa Khalifa, UNHCR
Email: khalifaa@unhcr.org

UNHCR gratefully acknowledges the support of the following partners: