

1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	748	706	1,454	2,856	2,959	5,815	8,798	8,350	17,147	8,124	8,218	16,342	325	470	795	41,554
% by age group			4%			14%			41%			39%			2%	100%

2. MORTALITY

2.1 Mortality

Record ONE cause of mortality per case			< 1		Total < 1	1 to 4		Total 1 to 4	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
			M	F		M	F			M	F		M	F						
1	Malaria (suspected)		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2	Malaria (confirmed)		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3	URTI		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4	LRTI		0	1	1	0	1	1	10%	0	0	0	0	0	0	0	0	0	2	3%
5	Neonatal death		7	5	12	0	0	0	57%	0	0	0	0	0	0	0	0	0	12	20%
6	Sexually transmitted infections		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7	Watery diarrhoea		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8	Bloody diarrhoea		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9	Tuberculosis		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10	Meningitis (Non-meningococcal)		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11	HIV/AIDS		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12	Acute malnutrition		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13	Chronic malnutrition		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14	Anaemia		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15	Acute Jaundice Syndrome		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16	Asthma		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17	Cancer		0	0	0	0	0	0	0%	0	1	1	0	1	1	1	0	1	3	5%
18	Cardiovascular disease (Non-IHD)		0	1	1	0	0	0	5%	0	0	0	1	0	1	9	5	14	16	26%
19	Ischaemic heart disease		0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	2%
20	Chronic obstructive pulmonary disease (non-asthma)		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21	Diabetes		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
22	Hypertension		0	0	0	0	0	0	0%	0	0	0	0	0	0	2	1	3	3	5%
23	Liver disease		0	1	1	0	0	0	5%	0	0	0	1	0	1	0	0	0	2	3%
24	Musculoskeletal disorders		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25	Mental health		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26	Maternal Death - Hemorrhage		0	0	0	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	2%
27	Maternal Death - Hypertensive disorder		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28	Maternal Death - Infections		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29	Maternal Death - Abortions		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30	Maternal Death - Embolism		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31	Maternal Death - Other direct causes		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32	Maternal Death - Indirect causes		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33	COVID-19		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34	Acute Flaccid Paralysis		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35	Cholera		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36	Yellow Fever		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37	Viral Hemorrhagic Fever		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38	Plague		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39	Measles		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40	Meningococcal Meningitis		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41	Salmonelosis		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42	Shigella		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43	Tetanus		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44	Varicella		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45	Whooping cough		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46	Monkeypox		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47	Assault		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48	Bites		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49	Accidents		0	0	0	0	0	0	0%	1	0	1	0	0	0	0	0	0	1	2%
50	Self-harm		0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51	Suicidal attempt		0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	2%
52	Other		2	2	4	0	1	1	24%	2	2	4	3	1	4	3	3	6	19	31%
	Total		9	10	19	0	2	2	100%	3	3	6	7	3	10	15	9	24	61	100%
	% by age group				31%			3%				10%			16%			39%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.2	0.3	0.2
Infant Mortality Rate (IMR) (/1000/month)	1.0	1.2	1.1
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			13.7

## 2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated	1
Proportion of maternal deaths investigated	100%

## 3. MORBIDITY

### 3.1 Staffing and service availability

Number of full-time clinicians	22.7
Average number of full days on which each health facility was functioning	5.3
Total number of outpatient consultations	244,459
Health facility utilisation rate	4.3
Consultations per clinician per day	39

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	81,240	98,598	179,838
Re-visit Consultations	27,812	36,809	64,621
TOTAL Consultations	109,052	135,407	244,459

### 3.2 Acute health conditions

Record NEW cases of disease only		0 to 4		Total <5	US Incide	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
		M	F			M	F		M	F		M	F				
1	URTI	10,450	8,976	19,426	2672.3	10,745	10,362	21,107	8,230	10,624	18,854	628	862	1,490	60,877	35%	1465.0
2	ILI	337	335	672	92.4	185	234	419	107	258	365	11	24	35	1,491	1%	35.9
3	LRTI	1,207	872	2,079	286.0	475	392	867	312	414	726	47	79	126	3,798	2%	91.4
4	Watery diarrhoea	926	807	1,733	238.4	393	392	785	190	231	421	15	17	32	2,971	2%	71.5
5	Bloody diarrhoea	5	1	6	0.8	0	1	1	1	2	3	0	0	0	10	0%	0.2
6	Skin disease	988	1,013	2,001	275.3	1,070	1,482	2,552	929	1,583	2,512	87	104	191	7,256	4%	174.6
7	Eye disease	550	504	1,054	145.0	620	491	1,111	927	650	1,577	58	75	133	3,875	2%	93.3
8	Ear disease	780	682	1,462	201.1	687	861	1,548	734	1,539	2,273	97	108	205	5,488	3%	132.1
9	Dental conditions	133	131	264	36.3	3,681	4,247	7,928	5,448	9,582	15,030	157	302	459	23,681	14%	569.9
10	Intestinal worms	246	269	515	70.8	818	824	1,642	245	275	520	3	8	11	2,688	2%	64.7
11	Acute Jaundice Syndrome	4	2	6	0.8	2	1	3	0	2	2	1	0	1	12	0%	0.3
12	Urinary Tract Infection	283	648	931	128.1	543	1,463	2,006	1,148	2,710	3,858	112	179	291	7,086	4%	170.5
13	Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14	Measles (suspected)	0	3	3	0.4	0	0	0	0	0	0	0	0	0	3	0%	0.1
15	Meningitis (suspected)	8	1	9	1.2	7	3	10	1	0	1	0	0	0	20	0%	0.5
16	Acute malnutrition- Moderate	9	6	15	2.1	8	6	14	0	2	2	1	0	1	32	0%	0.8
17	Acute malnutrition- Severe	0	0	0	0.0	4	14	18	2	3	5	0	0	0	23	0%	0.6
18	Anaemia	399	386	785	108.0	478	681	1,159	124	1,089	1,213	10	19	29	3,186	2%	76.7
19	Abortion	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20	HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21	Other	4,033	3,623	7,656	1053.2	6,306	6,881	13,187	11,023	16,939	27,962	1,108	1,729	2,837	51,642	30%	1242.8
Total		20,358	18,259	38,617	5312.2	26,022	28,335	54,357	29,421	45,903	75,324	2,335	3,506	5,841	174,139	100%	4190.7
% by age group				22%				31%			43%			3%	100%		

### 3.3 Notifiable diseases

Record NEW cases of disease only		0 to 4		Total <5	US Incide	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
		M	F			M	F		M	F		M	F				
1	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3	Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Salmonelosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Varicella	40	41	81	11.1	163	153	316	5	4	9	0	0	0	406	100%	9.8
14	Whooping cough	0	1	1	0.1	0	0	0	1	0	1	0	0	0	2	0%	0.0
15	Monkeypox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Total		40	42	82	11.3	163	153	316	6	4	10	0	0	0	408	100%	9.8
% by age group				20%				77%			2%			0%	100%		

### 3.4 Chronic health conditions

Record NEW and REVISITS			0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
			M	F		M	F		M	F		M	F			
1	Diabetes		7	4	11	17	51	68	724	1,323	2,047	437	749	1,186	3,312	21%
2	Hypertension		3	0	3	1	0	1	1,432	1,997	3,429	782	1,148	1,930	5,363	34%
3	Ischaemic heart disease		0	0	0	0	0	0	295	87	382	163	104	267	649	4%
4	Cardiovascular disease (other)		6	6	12	27	10	37	54	97	151	18	27	45	245	2%
5	Asthma		110	53	163	211	183	394	199	302	501	24	69	93	1,151	7%
6	Chronic obstructive pulmonary disease		0	0	0	0	1	1	103	29	132	45	55	100	233	1%
7	Thyroid disorders		46	32	78	72	83	155	114	1,062	1,176	17	81	98	1,507	10%
8	Cancer		0	2	2	0	0	0	13	8	21	4	1	5	28	0%
9	Liver disease		0	13	13	4	4	8	4	8	12	7	1	8	41	0%
10	Musculoskeletal disorders		12	14	26	36	31	67	85	134	219	13	24	37	349	2%
11	Other		152	113	265	295	349	644	700	916	1,616	122	112	234	2,759	18%
Total			336	237	573	663	712	1,375	3,723	5,963	9,686	1,632	2,371	4,003	15,637	100%
% by age group					4%			9%			62%			26%	100%	

### 3.5 Mental health

			0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
			M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures		132	194	326	484	395	879	432	327	759	25	39	64	2,028	33%
2	Alcohol/Substance abuse		0	0	0	1	0	1	21	0	21	0	0	0	22	0%
3	Intellectual disability and development disorders		28	7	35	145	42	187	50	40	90	1	4	5	317	5%
4	Psychosis (including bipolar disorder)		0	1	1	9	7	16	361	289	650	39	88	127	794	13%
5	Moderate-severe emotional disorder		1	1	2	312	239	551	512	1,146	1,658	110	35	145	2,356	38%
6	Medically unexplained somatic complaint		0	0	0	4	3	7	35	34	69	1	2	3	79	1%
7	Dementia or delirium		0	0	0	0	0	0	1	0	1	22	83	105	106	2%
8	Other psychological complaint		18	2	20	208	103	311	76	56	132	1	4	5	468	8%
Total			179	205	384	1,163	789	1,952	1,488	1,892	3,380	199	255	454	6,170	100%
% by age group					6%			32%			55%			7%	100%	

### 3.6 Injuries

			0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
			M	F		M	F		M	F		M	F			
1	Burns		24	35	59	49	42	91	16	54	70	7	4	11	231	10%
2	Bites		3	1	4	7	6	13	4	5	9	1	0	1	27	1%
3	Assault		2	2	4	24	6	30	8	7	15	0	2	2	51	2%
4	Accidents		130	84	214	628	239	867	313	198	511	5	18	23	1,615	67%
5	Self-harm		1	0	1	0	0	0	1	0	1	0	0	0	2	0%
6	Suicidal attempt		0	1	1	4	1	5	1	2	3	0	0	0	9	0%
7	Other		43	35	78	170	78	248	91	54	145	4	7	11	482	20%
Total			203	158	361	882	372	1,254	434	320	754	17	31	48	2,417	100%
% by age group					15%			52%			31%			2%	100%	

### 3.7 Reproductive Tract Infections

			0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
			M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome		0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome		0	0	0	0	64	64	0	2,488	2,488	0	14	14	2,566	56%
3	Genital ulcer disease		0	0	0	0	0	0	0	1	1	0	0	0	1	0%
4	Pelvic inflammatory disease		0	0	0	0	34	34	0	1,072	1,072	0	6	6	1,112	24%
5	Congenital syphilis		0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum		0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other		0	0	0	0	15	15	0	919	919	0	1	1	935	20%
Total			0	0	0	0	113	113	0	4,480	4,480	0	21	21	4,614	100%
% by age group					0%			2%			97%			0%	100%	

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		2	2	4	0	0	0	0	1	1	0	0	0	5
Total admissions		638	387	1,025	128	180	308	52	811	863	6	3	9	2,205
Number of exits	authorized	567	337	904	110	160	270	50	760	810	6	3	9	1,993
	unauthorized	22	15	37	6	4	10	0	43	43	0	0	0	90
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	50	32	82	9	18	27	0	2	2	0	0	0	111
Total exits		639	384	1,023	125	182	307	50	805	855	6	3	9	2,194
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	364
Number of beds	22
Sum number of days stay for authorised discharges	4,357
Average length of stay (days)	2.2
Bed occupancy	60%
Hospitalisation rate (/1000/month)	4.4

4.2 In-patient Admissions and Deaths

		0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1	Paediatric medicine	837	0		237	0		0	0		0	0	1,074	0	
2	General Surgery	193	0		55	0		140	0		9	0	397	0	
3	Internal medicine	0	0		0	0		0	0		0	0	0	0	
4	Obstetrics	0	0		16	0		683	0		0	0	699	0	
5	Gynaecology	0	0		0	0		40	0		0	0	40	0	
6	Other	0	0		0	0		0	0		0	0	0	0	
Total		1030	0		308	0		863	0		9	0	2,210	0	

Adm. = Admission; CFR = Case Fatality Rate

5. REFERRALS

5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	451	448	701	111	1,711
2 Jordan University Hospital	4	6	7	0	17
3 Private affiliated Hospital	173	225	1,948	19	2,365
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total number of reffered cases out side the camp	4,093
Referral Rate (/1000/month)	8.2

5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	336	21	0	0	357
2 Internal medicine	211	469	2,284	116	3,080
3 Obstetric	0	3	285	0	288
4 Gynaecological	0	5	4	0	9
5 Surgical	81	181	83	14	359
6 Other	0	0	0	0	0

6. LABORATORY

	Total
Number of laboratory tests conducted	73,687

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

		< 18	≥ 18	Total
1	First antenatal visit (during the first trimester)	24	847	871
2	First antenatal visit (after the first trimester)	8	312	320
3	Repeat antenatal visit	200	7,795	7,995
4	High risk pregnancies detected	6	740	746
5	Tested for anaemia	80	3,015	3,095
6	Confirmed severe and moderate anaemia	12	432	444
7	Abortions	6	208	214

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	73%

7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	16	769	785
	2 TT doses	7	282	289
	anaemia screening	17	776	793

Coverage of complete antenatal care	90%
Coverage of antenatal tetanus immunisation	33%
Coverage of anaemia screening in pregnancy	91%

7.3 Delivery care

		Health Facility		Home Delivery		TOTAL
		< 18	≥ 18	< 18	≥ 18	
1	Livebirths	19	851	0	3	873
2	Stillbirths	0	4	0	0	4
3	Low birth weight (< 2500g)	0	50	0	0	50
4	Attended by a skilled health worker	19	851	0	1	871
5	Obstetric complications	0	8	0	0	8
6	Caesarean sections	4	247	0	0	251

Delivery Indicators	
Crude birth rate (/1000 population/ month)	1.8
Proportion of births attended by skilled health worker (excl. TBA)	99.8%
Proportion of low birth weight deliveries	6%
Proportion of all births performed by caesarean section	29%

7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	1	466	467

Postnatal Indicators	
Coverage of complete postnatal care	53%

7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	0	296	0	228	524
Combined pill (highdose)	3	37	0	63	103
Progesterone pill (Micro-val; Micro-Iut)	7	567	0	783	1,357
Emergency contraceptive pill	0	2	0	0	2
Injectable (Depo-Provera)	0	100	2	87	189
Implantable (Norplant)	0	183	0	0	183
Intra-uterine device (IUD)	1	99	0	4	104
Condom (male)	5	287	0	418	710
Condom (female)	0	8	0	5	13
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	6	221	12	1,838	2,077
Other	0	3	0	10	13

7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

8. NUTRITION

8.1 Outpatient Therapeutic Program

		6 to 23 months		24 to 59 months		≥ 60 months	
		M	F	M	F	M	F
1	New admissions	4	7	2	0	0	0
2	Re-visits	0	0	0	0	0	0
3	Exits- Recovered (moved to TSFP)	4	4	0	3	0	0
4	Exits - None response	3	0	0	0	0	0
5	Exits - Moved to SC	0	0	0	0	0	0
6	Exits - Moved to other OTP	3	0	0	0	0	0
7	Exists - Medical Referral	0	0	1	0	0	0
8	Exits- Death	0	0	0	0	0	0
9	Exists- Defaulter	0	0	0	0	0	0
10	Sum number of days stay for discharged children (< 5)	1,168					
11	Sum average weight gain for discharged children (< 5)	32					

### 8.2 Supplementary Feeding Program - U5

		6 to 23 months		24 to 59 months		≥ 60 months	
		M	F	M	F	M	F
1	New admissions	16	25	2	3	0	0
2	Re-visits	5	0	3	2	0	0
3	Exits- Recovered	18	29	9	5	0	0
4	Exits - None response	2	2	2	1	0	0
5	Exits - Moved to SC	0	0	0	0	0	0
6	Exits - Moved to OTP	1	2	1	1	0	0
7	Exits - Moved to other TSFP	0	0	0	0	0	0
8	Exists - Medical Referral	0	0	0	0	0	0
9	Exits- Death	0	0	0	0	0	0
10	Exists- Defaulter	0	2	1	0	0	0
11	Sum number of days stay for discharged children (< 5)			7,795			
12	Sum average weight gain for discharged children (< 5)			54			

### 8.3 Supplementary Feeding Program - PLW

		< 18	≥ 18
1	New admissions	1	20
2	Re-visits	0	12
3	Exits- Recovered	0	25
4	Exits - None response	0	2
5	Exits - Moved to other TSFP	0	0
6	Exists - Medical Referral	0	0
7	Exits- Death	0	0
8	Exists- Defaulter	0	14

### 8.4 MUAC (Health Facility)

		6 to 23 months		24 to 59 months	
		M	F	M	F
1	Children screened - Green (normal)	1,734	1,806	383	353
2	Children screened - Yellow (borderline)	10	22	0	0
3	Children screened - Red (danger)	6	7	1	0
4	Children screened - Oedema	0	0	0	0

### 8.5 GMP (Community)

		6 to 23 months		24 to 59 months	
		M	F	M	F
1	Children screened - Green (normal)	3,162	3,007	3,539	3,750
2	Children screened - Yellow (borderline)	2	0	0	0
3	Children screened - Red (danger)	0	1	0	0
4	Children screened - Oedema	0	0	0	0

Data Source / Health Information System



UNHCR gratefully acknowledges the support of the following partners:

