1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	712	673	1,385	2,800	2,851	5,650	8,306	7,843	16,150	7,765	7,868	15,632	310	448	759	39,576
% by age group			4%			14%			41%			39%			2%	100%

2. MORTALITY

2.1 Mortality

		< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
		M	F		M	F			M	F		M	F		M	F			
1	Neonatal death	2	3	5			0	63%			0			0			0	5	19%
2	Maternal Death			0			0	0%		0	0		0	0			0	0	0%
3	URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4	Pneomonia	0	1	1	0	1	1	25%	0	1	1	0	0	0	0	0	0	3	11%
5	Bronchitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6	LRTI (other)	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	4%
7	Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8	Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9	Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10	Gastric and duedenal ulcer	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11	Appendicitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12	Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13	Meningitis (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14	HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15	Leishmaniasis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16	Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17	Anaemia	0	0	0	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	4%
18	Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
19	Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
20	Cancer	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	4%
21	Cardiovascular disease (other)	0	0	0	0	0	0	0%	1	0	1	1	0	1	2	0	2	4	15%
22	Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	1	0	1	3	0	3	4	15%
23	Heart Failure	0	0	0	0	0	0	0%	0	0	0	0	1	1	1	0	1	2	7%
24	Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25	Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	4%
26	Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27	Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28	Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29	Renal disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30	Sickle cell disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31	Thyroid disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32	Alcohol-related disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33	Epilepsy/ Seizures	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34	Substance use disorders (benzodiazepine or other prescription medication)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35	Substance use disorders related to opiate use	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36	Self-harm/suicide	0	0	0	0	0	0	0%	0	1	1	0	0	0	0	0	0	1	4%
37	Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38	Acute viral hepatitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39	Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
55	COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40	Influenza-Like Illness (ILI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41	Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42	Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43	Mpox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44	Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45	Salmonelosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46	Severe Acute Respiratory Infections (SARI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48	Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49	Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50	Varicella (chickenpox)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51	Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52	Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
53	Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
54	Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
55	Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
56	Accidents	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
57	Unknown	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
58	Other	0	0	0	1	0	1		1	0	1	0	0	0	0	2	2	4	15%
	Total	2	4	6	1	1	2	100%	2	2	4	3	2	5	7	3	10	27	100%
	% by age group			22%			7%				15%			19%			37%	63%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.3	0.2	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.3	0.5	0.4
Infant Mortality Rate (IMR) (/1000/month)	0.9	2.0	1.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			13.2

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

3. MORBIDITY

3.1 Staffing and service availability

Number of full-time clinicians	43.6
Average number of full days on which each health facility was functioning	10.3
Total number of outpatient consultations	114,940
Health facility utilisation rate	8.3
Consultations per clinician per day	20

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations (all causes combined)	36,419	45,300	81,719
New Non-Communicable Diseases (NCD) Consultations	67	85	152
New Mental Health (MH) Consultations	32	29	61
Re-visit Consultations (all causes combined)	13,516	19,705	33,221
TOTAL Consultations	49,935	65,005	114,940

3.2 Acute health conditions

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	URTI	4,845	4,091	8,936	1270.1	5,538	5,228	10,766	4,128	6,125	10,253	253	484	737	30,692	37%	775.5
2	Pneumonia	14	11	25	3.6	10	7	17	7	26	33	7	4	11	86	0%	2.2
3	Bronchitis	328	264	592	84.1	144	115	259	93	134	227	12	28	40	1,118	1%	28.2
4	LRTI (other)	278	215	493	70.1	126	123	249	84	124	208	10	19	29	979	1%	24.7
5	Skin disease	348	399	747	106.2	465	586	1,051	376	760	1,136	33	45	78	3,012	4%	76.1
6	Eye disease	164	130	294	41.8	227	179	406	327	298	625	11	25	36	1,361	2%	34.4
7	Ear disease	339	251	590	83.9	261	325	586	355	743	1,098	27	52	79	2,353	3%	59.5
8	Dental conditions	61	54	115	16.3	2,104	2,357	4,461	2,760	5,593	8,353	91	141	232	13,161	16%	332.6
9	Intestinal worms	73	74	147	20.9	298	288	586	79	122	201	3	7	10	944	1%	23.9
10	Watery diarrhoea	177	162	339	48.2	70	71	141	85	116	201	4	3	7	688	1%	17.4
11	Bloody diarrhoea	1	1	2	0.3	0	0	0	0	2	2	0	0	0	4	0%	0.1
12	Gastric and duodenal ulcer	2	6	8	1.1	28	25	53	115	135	250	0	7	7	318	0%	8.0
13	Appendicitis	0	0	0	0.0	1	2	3	0	5	5	0	0	0	8	0%	0.2
14	Tuberculosis (suspected)	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
15	Tuberculosis (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Measles (suspected)	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
17	Meningitis (suspected)	3	4	7	1.0	5	3	8	0	1	1	0	0	0	16	0%	0.4
18	Meningitis confirmed (other)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
19	HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20	Leishmaniasis	0	0	0	0.0	1	0	1	1	0	1	0	0	0	2	0%	0.1
21	Acute malnutrition	0	0	0	0.0	0	2	2	0	0	0	0	0	0	2	0%	0.1
22	Anaemia	102	81	183	26.0	90	121	211	17	386	403	3	5	8	805	1%	20.3
23	Acute Jaundice Syndrome	0	1	1	0.1	0	2	2	2	0	2	0	0	0	5	0%	0.1
24	Abortion	7	3	10	1.4	0	1	1	0	24	24	0	0	0	35	0%	0.9
25	Urinary Tract Infection	60	158	218	31.0	136	453	589	432	1,450	1,882	30	48	78	2,767	3%	69.9
26	Other acute health conditions	2,207	1,860	4,067	578.1	2,773	3,082	5,855	4,835	8,070	12,905	609	813	1,422	24,249	29%	612.7
	Total	9,010	7,765	16,775	2384.3	12,277	12,970	25,247	13,697	24,114	37,811	1,093	1,681	2,774	82,607	100%	2087.3
	% by age group			20%				31%			46%			3%	100%		

3.3 Notifiable diseases

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	Acute Flaccid Paralysis	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	4%	0.0
2	Acute viral hepatitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	ILI	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Mpox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Rabies	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Rubella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11	Salmonelosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Severe Acute Respiratory Infections (SARI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Varicella (chickenpox)	0	7	7	1.0	10	7	17	1	0	1	0	0	0	25	96%	0.6
17	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
18	Whooping cough	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
19	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	Total	0	7	7	1.0	10	8	18	1	0	1	0	0	0	26	100%	0.7
	% by age group			27%				69%			4%			0%	200%		

3.4 Chronic health conditions

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Asthma	66	24	90	84	64	148	72	122	194	30	44	74	506	9%
2	Cancer	0	0	0	0	0	0	3	4	7	4	1	5	12	0%
3	Cardiovascular disease (other)	4	0	4	9	4	13	21	35	56	8	9	17	90	2%
4	Ischaemic heart disease	0	0	0	0	0	0	85	21	106	40	33	73	179	3%
5	Heart Failure	2	0	2	0	0	0	5	6	11	5	4	9	22	0%
6	Chronic obstructive pulmonary disease	0	0	0	0	0	0	23	9	32	21	14	35	67	1%
7	Diabetes	4	2	6	12	18	30	276	485	761	171	280	451	1,248	23%
8	Hypertension	0	0	0	0	0	0	503	773	1,276	292	425	717	1,993	36%
9	Liver disease	0	0	0	0	0	0	1	3	4	2	0	2	6	0%
10	Musculoskeletal disorders	1	2	3	3	6	9	8	18	26	2	1	3	41	1%
11	Renal disease	0	0	0	0	0	0	3	4	7	4	2	6	13	0%
12	Sickle cell disease	0	0	0	3	1	4	2	6	8	0	0	0	12	0%
13	Thyroid disorders	20	14	34	38	20	58	61	379	440	7	25	32	564	10%
14	Other NCDs	33	17	50	69	113	182	183	269	452	36	38	74	758	14%
	Total	130	59	189	218	226	444	1,246	2,134	3,380	622	876	1,498	5,511	100%
	% by age group			3%			8%			61%			27%	100%	

3.5 Mental health

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	78	59	137	213	197	410	215	132	347	11	12	23	917	29%
2	Alcohol/Substance abuse	0	0	0	0	0	0	3	0	3	0	0	0	3	0%
3	Substance use disorders related to opiate use	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
4	Substance use disorders related to benzodiazepine or other prescription medication	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
5	Other substance use disorders	0	0	0	0	0	0	2	0	2	0	0	0	2	0%
6	Intellectual disability	4	0	4	41	20	61	29	20	49	0	0	0	114	4%
7	Development disorders	4	5	9	53	21	74	9	5	14	0	0	0	97	3%
8	Acute psychosis	0	0	0	0	2	2	9	8	17	2	3	5	24	1%
9	Chronic psychosis	0	0	0	1	5	6	139	92	231	1	23	24	261	8%
10	Bipolar disorders (Mania)	0	0	0	1	12	13	21	21	42	2	8	10	65	2%
11	Dementia	0	0	0	0	0	0	1	0	1	7	24	31	32	1%
12	Delirium	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
13	Moderate-severe depression	0	0	0	18	16	34	46	117	163	22	0	22	219	7%
14	Posttraumatic stress disorder	0	0	0	67	18	85	31	60	91	0	0	0	176	6%
15	Moderate-severe forms of anxiety disorder and mixed presentations	0	0	0	63	52	115	186	305	491	20	6	26	632	20%
16	Medically unexplained somatic complaint	1	0	1	2	7	9	43	9	52	0	0	0	62	2%
17	Self-harm/ suicide attempt	0	0	0	0	1	1	0	0	0	0	0	0	1	0%
18	Acute stress	0	0	0	2	2	4	0	4	4	0	0	0	8	0%
19	Grief	0	0	0	0	0	0	0	5	5	0	0	0	5	0%
20	Other psychological complaint	9	14	23	100	78	178	112	200	312	8	12	20	533	17%
	Total	96	78	174	561	431	992	848	978	1,826	73	88	161	3,153	100%
	% by age group			6%			31%			58%			5%	100%	

3.6 Injuries

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Bites	4	2	6	7	6	13	3	5	8	0	0	0	27	3%
2	Assault	0	0	0	1	0	1	1	0	1	0	0	0	2	0%
3	Accidents	45	19	64	243	110	353	120	94	214	5	7	12	643	61%
4	Other	46	33	79	119	65	184	60	49	109	1	4	5	377	36%
	Total	95	54	149	370	181	551	184	148	332	6	11	17	1,049	100%
	% by age group			14%			53%			32%			2%	100%	

3.7 Reproductive Tract Infections

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	0	0	0	9	9	0	977	977	0	0	0	986	72%
3	Genital ulcer disease	0	0	0	0	0	0	0	11	11	0	0	0	11	1%
4	Pelvic inflammatory disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	5	5	0	376	376	0	0	0	381	28%
	Total	0	0	0	0	14	14	0	1364	1364	0	0	0	1378	100%
	% by age group			0%			1%			99%			0%	100%	

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

	< 1	1 to 4	5 to 17	18 to 59	≥ 60	Grand total
Number at beginning of reporting period	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
New admissions	266	261	141	387	4	1059

Number of exits	authorized	248	244	119	368	4	983
	unauthorized	3	10	5	16	0	34
	death	0	0	0	0	0	0
	referral	18	10	16	5	0	49
	Deaths within 24 hours	0	0	0	0	0	0
Total exits		269	264	140	389	4	1066
Number at end of reporting period		44	90	50	40	0	224

Number of days in reporting period	182
Number of beds	35
Sum number of days stay for all discharges	2,080
Average length of stay (days)	2.0
Bed occupancy	32%
Hospitalisation rate- in-camp (/1000/month)	8.9

4.2 In-patient Admissions and Deaths

		0 to 4		0-4 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		≥ 60 CFR	Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths				
1	Paediatric medicine	346	5	1%	107	0	0%	4	0	0%	0	0		457	5	1%
2	General Surgery	167	0	0%	28	0	0%	66	0	0%	5	0	0%	266	0	0%
3	Internal medicine	0	0		0	0		0	0		0	0		0	0	
4	Obstetrics	0	0		9	0	0%	300	0	0%	5	0	0%	314	0	0%
5	Gynaecology	0	0		1	0	0%	15	0	0%	1	0	0%	17	0	0%
8	Other	0	0		0	0		0	0		0	0		0	0	
	Total	513	5	1%	145	0	0%	385	0	0%	11	0	0%	1054	5	0%

Adm. = Admission; CFR = Case Fatality Rate

5. LABORATORY

	Total
Number of laboratory tests conducted	31,809

6. REFERRALS

6.1 Referrals by location

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	MOH Hospital	337	388	470	103	1,298
2	Jordan University Hospital	0	0	1	0	1
3	Private affiliated Hospital	8	125	397	0	530
4	Royal Medical Services	0	0	0	0	0
5	Other	0	0	0	0	0

Number of referrals to out-of-camp hospitals for secondary and emergency healthcare	1,829
Referral Rate (/1000/month)	15.4

6.2 Referrals by service

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	Paediatrics	262	3	1	0	266
2	Internal medicine	34	383	673	86	1,176
3	Obstetric	0	4	135	0	139
4	Gynaecological	1	1	5	0	7
5	Surgical	48	122	54	17	241
6	Other	0	0	0	0	0

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

		< 20	≥ 20	Total
1	First antenatal visit (during the first trimester)	29	391	420
2	First antenatal visit (after the first trimester)	14	113	127
	First antenatal visit (TOTAL)	43	504	547
3	Repeat antenatal visit	459	3,785	4,244
4	High risk pregnancies detected	4	149	153
5	Tested for anaemia at ANC 1st contact/visit	29	377	406
6	Confirmed anemia (Hb<10) at ANC 1st contact/visit	4	78	82
7	Received breastfeeding counsellling	65	864	929
8	Tested for urine protein	98	877	975
9	Tested positive for urine protein	15	76	91

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	77%

7.2 Antenatal care coverage at time of delivery

		< 20	≥ 20	Total
Number of pregnant women at time of delivery who:	Received 4 or more antenatal visits	42	307	349
	Received 2 doses of TT vaccine during antenatal period	11	116	127
	Were screened for anemia during antenatal period	39	310	349

	Were screened for proteinuria during antenatal period	35	287	322

Coverage of complete antenatal care	92%
Coverage of antenatal tetanus immunisation	34%
Coverage of anaemia screening in pregnancy	92%
Coverage of proteinuria screening in pregnancy	85%

7.3 Delivery care

		Health Facility		Home Delivery		Total
		< 20	≥ 20	< 20	≥ 20	
1	Livebirths	44	335	0	0	379
2	Stillbirths	1	2	0	0	3
3	Newborns breastfed within 1 hour of birth	42	276	0	0	318
4	Neonatal death	0	2	0	0	2
5	Low birth weight (< 2500g)	2	16	0	0	18
6	Attended by a skilled health worker (excluding TBA)	44	335	0	0	379
7	Obstetric complications	1	4	0	0	5
8	Obstetric complications referred	0	1	0	0	1
9	Caesarean sections performed	5	99	0	0	104
10	Abortions	1	24	0	0	25

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.2
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	5%
Proportion of all births performed by caesarean section	27%

7.4 Special procedures in maternity

		< 20	≥ 20	Total
1	Blood transfusion	1	4	5
2	Cervical tear repair	2	0	2
3	Episiotomy	9	18	27
4	Laceration (perineal tear) repaired	2	8	10
5	Magnesium sulphate given for pre-eclampsia /eclampsia	0	0	0
6	Management to prevent (and/or treat) obstetric fistula	0	0	0
7	Manual exploration of the uterus	0	0	0
8	Manual removal of placenta	0	0	0
9	Neonatal resuscitation	0	0	0
10	Parenteral antibiotics given for peripartum infection	0	2	2
11	Post-abortion care (Manual vcauum aspiration or curettage)	1	3	4
12	Repair of ruptured uterus	0	0	0
13	Shoulder dystocia management	0	0	0
14	Uterotonic (oxytocin) given to manage postpartum hemorrhage	1	1	2
15	Vaginal breech delivery	0	0	0
16	VBAC (Vaginal Birth After Caesarian)	0	2	2
17	Other	0	2	2

7.5 Postnatal care

		< 20	≥ 20	Total
1	Attended for 1st PNCl visit within 24 hours of delivery	43	273	316
2	Attended for 2nd PNC visit within 48-72 hrs of delivery	23	130	153
3	Attended for 3rd PNC visit within 7-14 days of delivery	11	112	123
4	Attended for 4th PNC visit within 6 weeks of delivery	6	46	52

Postnatal Indicator	
Coverage of complete postnatal care	14%

7.6 Family planning

	New Users				Repeat Users				Discontinued Users				Total
	< 20		≥ 20		< 20		≥ 20		< 20		≥ 20		
	M	F	M	F	M	F	M	F	M	F	M	F	
Combined pill (low dose)		5		236		5		446		0		0	692
Combined pill (highdose)		0		0		0		2		0		0	2
Progesterone pill (Micro-val; Micro-lut)		18		129		18		211		0		0	376
Emergency contraceptive pill		0		0		0		2		0		0	2
Injectable (Depo-Provera)		1		66		2		61		0		0	130
Implantable (Norplant)		1		38		0		2		0		0	41
Intra-uterine device (IUD)		3		47		0		5		0		0	55
Condom (male)	2		172		8		303		0		0		485
Condom (female)		0		10		4		17		0		0	31
Sterilisation (male)	0		0		0		0		0		0		0
Sterilisation (female)		0		0		0		0		0		0	0
Counseling (only)	0	22	1	315	0	32	0	448	0	0	0	0	818
Other	0	0	0	12	0	0	0	9	0	0	0	0	21

7.7 Sexual and gender-based violence

	< 20		≥ 20		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
Rape survivors examined within 72 hours	0	0	0	0	0
Rape survivors examined within 72 -120 hours	0	0	0	0	0
Rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
Rape survivors examined after 2 weeks	0	0	0	0	0
Rape survivors given PEP within 72 hours	0	0	0	0	0
Female rape survivors given ECP within 120 hours	0	0	0	0	0
Rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
Rape survivors referred for MHPSS	0	0	0	0	0
Rape survivors referred for protection or other services	0	0	0	0	0
Cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

8. NUTRITION

8.1 Outpatient Therapeutic Program

		0 to 5 months		6 to 23 months		24 to 59 months	
		M	F	M	F	M	F
	Number at beginning of reporting period	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
1	Number of new admissions (WHF/BMI, MUAC, oedema)	0	0	5	1	0	0
2	Number of relapse	0	0	1	0	0	0
3	Number of rereadmissions	0	0	0	0	0	0
4	Number moved in from SC/OTP	0	0	0	0	0	0
5	Numner of Exits- Recovered	0	0	3	2	2	2
6	Number of Exits - Non response	0	0	0	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0
8	Number of Exits - Moved to other OTP	0	0	0	0	0	0
9	Number of Exists- Moved to TSFP	0	0	0	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	3	3	0	0
13	Other Exits	0	0	0	0	0	0
	Number at end of reporting period	0	0	3	0	0	0
14	Sum number of days stay for exit promoted to TSFP and recovered (< 5)				0		
15	Sum average weight gain for exit promoted to TSFP and recovered (< 5)				0		

8.2 Targeted Supplementary Feeding Program

		0 to 5 months		6 to 23 months		24 to 59 months		HIV/TB		PLWs
		M	F	M	F	M	F	M	F	
	Number at beginning of reporting period	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
1	Number of New admissions (WFH/BMI, MUAC)	0	0	12	5	0	0	0	0	5
2	Number of readmissions	0	0	0	0	0	0	0	0	4
3	Number of relapse	0	0	1	0	0	0	0	0	0
4	Other admissions	0	0	3	2	2	2	0	0	2
5	Number of Exits- Recovered	0	0	8	8	2	0	0	0	7
6	Number of Exits - Non response	0	0	3	0	2	4	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0	0	0	0
8	Number of Exits - Moved to OTP	0	0	1	0	0	0	0	0	0
9	Number of Exits - Moved to other TSFP	0	0	0	0	0	0	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	0	0	1	0	0	0	10
13	Other exits	0	0	0	0	0	0	0	0	1
	Number at end of reporting period	0	0	9	4	0	2	0	0	7
14	Sum number of days stay for discharged children (< 5)					0				
15	Sum average weight gain for discharged children (< 5)					0				

8.3 MUAC Screening

		6 to 23 months		24 to 59 months		PLWs
		M	F	M	F	
1	Screened - Green (normal)	1,128	1,016	891	895	361
2	Screened - Yellow (borderline)	8	5	0	0	3
3	Screened - Red (danger)	3	1	0	0	0
4	Screened - Oedema	0	0	0	0	0

UNHCR gratefully acknowledges the support of the following partners: