1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	683	645	1,329	2,348	2,254	4,602	8,344	8,028	16,372	7,163	7,839	15,002	284	374	658	37,963
% by age group			4%			12%			43%			40%			2%	100%

2. MORTALITY

2.1 Mortality

		< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
		M	F		M	F			M	F		M	F		M	F			
1	Neonatal death	2	3	5			0	100%			0			0			0	5	50%
2	Maternal Death			0			0	0%		0	0		0	0			0	0	0%
3	URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4	Pneomonia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	10%
5	Bronchitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6	LRTI (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7	Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8	Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9	Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10	Gastric and duedenal ulcer	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11	Appendicitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12	Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13	Meningitis (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14	HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15	Leishmaniasis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16	Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17	Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
18	Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
19	Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
20	Cancer	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	10%
21	Cardiovascular disease (other)	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	10%
22	Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
23	Heart Failure	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24	Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25	Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26	Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	10%
27	Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28	Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29	Renal disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	10%
30	Sickle cell disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31	Thyroid disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32	Alcohol-related disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33	Epilepsy/ Seizures	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34	Substance use disorders (benzodiazepine or other prescription medication)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35	Substance use disorders related to opiate use	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36	Self-harm/suicide	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37	Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38	Acute viral hepatitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39	Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
55	COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40	Influenza-Like Illness (ILI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41	Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42	Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43	Mpox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44	Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45	Salmonelosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46	Severe Acute Respiratory Infections (SARI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48	Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49	Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50	Varicella (chickenpox)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51	Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52	Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
53	Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
54	Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
55	Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
56	Accidents	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
57	Unknown	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
58	Other	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
	Total	2	3	5	0	0	0	100%	0	0	0	1	0	1	1	3	4	10	100%
	% by age group			50%			0%				0%			10%			40%	60%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.2	0.3	0.3
Infant Mortality Rate (IMR) (/1000/month)	1.0	1.5	1.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			28.4

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

3. MORBIDITY

3.1 Staffing and service availability

Number of full-time clinicians	19.9
Average number of full days on which each health facility was functioning	5.5
Total number of outpatient consultations	52,901
Health facility utilisation rate	3.9
Consultations per clinician per day	38

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations (all causes combined)	15,367	21,892	37,259
New Non-Communicable Diseases (NCD) Consultations	72	101	173
New Mental Health (MH) Consultations	14	23	37
Re-visit Consultations (all causes combined)	5,341	10,301	15,642
TOTAL Consultations	20,708	32,193	52,901

3.2 Acute health conditions

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	URTI	1,458	1,210	2,668	449.8	1,571	1,631	3,202	1,297	1,999	3,296	48	149	197	9,363	24%	246.6
2	Pneumonia	2	0	2	0.3	2	1	3	2	1	3	0	1	1	9	0%	0.2
3	Bronchitis	83	52	135	22.8	29	16	45	44	26	70	6	0	6	256	1%	6.7
4	LRTI (other)	78	46	124	20.9	21	20	41	30	33	63	7	9	16	244	1%	6.4
5	Skin disease	170	172	342	57.7	279	300	579	193	371	564	16	22	38	1,523	4%	40.1
6	Eye disease	57	32	89	15.0	138	98	236	217	180	397	4	13	17	739	2%	19.5
7	Ear disease	90	63	153	25.8	97	162	259	185	531	716	9	24	33	1,161	3%	30.6
8	Dental conditions	46	49	95	16.0	1,076	1,396	2,472	1,340	2,782	4,122	44	89	133	6,822	18%	179.7
9	Intestinal worms	33	47	80	13.5	160	144	304	40	62	102	0	1	1	487	1%	12.8
10	Watery diarrhoea	160	125	285	48.1	72	79	151	56	100	156	0	4	4	596	2%	15.7
11	Bloody diarrhoea	0	0	0	0.0	1	0	1	1	0	1	0	0	0	2	0%	0.1
12	Gastric and duodenal ulcer	19	16	35	5.9	32	34	66	92	124	216	4	8	12	329	1%	8.7
13	Appendicitis	0	0	0	0.0	1	1	2	0	1	1	0	0	0	3	0%	0.1
14	Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15	Tuberculosis (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Measles (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
17	Meningitis (suspected)	2	0	2	0.3	1	0	1	0	0	0	0	0	0	3	0%	0.1
18	Meningitis confirmed (other)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
19	HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20	Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21	Acute malnutrition	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
22	Anaemia	95	52	147	24.8	69	101	170	12	406	418	1	1	2	737	2%	19.4
23	Acute Jaundice Syndrome	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
24	Abortion	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
25	Urinary Tract Infection	14	61	75	12.6	57	229	286	226	968	1,194	18	42	60	1,615	4%	42.5
26	Other acute health conditions	1,211	1,072	2,283	384.9	1,770	2,166	3,936	2,761	5,193	7,954	328	562	890	15,063	39%	396.8
	Total	3,518	2,997	6,515	1098.5	5,376	6,378	11,754	6,496	12,777	19,273	485	925	1,410	38,952	100%	1026.1
	% by age group			17%				30%			49%			4%	100%		

3.3 Notifiable diseases

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2	Acute viral hepatitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	ILI	1	3	4	0.7	4	7	11	20	14	34	0	0	0	49	92%	1.3
5	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Mpox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Rabies	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Rubella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11	Salmonelosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Severe Acute Respiratory Infections (SARI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Varicella (chickenpox)	0	0	0	0.0	1	2	3	1	0	1	0	0	0	4	8%	0.1
17	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
18	Whooping cough	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
19	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	Total	1	3	4	0.7	5	9	14	21	14	35	0	0	0	53	100%	1.4
	% by age group			8%				26%			66%			0%	200%		

3.4 Chronic health conditions

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Asthma	19	9	28	52	35	87	38	56	94	8	18	26	235	9%
2	Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3	Cardiovascular disease (other)	1	0	1	2	0	2	7	5	12	0	1	1	16	1%
4	Ischaemic heart disease	0	0	0	0	0	0	34	9	43	17	16	33	76	3%
5	Heart Failure	0	0	0	0	0	0	2	0	2	1	2	3	5	0%
6	Chronic obstructive pulmonary disease	0	0	0	0	0	0	18	2	20	11	4	15	35	1%
7	Diabetes	2	1	3	5	10	15	119	290	409	63	102	165	592	23%
8	Hypertension	0	0	0	1	0	1	243	377	620	123	160	283	904	35%
9	Liver disease	0	0	0	0	1	1	1	1	2	0	1	1	4	0%
10	Musculoskeletal disorders	4	4	8	1	6	7	5	0	5	0	0	0	20	1%
11	Renal disease	0	0	0	0	1	1	2	3	5	1	0	1	7	0%
12	Sickle cell disease	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
13	Thyroid disorders	14	5	19	16	10	26	26	166	192	1	12	13	250	10%
14	Other NCDs	30	23	53	49	81	130	88	151	239	12	24	36	458	18%
	Total	70	42	112	126	144	270	583	1,061	1,644	237	340	577	2,603	100%
	% by age group			4%			10%			63%			22%	100%	

3.5 Mental health

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	13	11	24	53	57	110	53	55	108	5	3	8	250	28%
2	Alcohol/Substance abuse	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
3	Substance use disorders related to opiate use	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4	Substance use disorders related to benzodiazepine or other prescription medication	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5	Other substance use disorders	0	0	0	5	1	6	4	12	16	0	0	0	22	2%
6	Intellectual disability	0	0	0	0	2	2	23	7	30	0	0	0	32	4%
7	Development disorders	2	0	2	33	11	44	2	1	3	0	0	0	49	6%
8	Acute psychosis	0	0	0	0	0	0	1	1	2	0	0	0	2	0%
9	Chronic psychosis	0	0	0	1	1	2	57	55	112	1	10	11	125	14%
10	Bipolar disorders (Mania)	0	0	0	0	1	1	3	11	14	1	2	3	18	2%
11	Dementia	0	0	0	0	0	0	0	0	0	3	6	9	9	1%
12	Delirium	0	0	0	0	0	0	0	0	0	1	0	1	1	0%
13	Moderate-severe depression	0	0	0	2	0	2	14	34	48	7	0	7	57	6%
14	Posttraumatic stress disorder	0	0	0	16	1	17	12	14	26	0	0	0	43	5%
15	Moderate-severe forms of anxiety disorder and mixed presentations	0	0	0	3	3	6	52	65	117	9	1	10	133	15%
16	Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
17	Self-harm/ suicide attempt	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
18	Acute stress	0	0	0	0	0	0	0	2	2	0	0	0	2	0%
19	Grief	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
20	Other psychological complaint	1	0	1	19	20	39	48	43	91	2	8	10	141	16%
	Total	16	11	27	132	97	229	270	301	571	29	30	59	886	100%
	% by age group			3%			26%			64%			7%	100%	

3.6 Injuries

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Bites	3	0	3	3	0	3	1	5	6	0	0	0	12	1%
2	Assault	0	1	1	3	0	3	0	2	2	0	0	0	6	1%
3	Accidents	19	20	39	120	53	173	79	30	109	3	3	6	327	41%
4	Other	42	35	77	146	66	212	91	70	161	2	5	7	457	57%
	Total	64	56	120	272	119	391	171	107	278	5	8	13	802	100%
	% by age group			15%			49%			35%			2%	100%	

3.7 Reproductive Tract Infections

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	1	1	0	5	5	0	734	734	0	0	0	740	76%
3	Genital ulcer disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4	Pelvic inflammatory disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	17	17	0	219	219	0	0	0	236	24%
	Total	0	1	1	0	22	22	0	953	953	0	0	0	976	100%
	% by age group			0%			2%			98%			0%	100%	

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

	< 1	1 to 4	5 to 17	18 to 59	≥ 60	Grand total
Number at beginning of reporting period	0	2	3	2	0	7
New admissions	74	66	48	157	0	345

Number of exits	authorized	63	64	41	149	0	317
	unauthorized	3	2	5	6	0	16
	death	0	0	0	0	0	0
	referral	7	1	4	2	0	14
	Deaths within 24 hours	0	0	0	0	0	0
Total exits		73	67	50	157	0	347
Number at end of reporting period		20	22	17	26	0	85

Number of days in reporting period	91
Number of beds	18
Sum number of days stay for all discharges	742
Average length of stay (days)	2.1
Bed occupancy	45%
Hospitalisation rate- in-camp (/1000/month)	3.0

4.2 In-patient Admissions and Deaths

		0 to 4		0-4 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		≥ 60 CFR	Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths				
1	Paediatric medicine	83	0	0%	85	0	0%	16	0	0%	0	0		184	0	0%
2	General Surgery	#REF!	0		0	0		6	0	0%	3	0	0%	#REF!	0	
3	Internal medicine	0	0		0	0		0	0		0	0		0	0	
4	Obstetrics	0	0		3	0	0%	83	0	0%	56	0	0%	142	0	0%
5	Gynaecology	0	0		1	0	0%	8	0	0%	1	0	0%	10	0	0%
8	Other	0	0		0	0		0	0		0	0		0	0	
	Total	#REF!	0		89	0	0%	113	0	0%	60	0	0%	#REF!	0	

Adm. = Admission; CFR = Case Fatality Rate

5. LABORATORY

	Total
Number of laboratory tests conducted	10,201

6. REFERRALS

6.1 Referrals by location

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	MOH Hospital	169	256	343	41	809
2	Jordan University Hospital	0	0	0	0	0
3	Private affiliated Hospital	0	43	32	5	80
4	Royal Medical Services	0	0	0	0	0
5	Other	0	0	0	0	0

Number of referrals to out-of-camp hospitals for secondary and emergency healthcare	889
Referral Rate (/1000/month)	7.8

6.2 Referrals by service

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	Paediatrics	127	11	0	0	138
2	Internal medicine	11	209	261	45	526
3	Obstetric	1	3	64	0	68
4	Gynaecological	0	0	10	0	10
5	Surgical	30	76	40	1	147
6	Other	0	0	0	0	0

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

		< 20	≥ 20	Total
1	First antenatal visit (during the first trimester)	15	178	193
2	First antenatal visit (after the first trimester)	16	53	69
	First antenatal visit (TOTAL)	31	231	262
3	Repeat antenatal visit	196	1,517	1,713
4	High risk pregnancies detected	5	84	89
5	Tested for anaemia at ANC 1st contact/visit	18	171	189
6	Confirmed anemia (Hb<10) at ANC 1st contact/visit	6	39	45
7	Received breastfeeding counsellling	44	312	356
8	Tested for urine protein	40	331	371
9	Tested positive for urine protein	2	32	34

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	74%

7.2 Antenatal care coverage at time of delivery

		< 20	≥ 20	Total
Number of pregnant women at time of delivery who:	Received 4 or more antenatal visits	15	147	162
	Received 2 doses of TT vaccine during antenatal period	7	58	65
	Were screened for anemia during antenatal period	14	148	162

	Were screened for proteinuria during antenatal period	14	143	157

Coverage of complete antenatal care	92%
Coverage of antenatal tetanus immunisation	37%
Coverage of anaemia screening in pregnancy	92%
Coverage of proteinuria screening in pregnancy	89%

7.3 Delivery care

		Health Facility		Home Delivery		Total
		< 20	≥ 20	< 20	≥ 20	
1	Livebirths	17	158	0	1	176
2	Stillbirths	0	2	0	0	2
3	Newborns breastfed within 1 hour of birth	16	129	0	1	146
4	Neonatal death	0	2	0	0	2
5	Low birth weight (< 2500g)	1	15	0	1	17
6	Attended by a skilled health worker (excluding TBA)	17	156	0	0	173
7	Obstetric complications	0	1	0	0	1
8	Obstetric complications referred	0	0	0	0	0
9	Caesarean sections performed	5	43	0	0	48
10	Abortions	0	16	0	0	16

Delivery Indicators	
Crude birth rate (/1000 population/ month)	1.5
Proportion of births attended by skilled health worker (excl. TBA)	98%
Proportion of low birth weight deliveries	10%
Proportion of all births performed by caesarean section	27%

7.4 Special procedures in maternity

		< 20	≥ 20	Total
1	Blood transfusion	0	4	4
2	Cervical tear repair	0	1	1
3	Episiotomy	8	5	13
4	Laceration (perineal tear) repaired	0	6	6
5	Magnesium sulphate given for pre-eclampsia /eclampsia	0	0	0
6	Management to prevent (and/or treat) obstetric fistula	0	0	0
7	Manual exploration of the uterus	0	0	0
8	Manual removal of placenta	0	0	0
9	Neonatal resuscitation	0	0	0
10	Parenteral antibiotics given for peripartum infection	0	1	1
11	Post-abortion care (Manual vcauum aspiration or curettage)	0	0	0
12	Repair of ruptured uterus	0	0	0
13	Shoulder dystocia management	0	1	1
14	Uterotonic (oxytocin) given to manage postpartum hemorrhage	7	14	21
15	Vaginal breech delivery	0	0	0
16	VBAC (Vaginal Birth After Caesarian)	0	2	2
17	Other	0	0	0

7.5 Postnatal care

		< 20	≥ 20	Total
1	Attended for 1st PNCl visit within 24 hours of delivery	16	126	142
2	Attended for 2nd PNC visit within 48-72 hrs of delivery	9	63	72
3	Attended for 3rd PNC visit within 7-14 days of delivery	7	68	75
4	Attended for 4th PNC visit within 6 weeks of delivery	4	28	32

Postnatal Indicator	
Coverage of complete postnatal care	18%

7.6 Family planning

	New Users				Repeat Users				Discontinued Users				Total
	< 20		≥ 20		< 20		≥ 20		< 20		≥ 20		
	M	F	M	F	M	F	M	F	M	F	M	F	
Combined pill (low dose)		3		56		9		240		0		0	308
Combined pill (highdose)		1		1		0		2		0		0	4
Progesterone pill (Micro-val; Micro-lut)		4		49		2		102		0		0	157
Emergency contraceptive pill		0		0		0		0		0		0	0
Injectable (Depo-Provera)		0		24		2		37		0		0	63
Implantable (Norplant)		0		30		0		2		0		0	32
Intra-uterine device (IUD)		3		32		0		9		0		0	44
Condom (male)	7		58		14		153		0		0		232
Condom (female)		0		1		0		14		0		0	15
Sterilisation (male)	0		0		0		3		0		0		3
Sterilisation (female)		0		0		0		0		0		0	0
Counseling (only)	0	7	0	89	0	15	0	273	0	0	0	0	384
Other	0	0	0	0	0	0	0	14	0	0	0	0	14

7.7 Sexual and gender-based violence

	< 20		≥ 20		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
Rape survivors examined within 72 hours	0	0	0	0	0
Rape survivors examined within 72 -120 hours	0	0	0	0	0
Rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
Rape survivors examined after 2 weeks	0	0	0	0	0
Rape survivors given PEP within 72 hours	0	0	0	0	0
Female rape survivors given ECP within 120 hours	0	0	0	0	0
Rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
Rape survivors referred for MHPSS	0	0	0	0	0
Rape survivors referred for protection or other services	0	0	0	0	0
Cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

8. NUTRITION

8.1 Outpatient Therapeutic Program

		0 to 5 months		6 to 23 months		24 to 59 months	
		M	F	M	F	M	F
	Number at beginning of reporting period	0	0	3	0	0	0
1	Number of new admissions (WHF/BMI, MUAC, oedema)	0	0	1	0	0	0
2	Number of relapse	0	0	0	0	0	0
3	Number of rereadmissions	0	0	0	0	0	0
4	Number moved in from SC/OTP	0	0	0	0	0	0
5	Numner of Exits- Recovered	0	0	2	0	0	0
6	Number of Exits - Non response	0	0	0	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0
8	Number of Exits - Moved to other OTP	0	0	0	0	0	0
9	Number of Exists- Moved to TSFP	0	0	0	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	0	0	0	0
13	Other Exits	0	0	0	0	0	0
	Number at end of reporting period	0	0	2	0	0	0
14	Sum number of days stay for exit promoted to TSFP and recovered (< 5)				0		
15	Sum average weight gain for exit promoted to TSFP and recovered (< 5)				0		

8.2 Targeted Supplementary Feeding Program

		0 to 5 months		6 to 23 months		24 to 59 months		HIV/TB		PLWs
		M	F	M	F	M	F	M	F	
	Number at beginning of reporting period	0	0	9	4	0	2	0	0	7
1	Number of New admissions (WFH/BMI, MUAC)	0	0	6	5	0	0	0	0	4
2	Number of readmissions	0	0	0	1	0	0	0	0	1
3	Number of relapse	0	0	0	0	0	0	0	0	0
4	Other admissions	0	0	0	0	0	0	0	0	0
5	Number of Exits- Recovered	0	0	7	5	0	0	0	0	1
6	Number of Exits - Non response	0	0	0	1	0	0	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0	0	0	0
8	Number of Exits - Moved to OTP	0	0	0	0	0	0	0	0	0
9	Number of Exits - Moved to other TSFP	0	0	0	0	0	0	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	0	0	0	2	0	0	8
13	Other exits	0	0	0	0	0	0	0	0	0
	Number at end of reporting period	0	0	8	5	0	0	0	0	3
14	Sum number of days stay for discharged children (< 5)					0				
15	Sum average weight gain for discharged children (< 5)					0				

8.3 MUAC Screening

		6 to 23 months		24 to 59 months		PLWs
		M	F	M	F	
1	Screened - Green (normal)	586	506	479	479	630
2	Screened - Yellow (borderline)	3	2	1	1	1
3	Screened - Red (danger)	0	0	0	0	0
4	Screened - Oedema	0	0	0	0	0

UNHCR gratefully acknowledges the support of the following partners: