

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F					
Refugee population	1,761	2,311	4,072	10,483	13,644	24,127	27,961	28,679	56,640	26,200	34,853	61,053	1,486	2,578	4,064	149,956
% by age group			3%			16%			38%			41%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Other	0	2	2	100%	0	0	0	1	0	1	1	1	2	5	100%
Total	0	2	2	100%	0	0	0	1	0	1	1	1	2	5	100%
% by age group			40%				0%			20%			40%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.1	0.1	0.1
Under 5 Mortality Rate (USMR)	0.0	0.5	0.3
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	51
Average number of full days on which each health facility was functioning	6.0
Total number of outpatient consultations	17,811
Health facility utilisation rate	6.2
Consultations per clinician per day	58

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	734	649	1383	49.0	504	525	1029	494	621	1115	281	291	572	4099	33%	27.3
Influenza-like illness (ILI)	176	188	364	12.9	230	174	404	266	226	492	112	74	186	1446	12%	9.6
Lower Respiratory Tract Infection (LRTI)	273	240	513	18.2	117	113	230	116	137	253	81	63	144	1140	9%	7.6
Watery diarrhoea*	255	252	507	18.0	188	170	358	77	77	154	71	27	98	1117	9%	7.4
Bloody diarrhoea*	13	15	28	1.0	6	4	10	5	2	7	2	2	4	49	0%	0.3
Skin infection	137	127	264	9.4	115	129	244	72	76	148	37	24	61	717	6%	4.8
Eye infection	150	120	270	9.6	108	95	203	54	58	112	24	29	53	638	5%	4.3
Dental Conditions	17	19	36	1.3	112	87	199	201	202	403	53	37	90	728	6%	4.9
Intestinal Worms	22	25	47	1.7	28	25	53	23	22	45	7	6	13	158	1%	1.1
Acute Jaundice Syndrome*	20	23	43	1.5	33	18	51	16	12	28	2	8	10	132	1%	0.9
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	2	2	4	1	0	1	0	0	0	5	0%	0.0
Fever of unknown origin	54	41	95	3.4	12	10	22	2	2	4	0	0	0	121	1%	0.8
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	36	36	36	0%	0.2
Other	219	194	413	14.6	224	229	453	353	412	765	190	158	348	1979	16%	13.2
Total	2070	1893	3963	140.5	1679	1581	3260	1680	1847	3527	860	755	1615	12365	100%	82.5
% by age group			32%				26%			29%			13%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	2	3	5	48	30	78	182	243	425	188	223	411	919	21%
Hypertension	0	0	0	1	0	1	171	202	373	185	194	379	753	17%
Asthma	85	76	161	92	94	186	155	149	304	75	67	142	793	18%
Ischaemic heart disease	0	0	0	4	3	7	77	74	151	90	72	162	320	7%
Cardiovascular disorders	3	2	5	8	5	13	32	38	70	62	49	111	199	5%
Chronic obstructive pulmonary disease (COPD)	2	3	5	7	6	13	30	18	48	37	22	59	125	3%
Liver disease	4	5	9	1	5	6	16	19	35	7	8	15	65	2%
Thyroid problems	2	0	2	0	5	5	33	60	93	6	14	20	120	3%
Cancer	0	0	0	1	6	7	16	14	30	11	18	29	66	2%
Other	51	123	174	129	79	208	190	163	353	154	81	235	970	22%
Total	149	212	361	291	233	524	902	980	1882	815	748	1563	4330	100%
% by age group			8%			12%			43%			36%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. PTSD	1	0	1	0	4	4	2	1	3	0	1	1	9	5%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Schizophrenia	0	0	0	1	0	1	21	13	34	0	1	1	36	21%
4. Chronic depression	0	0	0	1	8	9	4	4	8	3	0	3	20	12%
5. Anxiety disorder	0	0	0	3	5	8	2	10	12	1	2	3	23	13%
6. Medically unexplained somatic complaint	1	1	2	4	8	12	5	1	6	1	0	1	21	12%
Other	2	6	8	13	19	32	9	9	18	4	2	6	64	37%
Total	4	7	11	22	44	66	43	38	81	9	6	15	173	100%
% by age group			6%			38%			47%			9%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	3	6	9	1	0	1	0	0	0	10	1%
2. Assault (with weapon)	3	2	5	24	22	46	95	38	133	6	0	6	190	20%
3. Assault (no weapon)	7	9	16	9	5	14	10	1	11	0	0	0	41	4%
4. Accident	13	6	19	38	10	48	42	20	62	5	4	9	138	15%
Other	35	26	61	62	32	94	151	151	302	71	36	107	564	60%
Total	58	43	101	136	75	211	299	210	509	82	40	122	943	100%
% by age group			11%			22%			54%			13%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	1	1	2	1	3	4	16	13	29	1	0	1	36	
Total admissions	3	1	4	6	3	9	27	68	95	2	0	2	110	
Number of exits	authorized	4	1	5	4	3	7	23	46	69	2	0	2	83
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	
	death	0	0	0	0	0	0	0	0	0	0	0	0	
	referral	0	0	0	0	0	0	4	15	19	0	0	0	19
Total exits	4	1	5	4	3	7	27	61	88	2	0	2	102	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	
% at end of reporting period by age group			2%			14%			82%			2%	100%	

Number of days in reporting period	7
Number of beds	69
Sum number of days stay for authorised discharges	262
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	0.3
Bed occupancy	7%
Hospitalisation rate	2.9

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	4	0	0%	0	0		0	0		0	0	4	0	0%
2. General Surgery	0	0		0	0		10	0	0%	0	0	10	0	0%
3. Injury (war related)	1	0	0%	12	0	0%	14	0	0%	0	0	27	0	0%
4. Injury (non war related)	0	0		0	0		0	0		0	0	0	0	
5. Internal medicine	0	0		12	0	0%	2	0	0%	0	0	14	0	0%
6. Obstetrics	0	0		1	0	0%	7	0	0%	0	0	8	0	0%
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	0	0		0	0		0	0		0	0	0	0	
Total	5	0	0%	25	0	0%	33	0	0%	0	0	63	0	0%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	478

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	30	47	77
First antenatal visit > 1st trimester	47	199	246
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	17
	2 TT doses	10	16
	anaemia screening	2	21

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	24%
Coverage of complete antenatal care	30%
Coverage of antenatal tetanus immunisation	29%
Coverage of anaemia screening in pregnancy	38%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	1	55	56
Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	1	55	56
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	1	7	8

Delivery Indicators	
Crude birth rate	4.5
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	0%
Proportion of all births performed by caesarean section	14%
Proportion of obstetric complications treated among girls < 18	

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

Postnatal Indicators	
Coverage of complete postnatal care	0%

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

15 March 2013

Contact Information

Za'atri
Ana Calvo, UNHCR

Email: calvo@unhcr.org
Phone: +962

Amman
Ann Burton, UNHCR

Email: burton@unhcr.org
Phone: +962

UNHCR gratefully acknowledges the support of the following partners:

