

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F					
Refugee population	2,224	2,741	4,965	12,287	15,298	27,585	31,434	31,895	63,329	30,194	40,187	70,381	1,794	3,009	4,803	171,063
% by age group			3%			16%			37%			41%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	1	0	1	33%	0	0	0	0	0	0	0	0	0	1	20%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	1	1	33%	0	0	0	0	0	0	0	0	0	1	20%
Other	1	0	1	33%	1	0	1	1	0	1	0	0	0	3	60%
Total	2	1	3	100%	1	0	1	1	0	1	0	0	0	5	100%
% by age group			60%				20%			20%			0%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.2	0.0	0.1
Under 5 Mortality Rate (USMR)	0.6	0.2	0.4
Neonatal Mortality Rate (NNMR)			22.2

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	61
Average number of full days on which each health facility was functioning	6.0
Total number of outpatient consultations	14,733
Health facility utilisation rate	4.5
Consultations per clinician per day	40

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	546	573	1119	34.4	326	424	750	402	429	831	220	197	417	3117	27%	18.2
Influenza-like illness (ILI)	175	171	346	10.6	271	195	466	216	208	424	132	117	249	1485	13%	8.7
Lower Respiratory Tract Infection (LRTI)	146	166	312	9.6	131	87	218	108	59	167	44	27	71	768	7%	4.5
Watery diarrhoea*	264	237	501	15.4	97	96	193	59	65	124	31	16	47	865	8%	5.1
Bloody diarrhoea*	26	15	41	1.3	7	6	13	10	7	17	1	0	1	72	1%	0.4
Skin infection	41	49	90	2.8	69	72	141	67	72	139	21	7	28	398	3%	2.3
Eye infection	100	57	157	4.8	66	51	117	16	19	35	5	7	12	321	3%	1.9
Dental Conditions	5	4	9	0.3	80	117	197	148	163	311	50	39	89	606	5%	3.5
Intestinal Worms	19	12	31	1.0	10	2	12	6	3	9	0	0	0	52	0%	0.3
Acute Jaundice Syndrome*	21	23	44	1.4	23	7	30	4	3	7	2	0	2	83	1%	0.5
Measles*	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	1	1	0.0	0	2	2	20	1	21	0	0	0	24	0%	0.1
Fever of unknown origin	22	12	34	1.0	0	0	0	0	0	0	0	0	0	34	0%	0.2
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	470	512	982	30.2	568	407	975	426	683	1109	287	318	605	3671	32%	21.5
Total	1835	1832	3667	112.7	1648	1466	3114	1482	1713	3195	793	728	1521	11497	100%	67.2
% by age group			32%				27%			28%			13%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	8	11	19	7	0	7	102	127	229	68	49	117	372	14%
Hypertension	0	0	0	0	1	1	72	116	188	87	76	163	352	14%
Asthma	39	30	69	12	17	29	36	47	83	37	13	50	231	9%
Ischaemic heart disease	1	0	1	1	0	1	14	8	22	40	35	75	99	4%
Cardiovascular disorders	0	0	0	1	0	1	15	16	31	20	25	45	77	3%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	6	15	21	14	12	26	47	2%
Liver disease	0	0	0	1	0	1	1	2	3	0	0	0	4	0%
Thyroid problems	0	0	0	1	1	2	5	25	30	3	6	9	41	2%
Cancer	0	0	0	0	0	0	2	8	10	4	0	4	14	1%
Other	54	32	86	154	183	337	277	245	522	169	215	384	1329	52%
Total	102	73	175	177	202	379	530	609	1139	442	431	873	2566	100%
% by age group			7%			15%			44%			34%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. PTSD	1	1	2	1	0	1	5	3	8	2	0	2	13	5%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
3. Schizophrenia	0	0	0	1	0	1	19	10	29	0	0	0	30	12%
4. Chronic depression	0	1	1	3	2	5	4	9	13	3	8	11	30	12%
5. Anxiety disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6. Medically unexplained somatic complaint	0	0	0	1	5	6	3	9	12	1	0	1	19	7%
Other	8	6	14	19	32	51	25	49	74	13	15	28	167	64%
Total	9	8	17	25	39	64	57	80	137	19	23	42	260	100%
% by age group			7%			25%			53%			16%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Assault (with weapon)	0	1	1	16	15	31	55	23	78	0	0	0	110	27%
3. Assault (no weapon)	0	0	0	0	0	0	9	3	12	0	0	0	12	3%
4. Accident	8	6	14	18	6	24	14	5	19	3	2	5	62	15%
Other	26	7	33	5	2	7	37	102	139	12	35	47	226	55%
Total	34	14	48	39	23	62	115	133	248	15	37	52	410	100%
% by age group			12%			15%			60%			13%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	1	1	2	0	0	0	0	0	0	0	0	0	2
Total admissions	3	3	6	3	0	3	17	45	62	0	0	0	71
Number of exits	authorized	4	3	7	3	0	3	7	31	38	0	0	48
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	16	16	0	0	16
Total exits	4	3	7	3	0	3	7	47	54	0	0	0	64
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group			11%			0%			89%			0%	100%

Number of days in reporting period	7
Number of beds	58
Sum number of days stay for authorised discharges	97.5
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	0.5
Bed occupancy	9%
Hospitalisation rate	1.7

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	5	0	0%	0	0		0	0		0	0	5	0	0%
2. General Surgery	1	0	0%	2	0	0%	5	0	0%	0	0	8	0	0%
3. Injury (war related)	0	0		1	0	0%	9	0	0%	0	0	10	0	0%
4. Injury (non war related)	0	0		0	0		1	0	0%	0	0	1	0	0%
5. Internal medicine	0	0		0	0		1	0	0%	0	0	1	0	0%
6. Obstetrics	0	0		0	0		8	0	0%	0	0	8	0	0%
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	0%
Other	0	0		0	0		0	0		0	0	0	0	0%
Total	6	0	0%	3	0	0%	24	0	0%	0	0	33	0	0%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	444

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	0	0	0
First antenatal visit > 1st trimester	0	150	150
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	26
	2 TT doses	0	0
	anaemia screening	0	42

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	0%
Coverage of complete antenatal care	58%
Coverage of antenatal tetanus immunisation	0%
Coverage of anaemia screening in pregnancy	93%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	0	45	45
Still births	0	0	0

Low birth weight (<2500 g)	0	37	37
Attended by skilled health worker	0	45	45
Number of obstetric complications treated	0	8	8
Number of caesarean sections performed	0	8	8

Delivery Indicators	
Crude birth rate	3.2
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	82%
Proportion of all births performed by caesarean section	18%
Proportion of obstetric complications treated among girls < 18	0%

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

Postnatal Indicators	
Coverage of complete postnatal care	0%

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources	1. Health Information System	Publication date:	29 March 2013
---------------------	------------------------------	--------------------------	---------------

Contact Information	Za'atri Ana Calvo, UNHCR Email: calvo@unhcr.org Phone: +962	Amman Ann Burton, UNHCR Email: burton@unhcr.org Phone: +962
----------------------------	---	---

UNHCR gratefully acknowledges the support of the following partners: