

1. Population

Population	0 to	< 1	Total <1	1 to	4	Total 1	5 to	17	Total 5	18 t	o 59	Total 18	> 6	0	Total >	Grand
ropulation	M	F	Total > 1	M	F	to 4	M	F	to 17	M	F	to 59	M	F	60	total
Refugee population	2,528	2,528	5,056	7,704	8,908	16,612	22,269	21,668	43,937	22,871	28,409	51,280	1,324	2,167	3,491	120,376
% by age group	·		4%			14%			36%			43%			3%	100%

2. Mortality

2.1 Mortality

	Record ONE cause of mortality per case	0 to	4	Total <5	U5 %	5 to	17	Total 5	18 to	59	Total 18	>	60	Total >	Grand	Crude %
	Record ONE cause of mortality per case	M	F	TOTAL >5	mort	M	F	to 17	M	F	to 59	M	F	60	total	mort
1.	Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2.	Watery diarrhoea	1	0	1	50%	0	0	0	0	0	0	0	0	0	1	13%
3.	Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4.	Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	13%
5.	Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	13%
6.	Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7.	Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8.	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	2	2	2	25%
9.	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10.	Neonatal death	1	0	1	50%	0	0	0	0	0	0	0	0	0	1	13%
	Other	0	0	0	0%	0	0	0	0	0	0	1	1	2	2	25%
	Total	2	0	2	100%	0	0	0	0	0	0	2	4	6	8	100%
	% by age group			25%				0%			0%			75%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.3	0.3	0.3
Under 5 Mortality Rate (U5MR)	0.8	0.0	0.4
Neonatal Mortality Rate (NNMR)			13.7

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	64
Average number of full days on which each health facility was functioning	6.0
Total number of outpatient consultations	10,605
Health facility utilisation rate	4.6
Consultations per clinician per day	28

3.2 Acute health conditions

December 1970 and 197	0 to	o 4	T-4-1 -F	HE lands	5 to	17	Total 5	18 to	59	Total 18	> 6	60	Total >	Grand	% by	Crude
Record NEW cases of disease only	М	F	Total <5	U5 INCIA	M	F	to 17	М	F	to 59	M	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	311	250	561	25.9	362	323	685	269	268	537	73	57	130	1913	26%	15.9
Influenza-like illness (ILI)	1	7	8	0.4	23	17	40	30	17	47	3	0	3	98	1%	0.8
Lower Respiratory Tract Infection (LRTI)	33	16	49	2.3	52	62	114	67	61	128	31	18	49	340	5%	2.8
Watery diarrhoea*	310	270	580	26.8	91	122	213	96	120	216	32	41	73	1082	15%	9.0
Bloody diarrhoea*	22	19	41	1.9	17	7	24	13	18	31	2	1	3	99	1%	0.8
Skin infection	50	54	104	4.8	60	62	122	61	29	90	16	7	23	339	5%	2.8
Eye infection	71	33	104	4.8	59	22	81	43	39	82	13	2	15	282	4%	2.3
Dental Conditions	13	23	36	1.7	50	41	91	101	96	197	16	15	31	355	5%	2.9
Intestinal Worms	15	19	34	1.6	23	24	47	9	2	11	0	0	0	92	1%	0.8
Acute Jaundice Syndrome*	5	10	15	0.7	29	16	45	8	6	14	0	0	0	74	1%	0.6
Measles*	0	2	2	0.1	2	2	4	0	0	0	0	0	0	6	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	1	0	1	1	0%	0.0
Fever of unknown origin	29	24	53	2.4	11	5	16	3	1	4	0	1	1	74	1%	0.6
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	270	197	467	21.6	266	324	590	486	569	1055	295	216	511	2623	36%	21.8
Total	1130	924	2054	94.8	1045	1027	2072	1186	1226	2412	482	358	840	7378	100%	61.3
% by age group			28%				28%			33%			11%	100%	•	
* indicates disease with enidemic notential. See quidence for elert thresholds and eduine	on how those	should be		l.												

3.3 Chronic health conditions

Record NEW and REVISITS	0 to	o 4	Total <	5 to	17	Total 5	18 to	59	Total 18	> 6	30	Total	Grand	% by
Record NEW and REVISITS	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Diabetes	0	0	0	4	13	17	87	132	219	92	77	169	405	15%
Hypertension	0	0	0	5	1	6	77	122	199	69	81	150	355	13%
Asthma	11	2	13	18	19	37	62	41	103	15	12	27	180	7%
Ischaemic heart disease	0	0	0	0	0	0	36	18	54	22	13	35	89	3%
Cardiovascular disorders	2	0	2	1	0	1	12	21	33	11	15	26	62	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	12	0	12	5	2	7	19	1%
Liver disease	0	0	0	30	27	57	9	0	9	0	0	0	66	2%
Thyroid problems	3	0	3	0	1	1	2	0	2	11	2	13	19	1%
Cancer	0	0	0	0	0	0	1	0	1	0	1	1	2	0%
Other	72	68	140	239	245	484	253	261	514	170	180	350	1488	55%
Total	88	70	158	297	306	603	551	595	1146	395	383	778	2685	100%
% by age group			6%			22%			43%			29%	100%	

3.4 Mental health

	0	to 4	Total <	5 to	17	Total 5	18 to	59	Total 18	>	60	Total	Grand	% by
	M	F	5	М	F	to 17	M	F	to 59	M	F	> 60	total	cause
Epilepsy / seizures	1	1	2	11	12	23	9	5	14	1	0	1	40	23%
Alcohol and other substance abuse disorder	(0	0	0	6	6	0	0	0	0	0	0	6	3%
Mental retardation / intellectual disability	(0	0	4	5	9	4	1	5	0	0	0	14	8%
Psychotic disorder	0	0	0	0	2	2	25	8	33	0	0	0	35	20%
Severe emotional disorder	(0	0	4	2	6	13	7	20	0	0	0	26	15%
Other psychological complaint	(0	0	2	2	4	9	4	13	0	0	0	17	10%
Other	(0	0	6	12	18	11	9	20	0	0	0	38	22%
Total	1	1	2	27	41	68	71	34	105	1	0	1	176	100%
% by age group			1%			39%			60%			1%	100%	

3.5 Injuries

	0 to	4	Total <	5 tc	17	Total 5	18 to	59	Total 18	> 6	60	Total	Grand	% by
	М	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Bites (all causes)	0	0	0	1	0	1	0	0	0	0	0	0	1	0%
2. Injury (war related)	0	0	0	8	1	9	23	0	23	0	0	0	32	9%
Injury (non war related)	27	20	47	32	22	54	37	15	52	1	3	4	157	43%
4. Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	5	6	11	16	25	41	56	48	104	10	10	20	176	48%
Total	32	26	58	57	48	105	116	63	179	11	13	24	366	100%
% by age group			16%			29%			49%			7%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 t	0 4	Total <	5 to	17	Total 5	18 to	59	Total 18	> (60	Total	Grand
		M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total
Number at beginning of r	eporting period	2	2	4	3	1	4	5	1	6	2	2	4	18
Total admissions		18	14	32	15	14	29	18	16	34	3	2	5	100
	authorized	19	15	34	17	13	30	22	14	36	5	3	8	108
Number of exits	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		19	15	34	17	13	30	22	14	36	5	3	8	108
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period	d by age group			20%	•		30%			40%			10%	100%

Number of days in reporting period	7
Number of beds	56
Sum number of days stay for authorised discharges	213
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.0
Bed occupancy	50%
Hospitalisation rate	3.3

4.2 In-patient Admissions and Deaths

		0 t	o 4	U5 CFR	5 to	17	5-17	18 t	o 59	18-59	>	60	Total	Total	Crude
		Adm	Deaths	US CFK	Adm	Deaths	CFR	Adm	Deaths	CFR	Adm	Deaths	adm	deaths	CFR
1.	Paediatric medicine	34	0	0%	10	0	0%	0	0		0	0	44	0	0%
2.	General Surgery	0	0		7	0	0%	6	0	0%	0	0	13	0	0%
3.	Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4.	Injury (non war related)	0	0		5	0	0%	5	0	0%	0	0	10	0	0%
5.	Internal medicine	0	0		0	0		8	0	0%	5	0	13	0	0%
6.	Obstetrics	2	0	0%	0	0		0	0		0	0	2	0	0%
7.	Gynaecology	0	0		0	0		0	0		0	0	0	0	
	Other	0	0		10	0	0%	16	0	0%	4	0	30	0	0%
	Total	36	0	0%	32	0	0%	35	0	0%	9	0	112	0	0%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	825

8. Reproductive Health

8.1 Antenatal care

		< 18	≥ 18	Total
First antenatal visit < 1st trimes	ter	8	40	48
First antenatal visit > 1st trimes	ter	17	262	279
N	≥ 4 ANC visits	0	32	32
Number of pregnant women at time of delivery who received:	2 TT doses	0	0	0
who received.	anaemia screening	1	71	72

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	15%
Coverage of complete antenatal care	44%
Coverage of antenatal tetanus immunisation	0%
Coverage of anaemia screening in pregnancy	99%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	4	69	73
Still births	0	0	0

Low birth weight (<2500 g)	0	7	7
Attended by skilled health worker	4	70	74
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	0	6	6

Delivery Indicators	
Crude birth rate	7.3
Proportion of births attended by skilled health worker (excl. TBA)	101%
Proportion of low birth weight deliveries	10%
Proportion of all births performed by caesarean section	8%
Proportion of obsetric complications treated among girls < 18	

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	1	53	54

Postnatal Indicators	
Coverage of complete postnatal care	74%

8.5 Sexual and gender-based violence

	<	< 18 ≥ 18		18	T-4-1
	М	F	M	F	Total
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources 1. Health Information System

Publication

21 June 2013

Contact Information **Za'atri** Ana Calvo, UNHCR

Email: calvo@unhcr.org

Amman Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:























