

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,369	2,369	4,738	7,221	8,349	15,570	20,873	20,309	41,182	21,438	26,628	48,066	1,241	2,031	3,272	112,828
% by age group			4%			14%			36%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	17%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	1	0	1	50%	0	0	0	0	0	0	0	0	0	1	17%
Other	1	0	1	50%	1	0	1	0	0	0	2	0	2	4	67%
Total	2	0	2	100%	1	0	1	0	0	0	3	0	3	6	100%
% by age group			33%				17%			0%			50%	100%	

Mortality Indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.5	0.0	0.2
Under 5 Mortality Rate (U5MR)	0.8	0.0	0.4
Neonatal Mortality Rate (NNMR)			21.3

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	58
Average number of full days on which each health facility was functioning	6.6
Total number of outpatient consultations	7,065
Health facility utilisation rate	3.3
Consultations per clinician per day	18

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	213	230	443	21.8	263	179	442	213	235	448	40	17	57	1390	26%	12.3
Influenza-like illness (ILI)	33	17	50	2.5	31	30	61	57	33	90	10	11	21	222	4%	2.0
Lower Respiratory Tract Infection (LRTI)	8	8	16	0.8	13	15	28	28	17	45	4	58	62	151	3%	1.3
Watery diarrhoea*	98	128	226	11.1	89	61	150	42	46	88	3	4	7	471	9%	4.2
Bloody diarrhoea*	3	9	12	0.6	0	0	0	2	1	3	0	0	0	15	0%	0.1
Skin infection	50	48	98	4.8	59	34	93	68	62	130	13	8	21	342	6%	3.0
Eye infection	25	15	40	2.0	49	38	87	65	105	170	39	16	55	352	6%	3.1
Dental Conditions	15	18	33	1.6	26	18	44	81	92	173	11	14	25	275	5%	2.4
Intestinal Worms	24	12	36	1.8	25	6	31	11	3	14	2	2	4	85	2%	0.8
Acute Jaundice Syndrome*	32	40	72	3.5	53	29	82	1	7	8	0	0	0	162	3%	1.4
Measles*	3	1	4	0.2	1	4	5	1	0	1	0	0	0	10	0%	0.1
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	32	22	54	2.7	12	12	24	8	1	9	2	3	5	92	2%	0.8
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	224	204	428	21.1	293	265	558	290	374	664	135	72	207	1857	34%	16.5
Total	760	752	1512	74.5	914	691	1605	867	976	1843	259	205	464	5424	100%	48.1
% by age group			28%				30%			34%			9%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	1	1	1	1	2	116	104	220	34	30	64	287	21%
Hypertension	0	0	0	0	0	0	138	95	233	14	38	52	285	21%
Asthma	7	4	11	11	2	13	28	32	60	12	5	17	101	7%
Ischaemic heart disease	0	0	0	0	0	0	16	12	28	9	10	19	47	3%
Cardiovascular disorders	0	0	0	0	9	9	15	8	23	11	7	18	50	4%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	11	14	25	9	8	17	42	3%
Liver disease	47	20	67	24	10	34	10	3	13	0	3	3	117	9%
Thyroid problems	1	0	1	1	1	2	1	6	7	0	1	1	11	1%
Cancer	0	0	0	0	0	0	2	3	5	1	0	1	6	0%
Other	64	65	129	49	51	100	101	55	156	19	23	42	427	31%
Total	119	90	209	86	74	160	438	332	770	109	125	234	1373	100%
% by age group			15%			12%			56%			17%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	1	1	6	3	9	5	2	7	1	0	1	18	15%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	8	0	8	0	0	0	8	7%
3. Mental retardation / intellectual disability	0	0	0	0	1	1	2	0	2	0	0	0	3	2%
4. Psychotic disorder	1	0	1	0	0	0	11	3	14	0	0	0	15	12%
5. Severe emotional disorder	0	0	0	4	3	7	9	8	17	0	0	0	24	20%
6. Other psychological complaint	0	0	0	2	6	8	9	8	17	0	0	0	25	20%
Other	1	0	1	4	6	10	16	2	18	0	0	0	29	24%
Total	2	1	3	16	19	35	60	23	83	1	0	1	122	100%
% by age group			2%			29%			68%			1%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	2	0	2	0	0	0	0	0	0	2	1%
2. Injury (war related)	0	0	0	3	0	3	4	2	6	0	0	0	9	6%
3. Injury (non war related)	18	9	27	23	13	36	21	14	35	2	31	33	131	90%
4. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0	0	0	3	1	4	0	0	0	4	3%
Total	18	9	27	28	13	41	28	17	45	2	31	33	146	100%
% by age group			18%			28%			31%			23%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	2	5	7	2	0	2	0	0	0	0	0	0	9
Total admissions	11	7	18	2	2	4	3	1	4	2	0	2	28
Number of exits	authorized	8	3	11	4	2	6	3	1	4	1	0	22
	unauthorized	1	1	2	0	0	0	0	0	0	0	0	2
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	2	0	2	0	0	0	0	0	0	0	0	2
Total exits	11	4	15	4	2	6	3	1	4	1	0	1	26
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group			91%			0%			0%			9%	100%

Number of days in reporting period	7
Number of beds	84
Sum number of days stay for authorised discharges	301
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	13.7
Bed occupancy	65%
Hospitalisation rate	1.0

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	31	0	0%	4	0	0%	0	0		0	0	35	0	0%
2. General Surgery	0	0		0	0		2	0	0%	0	0	2	0	0%
3. Injury (war related)	0	0		0	0		1	0	0%	0	0	1	0	0%
4. Injury (non war related)	0	0		3	0	0%	5	0	0%	0	0	8	0	0%
5. Internal medicine	0	0		0	0		2	0	0%	8	0	10	0	0%
6. Obstetrics	7	0	0%	0	0		5	0	0%	0	0	12	0	0%
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	2	0	0%	1	0	0%	2	0	0%	1	0	6	0	0%
Total	40	0	0%	8	0	0%	17	0	0%	9	0	74	0	0%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	413

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	4	17	21
First antenatal visit > 1st trimester	19	164	183
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	0
	2 TT doses	1	56
	anaemia screening	0	10

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	10%
Coverage of complete antenatal care	0%
Coverage of antenatal tetanus immunisation	121%
Coverage of anaemia screening in pregnancy	21%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	4	43	47
Still births	0	1	1

Low birth weight (<2500 g)	0	3	3
Attended by skilled health worker	3	41	44
Number of obstetric complications treated	0	4	4
Number of caesarean sections performed	1	4	5

Delivery Indicators	
Crude birth rate	5.0
Proportion of births attended by skilled health worker (excl. TBA)	94%
Proportion of low birth weight deliveries	6%
Proportion of all births performed by caesarean section	11%
Proportion of obsetric complications treated among girls < 18	0%

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	1	38	39

Postnatal Indicators	
Coverage of complete postnatal care	83%

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

21 June 2013

Contact Information

Za'atri

Ana Calvo, UNHCR

Email: calvo@unhcr.org

Amman

Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

