

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,327	2,327	4,654	7,093	8,201	15,294	20,503	19,949	40,452	21,057	26,155	47,212	1,219	1,996	3,215	110,827
% by age group			4%			14%			37%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	2	0	2	2	40%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	20%
6. Injury (Electric Shock)	1	0	1	100%	0	0	0	0	0	0	0	0	0	1	20%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	20%
Total	1	0	1	100%	0	0	0	1	1	2	2	0	2	5	100%
% by age group			20%			0%			40%			40%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.3	0.1	0.2
Under 5 Mortality Rate (U5MR)	0.4	0.0	0.2
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	71.0
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	6,095
Health facility utilisation rate	2.9
Consultations per clinician per day	14

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	293	241	534	26.8	193	195	388	94	111	205	29	13	42	1169	28%	10.5
Influenza-like illness (ILI)	71	64	135	6.8	45	46	91	30	19	49	18	25	43	318	8%	2.9
Lower Respiratory Tract Infection (LRTI)	33	22	55	2.8	21	24	45	31	24	55	13	4	17	172	4%	1.6
Watery diarrhoea*	63	49	112	5.6	31	33	64	15	3	18	0	0	0	194	5%	1.8
Bloody diarrhoea*	1	0	1	0.1	0	1	1	1	0	1	0	0	0	3	0%	0.0
Skin infection	45	43	88	4.4	43	39	82	65	50	115	22	18	40	325	8%	2.9
Eye infection	13	14	27	1.4	27	21	48	40	57	97	28	12	40	212	5%	1.9
Dental Conditions	6	5	11	0.6	3	24	27	46	33	79	17	21	38	155	4%	1.4
Intestinal Worms	5	9	14	0.7	23	14	37	4	3	7	0	0	0	58	1%	0.5
Acute Jaundice Syndrome*	0	0	0	0.0	1	1	2	0	0	0	0	0	0	2	0%	0.0
Measles*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	1	2	3	0	0	0	3	0%	0.0
Other	275	222	497	24.9	375	365	740	100	167	267	68	36	104	1608	38%	14.5
Total	806	669	1475	73.9	763	763	1526	427	469	896	195	129	324	4221	100%	38.1
% by age group			35%				36%			21%			8%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	8	15	23	65	59	124	33	51	84	231	20%
Hypertension	0	0	0	0	0	0	48	47	95	59	57	116	211	18%
Asthma	7	4	11	16	20	36	24	39	63	9	11	20	130	11%
Ischaemic heart disease	0	0	0	0	0	0	22	24	46	23	16	39	85	7%
Cardiovascular disorders	0	0	0	0	4	4	25	21	46	24	30	54	104	9%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	37	22	59	19	22	41	100	9%
Liver disease	0	0	0	0	0	0	4	7	11	1	0	1	12	1%
Thyroid problems	0	0	0	0	0	0	2	3	5	4	1	5	10	1%
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	30	8	38	26	22	48	81	54	135	22	47	69	290	25%
Total	37	12	49	50	61	111	308	276	584	194	235	429	1173	100%
% by age group			4%			9%			50%			37%	100%	

3.4 Mental health

	0 to 4	Total <	5 to 17	Total 5	18 to 59	Total 18	> 60	Total	Grand	% by
--	--------	---------	---------	---------	----------	----------	------	-------	-------	------

	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Epilepsy / seizures	4	2	6	10	9	19	6	6	12	0	0	0	37	12%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	6	2	8	0	0	0	8	3%
3. Mental retardation / intellectual disability	0	0	0	6	4	10	6	3	9	0	0	0	19	6%
4. Psychotic disorder	0	0	0	0	2	2	19	6	25	1	0	1	28	9%
5. Severe emotional disorder	0	0	0	4	9	13	13	24	37	3	2	5	55	18%
6. Other psychological complaint	4	6	10	34	24	58	6	26	32	4	6	10	110	36%
Other	0	0	0	13	5	18	13	5	18	7	9	16	52	17%
Total	8	8	16	67	53	120	69	72	141	15	17	32	309	100%
% by age group			5%			39%			46%			10%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	4	5	9	13	13	26	11	2	13	48	12%
2. Injury (war related)	0	0	0	6	10	16	15	4	19	0	3	3	38	10%
3. Injury (non war related)	5	6	11	28	15	43	46	28	74	13	8	21	149	38%
4. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	18	17	35	21	24	45	41	18	59	9	9	18	157	40%
Total	23	23	46	59	54	113	115	63	178	33	22	55	392	100%
% by age group			12%			29%			45%			14%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions	1	0	1	6	9	15	20	13	33	3	3	6	55
Number of exits	authorized	1	0	1	6	8	14	19	32	3	3	6	53
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0
Total exits	1	0	1	6	8	14	19	13	32	3	3	6	53
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group			0%			50%			50%			0%	100%

Number of days in reporting period	7
Number of beds	48
Sum number of days stay for authorised discharges	168
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	3.2
Bed occupancy	52%
Hospitalisation rate	2.0

4.2 In-patient Admissions and Deaths

	0 to 4			5 to 17			18 to 59			> 60			Total adm	Total deaths	Crude CFR
	Adm	Deaths	U5 CFR	Adm	Deaths	5-17 CFR	Adm	Deaths	18-59 CFR	Adm	Deaths				
1. Paediatric medicine	1	0	0%	4	0	0%	0	0	0%	0	0	5	0	0%	
2. General Surgery	0	0		2	0	0%	10	0	0%	2	0	14	0	0%	
3. Injury (war related)	0	0		0	0		0	0		0	0	0	0		
4. Injury (non war related)	0	0		1	0	0%	5	0	0%	0	0	6	0	0%	
5. Internal medicine	0	0		7	0	0%	0	0		0	0	7	0	0%	
6. Obstetrics	0	0		0	0		8	0	0%	0	0	8	0	0%	
7. Gynaecology	0	0		0	0		0	0		0	0	0	0		
Other	0	0		1	0	0%	1	0	0%	4	0	6	0	0%	
Total	1	0	0%	15	0	0%	24	0	0%	6	0	46	0	0%	

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	181

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	30	43	73
First antenatal visit > 1st trimester	17	126	143
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	25
	≥ 2 TT doses	0	8
	anaemia screening	0	48

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	34%
Coverage of complete antenatal care	51%
Coverage of antenatal tetanus immunisation	16%
Coverage of anaemia screening in pregnancy	98%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	1	48	49
Still births	0	2	2
Low birth weight (<2500 g)	0	7	7
Attended by skilled health worker	0	48	48
Number of obstetric complications treated	0	2	2
Number of caesarean sections performed	0	10	10

Delivery Indicators	
---------------------	--

Crude birth rate	5.3
Proportion of births attended by skilled health worker (excl. TBA)	98%
Proportion of low birth weight deliveries	14%
Proportion of all births performed by caesarean section	20%
Proportion of obstetric complications treated among girls < 18	0%

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	1	82	83

Postnatal Indicators	
Coverage of complete postnatal care	169%

8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	0	10	0	2	12
Implantable (Norplant)	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation (Female)	0	0	0	0	0
Injectable (Depo - Provera)	0	0	0	0	0
Intra-Uterine Device (IUD)	0	0	0	3	3
Oral Contraceptive	4	34	0	2	40
Family Planning Counseling	25	60	20	44	149

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources
1. Health Information System

Publication date:
21 June 2013

Contact Information
Za'atri
Ana Calvo, UNHCR
Email: calvo@unhcr.org

Amman
Ann Burton, UNHCR
Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

