

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,706	1,706	3,412	5,199	6,012	11,211	15,029	14,623	29,652	15,435	19,172	34,607	894	1,462	2,356	81,238
% by age group			4%			14%			37%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	Us % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Other	0	1	1	100%	0	0	0	1	0	1	0	0	0	2	100%
<b>Total</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>100%</b>
% by age group			50%			0%			50%			0%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.1	0.1	0.1
Under 5 Mortality Rate (USMR)	0.0	0.5	0.3
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	66.0
Average number of full days on which each health facility was functioning	6.0
Total number of outpatient consultations	10,884
Health facility utilisation rate	7.0
Consultations per clinician per day	27

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	375	334	709	48.5	420	360	780	570	518	1088	45	40	85	2662	37%	32.8
Influenza-like illness (ILI)	149	129	278	19.0	232	164	396	371	364	735	39	38	77	1486	21%	18.3
Lower Respiratory Tract Infection (LRTI)	24	21	45	3.1	30	33	63	34	32	66	28	26	54	228	3%	2.8
Watery diarrhoea*	24	28	52	3.6	20	24	44	13	9	22	0	1	1	119	2%	1.5
Bloody diarrhoea*	2	0	2	0.1	2	0	2	0	0	0	0	0	0	4	0%	0.0
Skin infection	28	23	51	3.5	28	20	48	39	42	81	19	28	47	227	3%	2.8
Eye infection	6	5	11	0.8	11	13	24	22	26	48	10	13	23	106	1%	1.3
Dental Conditions	7	6	13	0.9	28	33	61	100	58	158	21	12	33	265	4%	3.3
Intestinal Worms	4	10	14	1.0	10	6	16	0	0	0	0	0	0	30	0%	0.4
Acute Jaundice Syndrome*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Fever of unknown origin	25	20	45	3.1	12	7	19	1	2	3	0	1	1	68	1%	0.8
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	198	153	351	24.0	248	245	493	493	494	987	83	72	155	1986	28%	24.4
<b>Total</b>	<b>843</b>	<b>729</b>	<b>1572</b>	<b>107.5</b>	<b>1041</b>	<b>905</b>	<b>1946</b>	<b>1644</b>	<b>1545</b>	<b>3189</b>	<b>245</b>	<b>231</b>	<b>476</b>	<b>7183</b>	<b>100%</b>	<b>88.4</b>
% by age group			22%			27%			44%			7%		100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total <5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	1	1	17	16	33	77	113	190	52	62	114	338	11%
Hypertension	0	0	0	0	0	0	90	114	204	61	81	142	346	11%
Asthma	19	14	33	37	27	64	58	56	114	43	30	73	284	9%
Ischaemic heart disease	0	0	0	0	0	0	27	31	58	29	16	45	103	3%
Cardiovascular disorders	0	0	0	0	1	1	30	24	54	30	36	66	121	4%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	42	24	66	36	20	56	122	4%
Liver disease	0	0	0	0	0	0	3	2	5	1	0	1	6	0%
Thyroid problems	0	0	0	2	1	3	10	24	34	2	3	5	42	1%
Cancer	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
Other	11	3	14	36	26	62	65	35	100	29	25	54	230	7%
<b>Total</b>	<b>60</b>	<b>36</b>	<b>96</b>	<b>184</b>	<b>142</b>	<b>326</b>	<b>806</b>	<b>846</b>	<b>1652</b>	<b>566</b>	<b>546</b>	<b>1112</b>	<b>3186</b>	<b>100%</b>
% by age group			3%			10%			52%			35%		100%

3.4 Mental health

Record ONE cause of mortality per case	0 to 4		Total <5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	1	5	6	3	0	3	0	0	0	9	5%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	3	0	3	0	0	0	3	2%
3. Mental retardation / intellectual disability	0	0	0	6	3	9	5	1	6	0	0	0	15	9%
4. Psychotic disorder	0	0	0	2	3	5	11	4	15	0	1	1	21	12%
5. Severe emotional disorder	0	0	0	10	5	15	9	17	26	2	0	2	43	25%
6. Medically Unexplained Somatic Complaint	0	0	0	17	9	26	5	12	17	5	2	7	50	29%

Other psychological complaint	0	0	0	9	2	11	6	10	16	2	0	2	29	17%
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>45</b>	<b>27</b>	<b>72</b>	<b>42</b>	<b>44</b>	<b>86</b>	<b>9</b>	<b>3</b>	<b>12</b>	<b>170</b>	<b>100%</b>
% by age group			0%			42%			51%			7%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	3	3	6	6	4	10	11	8	19	9	2	11	46	13%
2. Injury (war related)	0	1	1	5	8	13	14	5	19	2	3	5	38	11%
3. Injury (non war related)	3	0	3	28	13	41	26	19	45	10	4	14	103	30%
Other	12	15	27	20	28	48	37	24	61	13	9	22	158	46%
<b>Total</b>	<b>18</b>	<b>19</b>	<b>37</b>	<b>59</b>	<b>53</b>	<b>112</b>	<b>88</b>	<b>56</b>	<b>144</b>	<b>34</b>	<b>18</b>	<b>52</b>	<b>345</b>	<b>100%</b>
% by age group			11%			32%			42%			15%	100%	

## 4. In-patient Department

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions	1	1	2	7	3	10	2	6	8	0	0	0	20
Number of exits	authorized	1	1	2	7	3	10	2	6	8	0	0	20
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total exits</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>7</b>	<b>3</b>	<b>10</b>	<b>2</b>	<b>6</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>20</b>
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group													100%

Number of days in reporting period	7
Number of beds	48
Sum number of days stay for authorised discharges	71
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	3.6
Bed occupancy	21%
Hospitalisation rate	1.0

### 4.2 In-patient Admissions and Deaths

	0 to 4		US CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	0	0		0	0		0	0		0	0	0	0	0
2. General Surgery	1	0	0%	0	0		2	0	0%	0	0	3	0	0%
3. Injury (war related)	1	0	0%	0	0		0	0		0	0	1	0	0%
4. Injury (non war related)	0	0		5	0	0%	1	0	0%	0	0	6	0	0%
5. Internal medicine	0	0		2	0	0%	0	0		0	0	2	0	0%
6. Obstetrics	0	0		3	0	0%	0	0		0	0	3	0	0%
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	0%
Other	0	0		2	0	0%	3	0	0%	0	0	5	0	0%
<b>Total</b>	<b>2</b>	<b>0</b>	<b>0%</b>	<b>12</b>	<b>0</b>	<b>0%</b>	<b>6</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0</b>	<b>20</b>	<b>0</b>	<b>0%</b>

Adm. = Admission; CFR = Case Fatality Rate

## 5. Referral

Health Facility	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
MAFRAG HOSPITAL	2	2	4	1	2	3	5	4	9	1	3	4	20
MAFRAQ PED & GYN	4	4	8	1	2	3	0	3	3	0	0	0	14
BASMA HOSPITAL	0	1	1	0	1	1	0	3	3	0	0	0	5
ALBASHEER HOSPITAL	3	2	5	1	0	1	0	4	4	0	2	2	12
OTHER	5	2	7	1	2	3	1	1	2	0	1	1	13
<b>Total No of referred cases out side the Camp</b>	<b>64</b>												

## 6. Laboratory

	<b>Total</b>
Number of laboratory tests conducted	81

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	14	66	80
First antenatal visit > 1st trimester	15	81	96
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	21
	2 TT doses	0	13
	anaemia screening	0	49

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	45%
Coverage of complete antenatal care	40%
Coverage of antenatal tetanus immunisation	25%
Coverage of anaemia screening in pregnancy	94%

### 8.2 Delivery care

	< 18	≥ 18	Total
Live births	1	51	52
Still births	0	0	0
Low birth weight (<2500 g)	0	1	1
Attended by skilled health worker	1	51	52
Number of obstetric complications treated	0	2	2
Number of caesarean sections performed	0	15	15

#### Delivery Indicators

Crude birth rate	7.7
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	2%
Proportion of all births performed by caesarean section	29%
Proportion of obstetric complications treated among girls < 18	0%

### 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	52	52

#### Postnatal Indicators

Coverage of complete postnatal care	100%
-------------------------------------	------

### 8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	0	29	0	16	45
Implantable (Norplant)					0
Emergency Contraceptive pill					0
Sterilisation (Female)					0
Injectable (Depo - Provera)	0	0	0	1	1
Intra-Uterine Device (IUD)	0	1	0	0	1
Oral Contraceptive	0	45	0	109	154
Family Planning Counseling	20	36	11	40	107

### 8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours					0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

#### SGBV Indicators

Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

#### Data Sources

1. Health Information System

#### Publication date:

21 June 2013

#### Contact Information

##### Za'atri

Ana Calvo, UNHCR

Email: calvo@unhcr.org

##### Amman

Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

