Za'atri   Jordan											Week 1		ailed In ember -			
1. Population																
Population	0 to	< 1	Total <1	1 te	o 4	Total 1	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand
Population	М	F	Total <1	М	F	to 4	м	F	to 17	М	F	to 59	м	F	60	total
Refugee population	1,706	1,706	3,412	5,199	6,012	11,211	15,029	14,623	29,652	15,435	19,172	34,607	894	1,462	2,356	81,238
% by age group			4%			14%			37%			43%			3%	100%

## 2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to	o 4	Total <5	U5 %	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand	Crude %
Record ONE cause of mortality per case	M	F	Total <5	mort	м	F	to 17	М	F	to 59	М	F	60	total	mort
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	1	0	1	33%	0	0	0	0	0	0	0	0	0	1	17%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	17%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
<ol> <li>Chronic obstructive pulmonary disease (COPD)</li> </ol>	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	17%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	1	1	33%	0	0	0	0	0	0	0	0	0	1	17%
Other	0	1	1	33%	0	0	0	0	1	1	0	0	0	2	33%
Total	1	2	3	100%	0	0	0	1	2	3	0	0	0	6	100%
% by age group			50%				0%			50%			0%	100%	
rtality indicators	Male	Female	Total	1											
ude Mortality Rate (CMR)	0.2	0.4	0.3												
ider 5 Mortality Rate (U5MR)	0.6	1.0	0.8												
			17.9												

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

# 3. Morbidity

## 3.1 Staffing and service availability

Number of full-time clinicians	60.0
Average number of full days on which each health facility was functioning	6.2
Total number of outpatient consultations	12,670
Health facility utilisation rate	8.1
Consultations per clinician per day	34

#### 3.2 Acute health conditions

Record NEW cases of disease only	0 to	o 4	Total <5	U5 Incid	5 to	17	Total 5	18 to	59	Total 18	> 60	)	Total >	Grand	% by	Crude
Record NEW cases of disease only	м	F	i otal <5	U5 Incid	м	F	to 17	м	F	to 59	м	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	402	355	757	51.8	442	391	833	592	506	1098	62	67	129	2817	34%	34.7
Influenza-like illness (ILI)	132	102	234	16.0	225	134	359	320	330	650	54	61	115	1358	17%	16.7
Lower Respiratory Tract Infection (LRTI)	107	63	170	11.6	88	72	160	63	55	118	42	25	67	515	6%	6.3
Watery diarrhoea*	5	13	18	1.2	9	1	10	7	4	11	2	0	2	41	1%	0.5
Bloody diarrhoea*	2	0	2	0.1	0	0	0	1	1	2	0	0	0	4	0%	0.0
Skin infection	84	93	177	12.1	97	144	241	130	166	296	43	61	104	818	10%	10.1
Eye infection	13	11	24	1.6	17	14	31	22	14	36	11	5	16	107	1%	1.3
Dental Conditions	9	8	17	1.2	24	28	52	92	59	151	9	11	20	240	3%	3.0
Intestinal Worms	4	9	13	0.9	13	21	34	11	4	15	0	0	0	62	1%	0.8
Acute Jaundice Syndrome*	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	18	9	27	1.8	7	2	9	2	6	8	0	0	0	44	1%	0.5
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	159	162	321	22.0	250	275	525	573	578	1151	88	90	178	2175	27%	26.8
Total	935	825	1760	120.4	1172	1084	2256	1813	1723	3536	311	320	631	8183	100%	100.7
% by age group			22%				<mark>28%</mark>			<b>43%</b>			8%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

#### 3.3 Chronic health conditions

Record NEW and REVISITS	0 te	o 4	Total < 5	5 to	17	Total 5	18 to	o 59	Total 18	>	60	Total	Grand	% by
Record NEW and REVISITS	м	F	10(a) < 5	м	F	to 17	M	F	to 59	м	F	> 60	total	cause
Diabetes	0	1	1	3	3	6	111	81	192	100	85	185	384	10%
Hypertension	0	0	0	0	0	0	69	111	180	138	109	247	427	12%
Asthma	6	7	13	33	26	59	72	69	141	65	61	126	339	9%
Ischaemic heart disease	0	0	0	0	0	0	11	15	26	30	26	56	82	2%
Cardiovascular disorders	0	0	0	0	0	0	14	11	25	15	13	28	53	1%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	17	12	29	43	27	70	99	3%
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Thyroid problems	0	0	0	3	7	10	14	15	29	13	16	29	68	2%
Cancer	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
Other	25	42	67	51	38	89	63	82	145	39	41	80	381	10%
Total	62	100	162	180	148	328	744	792	1536	886	756	1642	3668	100%
% by age group			4%			9%			42%			45%	100%	1

### 3.4 Mental health

	0 to	o 4	Total < 5	5 to	17	Total 5	18 te	o 59	Total 18	>	60	Total	Grand	% by
	м	F	Total < 5	м	F	to 17	М	F	to 59	м	F	> 60	total	cause
1. Epilepsy / seizures	0	0	0	7	3	10	18	6	24	0	0	0	34	7%
<ol> <li>Alcohol and other substance abuse disorder</li> </ol>	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
<ol> <li>Mental retardation / intellectual disability</li> </ol>	0	0	0	1	0	1	3	2	5	1	0	1	7	2%
4. Psychotic disorder	0	0	0	3	1	4	4	2	6	1	1	2	12	3%
5. Severe emotional disorder	0	0	0	26	27	53	14	31	45	4	2	6	104	23%
6. Medically Unexplained Somatic Complaint	11	7	18	17	9	26	43	34	77	11	11	22	143	31%

Other psychological complaint	0	0	0	32	22	54	30	39	69	21	17	38	161	<b>35%</b>
Total	11	7	18	86	62	148	113	114	227	38	31	69	462	100%
% by age group			4%			32%			<b>49%</b>			15%	100%	

#### 3.5 Injuries

	0 to 4		Total < 5	5 to	17	Total 5	18 to	o 59	Total 18	>	60	Total	Grand	% by
	м	F	10141 < 5	м	F	to 17	м	F	to 59	м	F	> 60	total	cause
1. Bites (all causes)	1	2	3	2	1	3	3	1	4	0	0	0	10	3%
2. Injury (war related)	1	0	1	21	7	28	29	11	40	0	0	0	69	19%
<ol><li>Injury (non war related)</li></ol>	5	8	13	8	2	10	20	10	30	7	1	8	61	17%
Other	29	23	52	32	27	59	28	32	60	27	19	46	217	61%
Total	36	33	69	63	37	100	80	54	134	34	20	54	357	100%
% by age group			19%			<mark>28%</mark>			38%			15%	100%	

#### 4. In-patient Department

# 4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to	17	Total 5	18 t	o 59	Total 18	>	60	Total	Grand
		м	F	10141 < 5	М	F	to 17	м	F	to 59	М	F	> 60	total
Number at beginning of report	ting period	1	1	2	0	0	0	0	0	0	0	1	1	3
Total admissions		1	2	3	3	2	5	8	15	23	0	0	0	31
	authorized	2	3	5	3	2	5	8	15	23	0	1	1	34
umber of exits	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		2	3	5	3	2	5	8	15	23	0	1	1	34
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by a	age group													100%

Number of days in reporting period	7
Number of beds	48
Sum number of days stay for authorised discharges	111
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	3.3
Bed occupancy	30%
Hospitalisation rate	1.5

## 4.2 In-patient Admissions and Deaths

		0 t	o 4	U5 CFR	5 to	o 17	5-17	18 1	o 59	18-59	>	60	Total	Total	Crude
		Adm	Deaths	05 CFN	Adm	Deaths	CFR	Adm	Deaths	CFR	Adm	Deaths	adm	deaths	CFR
<ol> <li>Paediatric med</li> </ol>	icine	0	0		0	0		0	0		0	0	0	0	
<ol><li>General Surge</li></ol>	у	0	0		0	0		5	0	0%	0	0	5	0	0%
<ol><li>Injury (war relation)</li></ol>	ted)	0	0		0	0		0	0		0	0	0	0	
<ol> <li>Injury (non war</li> </ol>	related)	3	0	0%	3	0	0%	5	0	0%	0	0	11	0	0%
<ol><li>Internal medici</li></ol>	ne	0	0		0	0		0	0		0	0	0	0	
<ol><li>Obstetrics</li></ol>		0	0		0	0		10	0	0%	0	0	10	0	0%
<ol><li>Gynaecology</li></ol>		0	0		0	0		0	0		0	0	0	0	
Other		0	0		2	0	0%	2	0	0%	0	0	4	0	0%
Total		3	0	0%	5	0	0%	22	0	0%	0	0	30	0	0%

Adm. = Admission; CFR = Case Fatality Rate

#### 5. Referral

Health Facility		0 to 4				5 to 17		Total 5	18 to 59		Total 18	> 60	50	) Total	Grand
		F	Total < 5	м	F	to 17	м	F	to 59	м	F	> 60	total		
MAFRAG HOSPITAL	1	2	3	1	2	3	4	4	8	1	3	4	18		
MAFRAQ PED & GYN	3	2	5	2	1	3	0	4	4	1	1	2	14		
BASMA HOSPITAL	0	1	1	1	1	2	0	3	3	1	0	1	7		
ALBASHEER HOSPITAL	3	2	5	1	0	1	0	4	4	0	2	2	12		
OTHER	6	1	7	1	2	3	1	1	2	0	1	1	13		

64

#### Total No of reffered cases out side the Camp

#### 6. Laboratory

	Total
Number of laboratory tests conducted	279

## 8. Reproductive Health

## 8.1 Antenatal care

		< 18	≥ 18	Total
First antenatal visit < 1st trimeste	r	14	78	92
First antenatal visit > 1st trimeste	40	155	195	
	≥ 4 ANC visits	0	22	22
Number of pregnant women at time of delivery who received:	2 TT doses	0	2	2
	anaemia screening	2	54	56

# ANC Indicators

ANG INDICATORS	
Proportion of first time antenatal visits made < 1st trimester	32%
Coverage of complete antenatal care	39%
Coverage of antenatal tetanus immunisation	4%
Coverage of anaemia screening in pregnancy	100%

## 8.2 Delivery care

	< 18	≥ 18	Total
Live births	2	54	56
Still births	0	0	(
Low birth weight (<2500 g)	0	2	2
Attended by skilled health worker	2	54	56
Number of obstetric complications treated	0	0	C
Number of caesarean sections performed	0	3	3

Crude birth rate	8.3
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	4%
Proportion of all births performed by caesarean section	5%
Proportion of obsetric complications treated among girls < 18	

#### 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	6	87	93
Postnatal Indicators			
Coverage of complete postnatal care	166%		

#### 8.4 Family planning

	Ne	ew	Rep	Total	
	< 18	≥ 18	< 18	≥ 18	TOTAL
Condom (Male)	2	43	0	15	60
Implantable (Norplant)					0
Emergency Contraceptive pill					0
Sterilisation (Female)					0
Injectable (Depo - Provera)	0	1	0	0	1
Intra-Uterine Device (IUD)	0	2	0	3	5
Oral Contraceptive	0	61	1	121	183
Family Planning Counseling	2	100	1	130	233

#### 8.5 Sexual and gender-based violence

	< 18		≥ '	Total	
	м	F	м	F	TOTAL
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources	1. Health Information System					Pu dat	blication te:		21 June 2013
Contact Information	<b>Za'atri</b> Ana Calvo, UNHCR	Email: calvo@unhor.org		Amm Ann Bu	<b>an</b> Irton, UNHCR		E	Email: burton@unhcr.org	
UNHCR gratefully acknowledges the support the following partners:	ort of		*	R MONS	International Medical Corps		Unicef		١