

### Camps reporting this week: Domiz, Gawilan

#### 1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population of reporting camps	761	762	1,523	3,047	3,048	6,095	5,511	4,750	10,261	16,516	10,347	26,863	1,538	1,498	3,036	47,778
% by age group			3%			13%			21%			56%			6%	100%

\* estimates from data provided by UNHCR for Gawilan and Domiz camps

#### 2. Mortality

##### 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>
% by age group															

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

##### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

#### 3. Morbidity

##### 3.1 Staffing and service availability

Number of full-time clinicians	7
Average number of full days on which each health facility was	6.7
Total number of outpatient consultations	2,488
Health facility utilisation rate	2.7
Consultations per clinician per day	53

##### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	242	204	446	58.5	165	150	315	100	147	247	25	21	46	1054	56%	22.1
Lower Respiratory Tract Infection (LRTI)	6	3	9	1.2	2	11	13	2	2	4	1	2	3	29	2%	0.6
Watery diarrhoea*	11	8	19	2.5	3	2	5	2	3	5	0	0	0	29	2%	0.6
Bloody diarrhoea*	1	4	5	0.7	1	0	1	0	0	0	0	0	0	6	0%	0.1
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	6	4	10	1.3	5	3	8	6	4	10	0	1	1	29	2%	0.6
Eye infection	1	1	2	0.3	2	3	5	2	1	3	1	0	1	11	1%	0.2
Ear infection	9	7	16	2.1	3	6	9	5	4	9	1	1	2	36	2%	0.8
Dental Conditions	0	2	2	0.3	7	12	19	8	9	17	1	2	3	41	2%	0.9
Intestinal Worms	2	0	2	0.3	2	0	2	0	0	0	0	1	1	5	0%	0.1
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	1	1	2	2	3	5	6	1	7	14	1%	0.3
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	7	7	0	21	21	0	0	0	28	1%	0.6
Urinary tract infection (UTI)	0	3	3	0.4	5	10	15	6	38	44	1	1	2	64	3%	1.3
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	60	37	97	12.7	75	68	143	84	166	250	15	21	36	526	28%	11.0
<b>Total</b>	<b>338</b>	<b>273</b>	<b>611</b>	<b>80.2</b>	<b>272</b>	<b>273</b>	<b>545</b>	<b>217</b>	<b>398</b>	<b>615</b>	<b>51</b>	<b>51</b>	<b>102</b>	<b>1873</b>	<b>100%</b>	<b>39.2</b>
% by age group			33%				29%			33%			5%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. \*\*incidence is cases per 1000 per week

##### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	0	0	0	0	0	0	2	2	4	1	13	14	18	29%	
Hypertension	0	0	0	0	0	0	3	5	8	6	8	14	22	35%	
Asthma	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Ischaemic heart disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Cardiovascular disease (other)	0	0	0	0	0	0	4	2	6	4	0	4	10	16%	
Chronic obstructive pulmonary disease (COPD)	0	0	0	1	0	1	4	7	11	0	0	0	12	19%	
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Thyroid problems	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>13</b>	<b>16</b>	<b>29</b>	<b>11</b>	<b>21</b>	<b>32</b>	<b>62</b>	<b>100%</b>	
% by age group			0%			2%			47%			52%	100%		

### 3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	0	1	1	0	0	0	0	0	0	1	50%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4. Mental retardation / intellectual disability	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5. Severe emotional disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0	0	0	0	1	1	0	0	0	1	50%
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>100%</b>
<b>% by age group</b>			<b>0%</b>			<b>50%</b>			<b>50%</b>			<b>0%</b>	<b>100%</b>	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	3	1	4	5	3	8	20	8	28	21	20	41	81	15%
3. Burns	5	7	12	1	3	4	12	16	28	10	14	24	68	12%
4. Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	23	55	78	107	88	195	30	30	60	28	41	69	402	73%
<b>Total</b>	<b>31</b>	<b>63</b>	<b>94</b>	<b>113</b>	<b>94</b>	<b>207</b>	<b>62</b>	<b>54</b>	<b>116</b>	<b>59</b>	<b>75</b>	<b>134</b>	<b>551</b>	<b>100%</b>
<b>% by age group</b>			<b>17%</b>			<b>38%</b>			<b>21%</b>			<b>24%</b>	<b>100%</b>	

## 4. Referrals

### 4.1 Referrals - general

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	2	1	7	2	12
Elective	29	16	42	11	98
Other	0	0	0	0	0
<b>Total</b>	<b>31</b>	<b>17</b>	<b>49</b>	<b>13</b>	<b>110</b>
<b>% by age group</b>	<b>28%</b>	<b>15%</b>	<b>45%</b>	<b>12%</b>	<b>100%</b>

## 5. Laboratory & other investigations

	Total
Haematology	12
Imaging (X-ray, MRI/CT)	98
Other	0
<b>Total</b>	<b>110</b>

## 6. EPI and Vitamin A

	<1	≥1 to <5	Total
BCG	0	0	0
Hepatitis B birth dose	0	0	0
DPT I/HiB I/Hep B I* (Pentavalent I)	1	0	1
DPT II/HiB II* (Tetravalent)	0	0	0
DPT III/HiB III/Hep B II* (Pentavalent II)	0	0	0
Polio 0	0	0	0
Polio I	1	0	1
Polio II	0	0	0
Polio III	0	0	0
Measles	0	0	0
MMR	0	0	0
Rotavirus 1	0	0	0
Rotavirus 2	0	0	0
Rotavirus 3	0	0	0
Vitamin A	0	0	0
Additional vaccines	0	1	1

EPI Indicators (since December 2013)		
Total vaccinated this week		3
a. Program dropout rate*		NAD
b. Immunisation coverage		
	BCG	NAD
	Hepatitis B birth dose	NAD
	DPT I	NAD
	DPT III	NAD
	Polio I	NAD
	Polio III	NAD
	Measles	NAD
	MMR**	NAD
	Rotavirus I	NAD
	Rotavirus III	NAD
c. Vitamin A coverage		NAD

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

\*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines  
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%  
\*\*For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.  
NAD=No adequate data

## 7. Reproductive Health

### 7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	17	69	86
First antenatal visit > 1st trimester	0	5	5
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	95%

### 7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	40	40

## 6.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators		
Incidence of reported rape		0.0
Proportion of rape survivors who receive PEP < 72 hrs		
Proportion of female rape survivors who receive ECP < 120 hrs		
Proportion of rape survivors who receive STI presumptive treatment < 2 wks		

Data Sources

1. Health Information System

Publication date:

06 February 2014

Contact Information

Duhok  
Dr Bakhtiyar AHMED, DOH Duhok,  
Email: BAHMED@duhokhealth.org

Erbil  
Mohammed Marzoog, UNHCR  
Email: MARZOOG@unhcr.org

We gratefully acknowledge the contributions of the following agencies:



