





Refugee population



Key facts

Camp opened:
July 2012

* Source of population data:
WFP Distribution Figures

Indicators at a glance

1 Health utilisation rate	8.1	✓
2 Number of consultations per clinician per day	34	✓
3 Hospitalisation rate	1.5	⚠
4 Referral rate		?
5 % deliveries attended by skilled personnel	100%	⚠
6 Crude Mortality Rate (CMR) (/1000/month)	0.3	✓
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.8	✓
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	17.9	✗

Notes


This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- IMC Clinic
- JHAS Clinic
- Jordan Italian Field Hospital
- MDM Clinics 1 and 2
- Moroccan Field Hospital
- Saudi Clinic

Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Morbidity


Acute health conditions (%)



Top 5 acute health conditions

	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	34%	2,817
2 Influenza-like illness (ILI)	17%	1,358
3 Skin infection	10%	818
4 Lower Respiratory Tract Infection (LRTI)	6%	240
5 Dental Conditions	3%	515
- Other	30%	3,686

Chronic health conditions (%)




Top 5 chronic health conditions


	% morbidity	# of cases
1 Hypertension	12%	427
2 Diabetes	10%	384
3 Asthma	9%	339
4 Chronic obstructive pulmonary disease (COPD)	3%	99
5 Ischaemic heart disease	2%	82
- Other	64%	2,337

Breakdown of acute health conditions

by age




by gender




Breakdown of chronic health conditions

by age



by gender



Public Health

Health Impact

Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.3 < 1.5 ✓
Under-five Mortality Rate (U5MR) (/1000/month)	0.8 < 3.0 ✓
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	17.9 < 40 ✓

Access and utilization

No. of health facilities	7	1 : 10155	1 : < 10,000	✗
Total number of consultations		12,670		
Health utilisation rate		8.1	1 - 4	✗
No. of consultations per trained clinician per day		34	< 50	✓

Outbreak Alert and Response

Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours		100%

Laboratory


Number of laboratory samples	279
------------------------------	-----

Immunization


Measles vaccination rate	> 95%	?
Full vaccination rate	> 95%	?
Program drop-out rate	< 10%	?
Vaccine wastage rate	< 8%	?

Breakdown of mental health conditions


By cause



By age




By gender




Breakdown of injuries


By cause



By age



By gender



In-patient and referral

In-patient department

Indicator	Standard
Hospitalisation rate (/1000/month)	1.5 50 - 150
Bed occupancy rate	30% > 75% ✗
Mean length of stay for authorised discharges (days)	3.3

Indicator	Standard
Overall case fatality rate	0%
Proportion of deaths within 24 hours of admission	0%

Referral

Total referral rate	?
---------------------	---

Reproductive Health

Antenatal care

Indicator	Standard
Coverage of antenatal care (4 or more visits)	39% ≥ 90% ✓
Coverage of TT vaccination	4% ≥ 90% ✗
Coverage of anaemia screening in pregnancy	100% ≥ 90% ✓

Delivery care

Proportion of deliveries attended by skilled personnel	100% ≥ 90% ⚠
Proportion of deliveries performed by caesarean section	5% 5 - 15% ✓
Proportion of low birth weight deliveries (<2500g)	4% < 15% ✓

Maternal mortality

Number of maternal deaths reported	0
% of maternal deaths investigated within 48 hours	100%

Postnatal care

Coverage of postnatal care	166% ≥ 90% ⚠
----------------------------	--------------

Family Planning

Contraceptive prevalence rate	0%
-------------------------------	----

Sexual and Gender-based Violence

Incidence of rape (reported cases/10,000/year)*	0
% of rape survivors who received PEP** < 72 hours	100%
% of rape survivors who received ECP*** < 120 hours	100%
% of rape survivors who received STI**** prophylaxis < 2 wks	100%

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection

