

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	48	43	91	190	171	361	385	342	727	615	579	1,194	165	166	331	2,704
% by age group			3%			13%			27%			44%			12%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0		0	0	0	1	0	1	0	0	0	1	100%
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
Total	0	0	0	100%	0	0	0	1	0	1	0	0	0	1	100%
% by age group			0%				0%			100%			0%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	2.9	0.0	1.5
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	2
Average number of full days on which each health facility was	6.0
Total number of outpatient consultations	598
Health facility utilisation rate	11.5
Consultations per clinician per day	50

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	26	20	46	101.8	31	10	41	27	29	56	3	2	5	148	26%	54.7
Lower Respiratory Tract Infection (LRTI)	8	10	18	39.8	5	11	16	14	3	17	2	1	3	54	9%	20.0
Watery diarrhoea*	8	11	19	42.0	5	3	8	2	5	7	0	0	0	34	6%	12.6
Bloody diarrhoea*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	5	3	8	17.7	5	5	10	5	7	12	2	0	2	32	6%	11.8
Eye infection	1	0	1	2.2	5	1	6	6	6	12	1	0	1	20	3%	7.4
Ear infection	5	1	6	13.3	4	1	5	1	1	2	0	0	0	13	2%	4.8
Dental Conditions	1	0	1	2.2	6	3	9	16	6	22	2	3	5	37	6%	13.7
Intestinal Worms	0	1	1	2.2	0	0	0	0	0	0	0	0	0	1	0%	0.4
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	10	4	14	31.0	8	4	12	1	3	4	0	0	0	30	5%	11.1
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Urinary tract infection (UTI)	0	2	2	4.4	0	3	3	5	4	9	0	0	0	14	2%	5.2
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	11	9	20	44.2	16	10	26	74	66	140	7	3	10	196	34%	72.5
Total	75	61	136	300.9	85	51	136	151	130	281	17	9	26	579	100%	214.1
% by age group			23%				23%			49%			4%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. **Incidence is cases per 1000 per week

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	0	0	0	0	3	3	1	4	5	8	62%
Hypertension	0	0	0	0	0	0	0	0	0	1	0	1	1	8%
Asthma	0	1	1	1	0	1	1	0	1	0	1	1	4	31%
Ischaemic heart disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Cardiovascular disease (other)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Thyroid problems	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Total	0	1	1	1	0	1	1	3	4	2	5	7	13	100%
% by age group			8%			8%			31%			54%	100%	

3.4 Mental health

	0 to 4			5 to 14			15 to 49			≥ 50			Total	Grand total	% by cause
	M	F	Total < 5	M	F	Total 5 to 14	M	F	Total 15 to 49	M	F	Total ≥ 50			
1. Epilepsy / seizures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3. Psychotic disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4. Mental retardation / intellectual disability	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5. Severe emotional disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	100%
% by age group														100%	

3.5 Injuries

	0 to 4			5 to 14			15 to 49			≥ 50			Total	Grand total	% by cause
	M	F	Total < 5	M	F	Total 5 to 14	M	F	Total 15 to 49	M	F	Total ≥ 50			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	1	0	1	1	0	1	1	0	1	0	0	0	0	3	50%
3. Burns	0	1	1	0	0	0	1	1	2	0	0	0	0	3	50%
4. Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Total	1	1	2	1	0	1	2	1	3	0	0	0	0	6	100%
% by age group			33%			17%			50%				0%	100%	

4. Referrals

4.1 Referrals - general

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	0	0	1	0	1
Elective	3	3	14	5	25
Other	0	0	0	0	0
Total	3	3	15	5	26
% by age group	12%	12%	58%	19%	100%

5. Laboratory & other investigations

	Total
Haematology	2
Imaging (X-ray, MRI/CT)	14
Other	8
Total	24

6. EPI and Vitamin A

	<1	≥1 to <5	Total
BCG	2	0	2
Hepatitis B birth dose	0	0	0
DPT I/HiB I/Hep B I* (Pentavalent I)	6	0	6
DPT II/HiB II* (Tetravalent)	2	0	2
DPT III/HiB III/Hep B II* (Pentavalent II)	0	0	0
Polio 0	0	0	0
Polio I	6	0	6
Polio II	2	0	2
Polio III	0	0	0
Measles	1	0	1
MMR	0	3	3
Rotavirus 1	1	0	1
Rotavirus 2	1	0	1
Rotavirus 3	0	0	0
Vitamin A	1	7	8
Additional vaccines	0	13	13

EPI Indicators (since December 2013)		
Total vaccinated this week		45
a. Program dropout rate*		43%
b. Immunisation coverage	BCG	79%
	Hepatitis B birth dose	49%
	DPT I	104%
	DPT III	59%
	Polio I	133%
	Polio III	44%
	Measles	94%
c. Vitamin A coverage	MMR**	262%
	Rotavirus I	15%
	Rotavirus III	0%
*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines		
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%		
**For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.		
NAD=No adequate data; NR=Not consistently reported		

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	0	2	2
First antenatal visit > 1st trimester	0	1	1
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	1	1
2 TT doses	0	0	0
anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	67%

7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	2	2

7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 - 120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No. of rape survivors given PEP within 72 hours	0	0	0	0	0
No. of female rape survivors given ECP within 120 hours	0	0	0	0	0
No. of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

24 March 2014

Contact Information

Dohuk
Dr Bakhtiyar AHMED, DOH Duhok

Email: BAHMED@duhokhealth.org

Erbil
Mohammed Marzog, UNHCR

Email: MARZOOG@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

