

## 1. Population

| Population         | 0 to < 1 |       | Total <1 | 1 to 4 |       | Total 1 to 4 | 5 to 17 |        | Total 5 to 17 | 18 to 59 |        | Total 18 to 59 | > 60  |       | Total > 60 | Grand total |
|--------------------|----------|-------|----------|--------|-------|--------------|---------|--------|---------------|----------|--------|----------------|-------|-------|------------|-------------|
|                    | M        | F     |          | M      | F     |              | M       | F      |               | M        | F      |                | M     | F     |            |             |
| Refugee population | 2,079    | 2,078 | 4,157    | 6,333  | 7,324 | 13,657       | 18,310  | 17,815 | 36,125        | 18,805   | 23,358 | 42,163         | 1,089 | 1,782 | 2,871      | 98,973      |
| % by age group     |          |       | 4%       |        |       | 14%          |         |        | 36%           |          |        | 43%            |       |       | 3%         | 100%        |

## 2. Mortality

### 2.1 Mortality

| Record ONE cause of mortality per case          | 0 to 4   |          | Total <5 | U5 % mort   | 5 to 17  |          | Total 5 to 17 | 18 to 59 |          | Total 18 to 59 | > 60     |          | Total > 60 | Grand total | Crude % mort |
|---|----------|----------|----------|-------------|----------|----------|---------------|----------|----------|----------------|----------|----------|------------|-------------|--------------|
|   | M        | F        |          |             | M        | F        |               | M        | F        |                | M        | F        |            |             |              |
| 1. Lower Respiratory Tract Infection (LRTI)     | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           | 0%           |
| 2. Watery diarrhoea                             | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           | 0%           |
| 3. Bloody diarrhoea                             | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           | 0%           |
| 4. Cardiovascular disorders                     | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           | 0%           |
| 5. Ischaemic heart disease                      | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           | 0%           |
| 6. Injury                                       | 0        | 0        | 0        |             | 1        | 0        | 1             | 0        | 0        | 0              | 0        | 0        | 0          | 1           | 33%          |
| 7. Cancer                                       | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           | 0%           |
| 8. Chronic obstructive pulmonary disease (COPD) | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           | 0%           |
| 9. Tuberculosis (confirmed)                     | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           | 0%           |
| 10. Neonatal death                              | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           | 0%           |
| Other   | 0        | 0        | 0        |             | 0        | 0        | 0             | 1        | 1        | 2              | 0        | 0        | 0          | 2           | 67%          |
| <b>Total</b>                                    | <b>0</b> | <b>0</b> | <b>0</b> | <b>100%</b> | <b>1</b> | <b>0</b> | <b>1</b>      | <b>1</b> | <b>1</b> | <b>2</b>       | <b>0</b> | <b>0</b> | <b>0</b>   | <b>3</b>    | <b>100%</b>  |
| % by age group                                  |          |          | 0%       |             |          |          | 33%           |          |          | 67%            |          |          | 0%         | 100%        |              |

| Mortality indicators           | Male | Female | Total |
|--------------------------------|------|--------|-------|
| Crude Mortality Rate (CMR)     | 0.2  | 0.1    | 0.1   |
| Under 5 Mortality Rate (U5MR)  | 0.0  | 0.0    | 0.0   |
| Neonatal Mortality Rate (NNMR) |      |        | 0.0   |

### 2.2 Maternal death

|  |   |
|--|---|
| Number of maternal deaths reported         | 0 |
| Number of maternal deaths investigated     | 0 |
| Proportion of maternal deaths investigated |   |

## 3. Morbidity

### 3.1 Staffing and service availability

|   |        |
|---|--------|
| Number of full-time clinicians  | 73.0   |
| Average number of full days on which each health facility was functioning | 6.4    |
| Total number of outpatient consultations                                  | 14,688 |
| Health facility utilisation rate  | 7.7    |
| Consultations per clinician per day                                       | 31     |

### 3.2 Acute health conditions

| Record NEW cases of disease only         | 0 to 4      |            | Total <5    | U5 Incid     | 5 to 17     |             | Total 5 to 17 | 18 to 59    |             | Total 18 to 59 | > 60       |            | Total > 60 | Grand total | % by cause  | Crude Incide |
|--|-------------|------------|-------------|--------------|-------------|-------------|---------------|-------------|-------------|----------------|------------|------------|------------|-------------|-------------|--------------|
|  | M           | F          |             |              | M           | F           |               | M           | F           |                | M          | F          |            |             |             |              |
| Upper Respiratory Tract Infection (URTI) | 476         | 355        | 831         | 46.6         | 376         | 337         | 713           | 457         | 452         | 909            | 98         | 81         | 179        | 2632        | 30%         | 26.6         |
| Influenza-like illness (ILI)             | 113         | 103        | 216         | 12.1         | 108         | 94          | 202           | 254         | 244         | 498            | 74         | 74         | 148        | 1064        | 12%         | 10.8         |
| Lower Respiratory Tract Infection (LRTI) | 107         | 84         | 191         | 10.7         | 50          | 37          | 87            | 55          | 54          | 109            | 38         | 50         | 88         | 475         | 5%          | 4.8          |
| Watery diarrhoea*                        | 29          | 29         | 58          | 3.3          | 10          | 9           | 19            | 4           | 6           | 10             | 0          | 0          | 0          | 87          | 1%          | 0.9          |
| Bloody diarrhoea*                        | 1           | 1          | 2           | 0.1          | 1           | 0           | 1             | 1           | 2           | 3              | 0          | 0          | 0          | 6           | 0%          | 0.1          |
| Skin infection                           | 141         | 103        | 244         | 13.7         | 125         | 145         | 270           | 170         | 64          | 234            | 14         | 25         | 39         | 787         | 9%          | 8.0          |
| Eye infection                            | 41          | 16         | 57          | 3.2          | 65          | 57          | 122           | 73          | 94          | 167            | 36         | 50         | 86         | 432         | 5%          | 4.4          |
| Dental Conditions                        | 14          | 12         | 26          | 1.5          | 47          | 71          | 118           | 91          | 86          | 177            | 26         | 25         | 51         | 372         | 4%          | 3.8          |
| Intestinal Worms                         | 18          | 27         | 45          | 2.5          | 23          | 26          | 49            | 4           | 7           | 11             | 5          | 3          | 8          | 113         | 1%          | 1.1          |
| Acute Jaundice Syndrome*                 | 3           | 4          | 7           | 0.4          | 0           | 0           | 0             | 1           | 2           | 3              | 0          | 0          | 0          | 10          | 0%          | 0.1          |
| Measles*                                 | 1           | 1          | 2           | 0.1          | 1           | 1           | 2             | 0           | 0           | 0              | 0          | 0          | 0          | 4           | 0%          | 0.0          |
| Meningitis*                              | 0           | 0          | 0           | 0.0          | 0           | 0           | 0             | 0           | 0           | 0              | 0          | 0          | 0          | 0           | 0%          | 0.0          |
| Acute Flaccid Paralysis*                 | 0           | 0          | 0           | 0.0          | 0           | 0           | 0             | 0           | 0           | 0              | 0          | 0          | 0          | 0           | 0%          | 0.0          |
| Tuberculosis (suspected)                 | 0           | 0          | 0           | 0.0          | 0           | 0           | 0             | 0           | 0           | 0              | 0          | 0          | 0          | 0           | 0%          | 0.0          |
| Fever of unknown origin                  | 22          | 14         | 36          | 2.0          | 4           | 5           | 9             | 3           | 11          | 14             | 0          | 0          | 0          | 59          | 1%          | 0.6          |
| Sexually Transmitted Infection (STI)     | 0           | 1          | 1           | 0.1          | 0           | 16          | 16            | 1           | 232         | 233            | 0          | 6          | 6          | 256         | 3%          | 2.6          |
| Leishmaniasis                            | 0           | 0          | 0           | 0.0          | 0           | 0           | 0             | 0           | 0           | 0              | 0          | 0          | 0          | 0           | 0%          | 0.0          |
| Other                                    | 205         | 217        | 422         | 23.7         | 220         | 272         | 492           | 576         | 652         | 1228           | 149        | 160        | 309        | 2451        | 28%         | 24.8         |
| <b>Total</b>                             | <b>1171</b> | <b>967</b> | <b>2138</b> | <b>120.0</b> | <b>1030</b> | <b>1070</b> | <b>2100</b>   | <b>1690</b> | <b>1906</b> | <b>3596</b>    | <b>440</b> | <b>474</b> | <b>914</b> | <b>8748</b> | <b>100%</b> | <b>88.4</b>  |
| % by age group                           |             |            | 24%         |              |             |             | 24%           |             |             | 41%            |            |            | 10%        | 100%        |             |              |

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

### 3.3 Chronic health conditions

| Record NEW and REVISITS                      | 0 to 4     |            | Total < 5  | 5 to 17    |            | Total 5 to 17 | 18 to 59   |             | Total 18 to 59 | > 60       |             | Total > 60  | Grand total | % by cause  |
|--|------------|------------|------------|------------|------------|---------------|------------|-------------|----------------|------------|-------------|-------------|-------------|-------------|
|  | M          | F          |            | M          | F          |               | M          | F           |                | M          | F           |             |             |             |
| Diabetes                                     | 0          | 0          | 0          | 2          | 9          | 11            | 98         | 164         | 262            | 111        | 143         | 254         | 527         | 10%         |
| Hypertension                                 | 0          | 0          | 0          | 0          | 0          | 0             | 93         | 154         | 247            | 134        | 166         | 300         | 547         | 11%         |
| Asthma                                       | 19         | 22         | 41         | 40         | 32         | 72            | 51         | 57          | 108            | 13         | 22          | 35          | 256         | 5%          |
| Ischaemic heart disease                      | 0          | 1          | 1          | 0          | 0          | 0             | 62         | 47          | 109            | 60         | 51          | 111         | 221         | 4%          |
| Cardiovascular disorders                     | 0          | 0          | 0          | 0          | 0          | 0             | 17         | 34          | 51             | 22         | 30          | 52          | 103         | 2%          |
| Chronic obstructive pulmonary disease (COPD) | 0          | 0          | 0          | 0          | 0          | 0             | 20         | 23          | 43             | 30         | 41          | 71          | 114         | 2%          |
| Liver disease                                | 0          | 0          | 0          | 0          | 0          | 0             | 8          | 12          | 20             | 7          | 4           | 11          | 31          | 1%          |
| Thyroid problems                             | 0          | 0          | 0          | 2          | 9          | 11            | 20         | 27          | 47             | 13         | 28          | 41          | 99          | 2%          |
| Cancer                                       | 0          | 0          | 0          | 0          | 0          | 0             | 0          | 0           | 0              | 0          | 0           | 0           | 0           | 0%          |
| Other  | 50         | 44         | 94         | 66         | 63         | 129           | 117        | 116         | 233            | 74         | 86          | 160         | 616         | 12%         |
| <b>Total</b>                                 | <b>138</b> | <b>134</b> | <b>272</b> | <b>220</b> | <b>226</b> | <b>446</b>    | <b>972</b> | <b>1268</b> | <b>2240</b>    | <b>928</b> | <b>1142</b> | <b>2070</b> | <b>5028</b> | <b>100%</b> |
| % by age group                               |            |            | 5%         |            |            | 9%            |            |             | 45%            |            |             | 41%         | 100%        |             |

### 3.4 Mental health

|   | 0 to 4    |           | Total < 5 | 5 to 17   |           | Total 5 to 17 | 18 to 59   |           | Total 18 to 59 | > 60      |           | Total > 60 | Grand total | % by cause  |
|---|-----------|-----------|-----------|-----------|-----------|---------------|------------|-----------|----------------|-----------|-----------|------------|-------------|-------------|
|   | M         | F         |           | M         | F         |               | M          | F         |                | M         | F         |            |             |             |
| 1. Epilepsy / seizures                          | 5         | 6         | 11        | 15        | 6         | 21            | 27         | 15        | 42             | 2         | 4         | 6          | 80          | 19%         |
| 2. Alcohol and other substance abuse disorder   | 0         | 0         | 0         | 1         | 0         | 1             | 2          | 0         | 2              | 0         | 0         | 0          | 3           | 1%          |
| 3. Mental retardation / intellectual disability | 0         | 0         | 0         | 13        | 16        | 29            | 2          | 4         | 6              | 0         | 1         | 1          | 36          | 9%          |
| 4. Psychotic disorder                           | 0         | 0         | 0         | 0         | 0         | 0             | 19         | 4         | 23             | 0         | 0         | 0          | 23          | 5%          |
| 5. Severe emotional disorder                    | 0         | 0         | 0         | 7         | 14        | 21            | 29         | 40        | 69             | 6         | 28        | 34         | 124         | 30%         |
| 6. Medically Unexplained Somatic Complaint      | 1         | 1         | 2         | 2         | 2         | 4             | 3          | 3         | 6              | 3         | 1         | 4          | 16          | 4%          |
| Other psychological complaint                   | 11        | 10        | 21        | 14        | 21        | 35            | 30         | 17        | 47             | 9         | 25        | 34         | 137         | 33%         |
| <b>Total</b>                                    | <b>17</b> | <b>17</b> | <b>34</b> | <b>52</b> | <b>59</b> | <b>111</b>    | <b>112</b> | <b>83</b> | <b>195</b>     | <b>20</b> | <b>59</b> | <b>79</b>  | <b>419</b>  | <b>100%</b> |
| % by age group                                  |           |           | 8%        |           |           | 26%           |            |           | 47%            |           |           | 19%        | 100%        |             |

### 3.5 Injuries

|                             | 0 to 4    |           | Total < 5 | 5 to 17   |           | Total 5 to 17 | 18 to 59   |           | Total 18 to 59 | > 60      |           | Total > 60 | Grand total | % by cause  |
|-----------------------------|-----------|-----------|-----------|-----------|-----------|---------------|------------|-----------|----------------|-----------|-----------|------------|-------------|-------------|
|                             | M         | F         |           | M         | F         |               | M          | F         |                | M         | F         |            |             |             |
| 1. Bites (all causes)       | 0         | 0         | 0         | 2         | 7         | 9             | 5          | 11        | 16             | 15        | 0         | 15         | 40          | 8%          |
| 2. Injury (war related)     | 2         | 0         | 2         | 26        | 16        | 42            | 50         | 12        | 62             | 12        | 17        | 29         | 135         | 27%         |
| 3. Injury (non war related) | 4         | 4         | 8         | 0         | 6         | 6             | 15         | 20        | 35             | 10        | 5         | 15         | 64          | 13%         |
| 4. Injury ( Burns)          | 16        | 19        | 35        | 19        | 6         | 25            | 16         | 21        | 37             | 9         | 11        | 20         | 117         | 24%         |
| Other                       | 11        | 10        | 21        | 14        | 21        | 35            | 30         | 17        | 47             | 9         | 25        | 34         | 137         | 28%         |
| <b>Total</b>                | <b>33</b> | <b>33</b> | <b>66</b> | <b>61</b> | <b>56</b> | <b>117</b>    | <b>116</b> | <b>81</b> | <b>197</b>     | <b>55</b> | <b>58</b> | <b>113</b> | <b>493</b>  | <b>100%</b> |
| % by age group              |           |           | 13%       |           |           | 24%           |            |           | 40%            |           |           | 23%        | 100%        |             |

## 4. In-patient Department

### 4.1 In-patient Department Activities

|   | 0 to 4    |           | Total < 5 | 5 to 17   |           | Total 5 to 17 | 18 to 59  |           | Total 18 to 59 | > 60     |          | Total > 60 | Grand total |
|---|-----------|-----------|-----------|-----------|-----------|---------------|-----------|-----------|----------------|----------|----------|------------|-------------|
|   | M         | F         |           | M         | F         |               | M         | F         |                | M        | F        |            |             |
| Number at beginning of reporting period   | 0         | 0         | 0         | 0         | 0         | 0             | 0         | 0         | 0              | 0        | 0        | 0          | 0           |
| Total admissions                          | 11        | 10        | 21        | 12        | 14        | 26            | 24        | 20        | 44             | 6        | 4        | 10         | 101         |
| Number of exits                           | 11        | 10        | 21        | 11        | 13        | 24            | 23        | 20        | 43             | 5        | 4        | 9          | 97          |
|   | 0         | 0         | 0         | 0         | 1         | 1             | 1         | 0         | 1              | 1        | 0        | 1          | 3           |
|   | 0         | 0         | 0         | 1         | 0         | 1             | 0         | 0         | 0              | 0        | 0        | 0          | 1           |
|   | 0         | 0         | 0         | 0         | 0         | 0             | 0         | 0         | 0              | 0        | 0        | 0          | 0           |
| <b>Total exits</b>                        | <b>11</b> | <b>10</b> | <b>21</b> | <b>12</b> | <b>14</b> | <b>26</b>     | <b>24</b> | <b>20</b> | <b>44</b>      | <b>6</b> | <b>4</b> | <b>10</b>  | <b>101</b>  |
| Deaths within 24 hours                    | 0         | 0         | 0         | 0         | 0         | 0             | 0         | 0         | 0              | 0        | 0        | 0          | 0           |
| % at end of reporting period by age group |           |           |           |           |           |               |           |           |                |          |          |            | 100%        |

|   |     |
|---|-----|
| Number of days in reporting period                | 7   |
| Number of beds                                    | 35  |
| Sum number of days stay for authorised discharges | 138 |
| Proportion of < 5 IPD deaths within 24 hours      |     |
| Average length of stay (days)                     | 1.4 |
| Bed occupancy                                     | 59% |
| Hospitalisation rate                              | 4.1 |

### 4.2 In-patient Admissions and Deaths

|                             | 0 to 4    |          | U5 CFR    | 5 to 17   |          | 5-17 CFR  | 18 to 59  |          | 18-59 CFR | > 60      |          | Total adm | Total deaths | Crude CFR |
|-----------------------------|-----------|----------|-----------|-----------|----------|-----------|-----------|----------|-----------|-----------|----------|-----------|--------------|-----------|
|                             | Adm       | Deaths   |           | Adm       | Deaths   |           | Adm       | Deaths   |           | Adm       | Deaths   |           |              |           |
| 1. Paediatric medicine      | 15        | 0        | 0%        | 8         | 0        | 0%        | 0         | 0        |           | 0         | 0        | 23        | 0            | 0%        |
| 2. General Surgery          | 3         | 0        | 0%        | 3         | 0        | 0%        | 14        | 0        | 0%        | 2         | 0        | 22        | 0            | 0%        |
| 3. Injury (war related)     | 0         | 0        |           | 0         | 0        |           | 0         | 0        |           | 0         | 0        | 0         | 0            |           |
| 4. Injury (non war related) | 0         | 0        |           | 4         | 1        | 25%       | 0         | 0        |           | 0         | 0        | 4         | 1            | 25%       |
| 5. Internal medicine        | 0         | 0        |           | 0         | 0        |           | 2         | 0        | 0%        | 0         | 0        | 2         | 0            | 0%        |
| 6. Obstetrics               | 0         | 0        |           | 0         | 0        |           | 7         | 0        | 0%        | 0         | 0        | 7         | 0            | 0%        |
| 7. Gynaecology              | 0         | 0        |           | 0         | 0        |           | 0         | 0        |           | 0         | 0        | 0         | 0            |           |
| Other                       | 3         | 0        | 0%        | 11        | 0        | 0%        | 15        | 0        | 0%        | 8         | 0        | 37        | 0            | 0%        |
| <b>Total</b>                | <b>21</b> | <b>0</b> | <b>0%</b> | <b>26</b> | <b>1</b> | <b>4%</b> | <b>38</b> | <b>0</b> | <b>0%</b> | <b>10</b> | <b>0</b> | <b>95</b> | <b>1</b>     | <b>1%</b> |

Adm. = Admission; CFR = Case Fatality Rate

## 5. Referral

| Health Facility                                     | 0 to 4    | Total < 5 | 5 to 17 | Total 5 to 17 | 18 to 59 | Total 18 to 59 | > 60 | Total | Grand total |
|---|-----------|-----------|---------|---------------|----------|----------------|------|-------|-------------|
| MAFRAQ HOSPITAL                                     | 3         | 3         | 2       | 2             | 11       | 11             | 0    | 0     | 16          |
| MAFRAQ PED & GYN                                    | 3         | 3         | 7       | 7             | 19       | 19             | 0    | 0     | 29          |
| BASMA HOSPITAL                                      | 3         | 3         | 3       | 3             | 9        | 9              | 0    | 0     | 15          |
| ALBASHEER HOSPITAL                                  | 1         | 1         | 3       | 3             | 13       | 13             | 6    | 6     | 23          |
| OTHER   | 0         | 0         | 0       | 0             | 0        | 0              | 0    | 0     | 0           |
| <b>Total No of referred cases out side the Camp</b> | <b>83</b> |           |         |               |          |                |      |       |             |

## 6. Laboratory

|                                      | Total |
|--------------------------------------|-------|
| Number of laboratory tests conducted | 596   |

## 8. Reproductive Health

### 8.1 Antenatal care

|  | < 18 | ≥ 18 | Total |
|--|------|------|-------|
| First antenatal visit < 1st trimester                      | 53   | 105  | 158   |
| First antenatal visit > 1st trimester                      | 43   | 104  | 147   |
| Number of pregnant women at time of delivery who received: |      |      |       |
| ≥ 4 ANC visits   | 0    | 13   | 13    |
| 2 TT doses   | 0    | 12   | 12    |
| anaemia screening  | 0    | 34   | 34    |

| ANC Indicators   |     |
|--|-----|
| Proportion of first time antenatal visits made < 1st trimester | 52% |
| Coverage of complete antenatal care                            | 26% |
| Coverage of antenatal tetanus immunisation                     | 24% |
| Coverage of anaemia screening in pregnancy                     | 68% |

### 8.2 Delivery care

|   | < 18 | ≥ 18 | Total |
|---|------|------|-------|
| Live births                               | 3    | 47   | 50    |
| Still births                              | 0    | 0    | 0     |
| Low birth weight (<2500 g)                | 0    | 0    | 0     |
| Attended by skilled health worker         | 3    | 47   | 50    |
| Number of obstetric complications treated | 0    | 7    | 7     |
| Number of caesarean sections performed    | 0    | 5    | 5     |

| Delivery Indicators  |      |
|--|------|
| Crude birth rate   | 6.1  |
| Proportion of births attended by skilled health worker (excl. TBA) | 100% |
| Proportion of low birth weight deliveries                          | 0%   |
| Proportion of all births performed by caesarean section            | 10%  |
| Proportion of obstetric complications treated among girls < 18     | 0%   |

### 8.3 Postnatal care

|  | < 18 | ≥ 18 | Total |
|--|------|------|-------|
| Women who attended 3 postnatal visits within 6 wks of delivery | 15   | 143  | 158   |

| Postnatal Indicators                |     |
|-------------------------------------|-----|
| Coverage of complete postnatal care | 53% |

8.4 Family planning

|                              | New  |      | Repeat |      | Total |
|------------------------------|------|------|--------|------|-------|
|                              | < 18 | ≥ 18 | < 18   | ≥ 18 |       |
| Condom (Male)                | 2    | 66   | 21     | 36   | 125   |
| Implantable ( Norplant )     |      |      |        |      | 0     |
| Emergency Contraceptive pill |      |      |        |      | 0     |
| Sterilisation ( Female)      |      |      |        |      | 0     |
| Injectable (Depo - Provera)  | 0    | 5    | 0      | 32   | 37    |
| Intra-Uterine Device (IUD)   | 0    | 7    | 0      | 0    | 7     |
| Oral Contraceptive           | 3    | 66   | 18     | 161  | 248   |
| Family Planning Counseling   | 10   | 145  | 42     | 133  | 330   |

8.5 Sexual and gender-based violence

|   | < 18 |   | ≥ 18 |   | Total |
|---|------|---|------|---|-------|
|   | M    | F | M    | F |       |
| Total no rape survivors seen  | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined within 72 hours                      | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined within 72 -120 hours                 | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined within 120 hrs - 2 weeks             | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined after 2 weeks                        | 0    | 0 | 0    | 0 | 0     |
| No of rape survivors given PEP within 72 hours                      | 0    | 0 | 0    | 0 | 0     |
| No of female rape survivors given ECP within 120 hours              |      | 0 |      | 0 | 0     |
| No of rape survivors given STI presumptive treatment within 2 weeks | 0    | 0 | 0    | 0 | 0     |
| No. cases of trauma in health centre due to domestic violence       | 0    | 0 | 0    | 0 | 0     |

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

| SGBV Indicators  |     |
|--|-----|
| Incidence of reported rape   | 0.0 |
| Proportion of rape survivors who receive PEP < 72 hrs                      |     |
| Proportion of female rape survivors who receive ECP < 120 hrs              |     |
| Proportion of rape survivors who receive STI presumptive treatment < 2 wks |     |

Data Sources

1. Health Information System

Publication date:

21 June 2013

Contact Information

**Za'atri**  
Ana Calvo, UNHCR

Email: calvo@unhcr.org

**Amman**  
Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

