

## 1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	884	884	1,768	3,538	3,538	7,076	6,378	5,528	11,906	19,603	12,161	31,764	1,658	1,658	3,316	55,830
% by age group			3%			13%			21%			57%			6%	100%

## 2. Mortality

## 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>
% by age group															

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. Morbidity

## 3.1 Staffing and service availability

Number of full-time clinicians	9
Average number of full days on which each health facility was	7.0
Total number of outpatient consultations	1,983
Health facility utilisation rate	1.8
Consultations per clinician per day	31

## 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	187	174	361	40.8	81	65	146	55	72	127	5	9	14	648	47%	11.6
Lower Respiratory Tract Infection (LRTI)	29	15	44	5.0	1	1	2	0	3	3	2	0	2	51	4%	0.9
Watery diarrhoea*	10	8	18	2.0	2	3	5	4	0	4	0	1	1	28	2%	0.5
Bloody diarrhoea*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Malaria (suspected)*	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Skin infection	4	5	9	1.0	1	2	3	5	4	9	1	1	2	23	2%	0.4
Eye infection	2	4	6	0.7	3	1	4	3	0	3	2	0	2	15	1%	0.3
Ear infection	10	5	15	1.7	7	4	11	4	5	9	0	2	2	37	3%	0.7
Dental Conditions	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
Intestinal Worms	0	1	1	0.1	1	0	1	0	0	0	0	0	0	2	0%	0.0
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	2	2	0	31	31	0	0	0	33	2%	0.6
Urinary tract infection (UTI)	1	7	8	0.9	2	12	14	11	66	77	4	5	9	108	8%	1.9
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	64	48	112	12.7	41	19	60	74	134	208	19	26	45	425	31%	7.6
<b>Total</b>	<b>308</b>	<b>268</b>	<b>576</b>	<b>65.1</b>	<b>139</b>	<b>110</b>	<b>249</b>	<b>156</b>	<b>316</b>	<b>472</b>	<b>33</b>	<b>44</b>	<b>77</b>	<b>1374</b>	<b>100%</b>	<b>24.6</b>
% by age group			42%				18%			34%			6%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. \*\*Incidence is cases per 1000 per week

## 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	0	0	0	2	9	11	7	15	22	33	28%
Hypertension	0	0	0	0	0	0	5	9	14	4	16	20	34	28%
Asthma	0	0	0	0	0	0	3	2	5	1	0	1	6	5%
Ischaemic heart disease	0	0	0	0	0	0	0	1	1	5	1	6	7	6%
Cardiovascular disease (other)	1	1	2	1	0	1	0	7	7	7	5	12	22	18%
Chronic obstructive pulmonary disease (COPD)	4	0	4	1	0	1	0	0	0	1	0	1	6	5%
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Thyroid problems	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	3	3	6	1	2	3	1	2	3	12	10%
<b>Total</b>	<b>5</b>	<b>1</b>	<b>6</b>	<b>5</b>	<b>3</b>	<b>8</b>	<b>11</b>	<b>30</b>	<b>41</b>	<b>26</b>	<b>39</b>	<b>65</b>	<b>120</b>	<b>100%</b>
% by age group			5%			7%			34%			54%	100%	

### 3.4 Mental health

	0 to 4			5 to 14			15 to 49			≥ 50			Total ≥ 50	Grand total	% by cause
	M	F	Total < 5	M	F	Total 5 to 14	M	F	Total 15 to 49	M	F	Total ≥ 50			
1. Epilepsy / seizures	0	0	0	0	1	1	6	4	10	0	0	0	0	11	26%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	1	0	1	0	0	0	0	1	2%
3. Psychotic disorder	0	0	0	0	0	0	3	5	8	0	0	0	0	8	19%
4. Mental retardation / intellectual disability	0	0	0	0	0	0	4	1	5	0	0	0	0	5	12%
5. Severe emotional disorder	0	0	0	0	1	1	7	5	12	0	0	0	0	13	31%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	1	1	2	2	0	2	0	0	0	0	4	10%
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>23</b>	<b>15</b>	<b>38</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>42</b>	<b>100%</b>
% by age group			0%			10%			90%			0%		100%	

### 3.5 Injuries

			0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
			M	F		M	F		M	F		M	F			
1. Injury (intentional)			0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)			8	3	11	12	7	19	15	12	27	32	26	58	115	26%
3. Burns			0	4	4	1	3	4	23	18	41	1	8	9	58	13%
4. Accident			0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other			18	32	50	42	65	107	27	16	43	36	38	74	274	61%
Total			26	39	65	55	75	130	65	46	111	69	72	141	447	100%
% by age group					15%			29%			25%			32%	100%	

## 4. Referrals

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	3	0	1	2	6
Elective	17	7	20	14	58
Other	0	0	0	0	0
<b>Total</b>	<b>20</b>	<b>7</b>	<b>21</b>	<b>16</b>	<b>64</b>
% by age group	31%	11%	33%	25%	100%

## 5. Laboratory & other investigations

	Total
Haematology	168
Imaging (X-ray, MRI/CT)	1
Other	550
<b>Total</b>	<b>857</b>

## 6. EPI and Vitamin A

### 7.1 Vaccination

Total in previous month (Dorniz EPI data is reported monthly)	<1	≥1 to <5	Total
BCG			
Hepatitis B birth dose			
DPT I/HiB I/Hep B I* (Pentavalent I)			
DPT II/HiB II* (Tetravalent)			
DPT III/HiB III/Hep B II* (Pentavalent II)			
Polio 0			
Polio I			
Polio II			
Polio III			
Measles			
MMR			
Rotavirus 1			
Rotavirus 2			
Rotavirus 3			
Vitamin A			
Additional vaccines			

EPI Indicators (since December 2013)		
Total reported since last reporting period		0
a. Program dropout rate*		27%
b. Immunisation coverage	BCG	92%
	Hepatitis B birth dose	88%
	DPT I	109%
	DPT III	79%
	Polio I	109%
	Polio III	79%
	Measles	59%
	MMR**	78%
c. Vitamin A coverage	Rotavirus I	87%
	Rotavirus III	42%
64%		

**Note:** If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

\*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines  
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%  
\*\*For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

## 7. Reproductive Health

### 7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	8	171	179
First antenatal visit > 1st trimester	0	0	0
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	100%

### 7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

### 7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 - 120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No. of rape survivors given PEP within 72 hours	0	0	0	0	0
No. of female rape survivors given ECP within 120 hours	0	0	0	0	0
No. of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

31 March 2014

Contact Information

Dohuk  
Dr Bakhtiyar AHMED, DOH Dohuk

Email: BAHMED@duhokhealth.org

Erbil  
Mohammed MARZOOG, UNHCR

Email: MARZOOG@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

