

## 1. Population

| Population         | 0 to <1 |     | Total <1 | 1 to 4 |     | Total 1 to 4 | 5 to 14 |       | Total 5 to 14 | 15 to 49 |       | Total 15 to 49 | ≥ 50 |     | Total ≥ 50 | Grand total |
|--------------------|---------|-----|----------|--------|-----|--------------|---------|-------|---------------|----------|-------|----------------|------|-----|------------|-------------|
|                    | M       | F   |          | M      | F   |              | M       | F     |               | M        | F     |                | M    | F   |            |             |
| Refugee population | 254     | 242 | 496      | 1,015  | 968 | 1,983        | 1,596   | 1,571 | 3,167         | 3,058    | 2,890 | 5,948          | 890  | 848 | 1,738      | 13,332      |
| % by age group     |         |     | 4%       |        |     | 15%          |         |       | 24%           |          |       | 45%            |      |     | 13%        | 100%        |

\* estimates from registered population

## 2. Mortality

## 2.1 Mortality

| Record ONE cause of mortality per case          | 0 to 4   |          | Total <5 | U5 % mort   | 5 to 14  |          | Total 5 to 14 | 15 to 49 |          | Total 15 to 49 | ≥ 50     |          | Total > 50 | Grand total | Crude % mort |
|---|----------|----------|----------|-------------|----------|----------|---------------|----------|----------|----------------|----------|----------|------------|-------------|--------------|
|   | M        | F        |          |             | M        | F        |               | M        | F        |                | M        | F        |            |             |              |
| 1. Lower Respiratory Tract Infection (LRTI)     | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 2. Watery diarrhoea                             | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 3. Bloody diarrhoea                             | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 4. Cardiovascular disorders                     | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 5. Ischaemic heart disease                      | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 6. Injury                                       | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 7. Cancer                                       | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 8. Chronic obstructive pulmonary disease (COPD) | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 9. Tuberculosis (confirmed)                     | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 10. Neonatal death                              | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| Other   | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| <b>Total</b>                                    | <b>0</b> | <b>0</b> | <b>0</b> | <b>100%</b> | <b>0</b> | <b>0</b> | <b>0</b>      | <b>0</b> | <b>0</b> | <b>0</b>       | <b>0</b> | <b>0</b> | <b>0</b>   | <b>0</b>    | <b>100%</b>  |
| % by age group                                  |          |          |          |             |          |          |               |          |          |                |          |          |            |             |              |

## Mortality indicators

|                                | Male | Female | Total |
|--------------------------------|------|--------|-------|
| Crude Mortality Rate (CMR)     | 0.0  | 0.0    | 0.0   |
| Under 5 Mortality Rate (USMR)  | 0.0  | 0.0    | 0.0   |
| Neonatal Mortality Rate (NNMR) |      |        | 0.0   |

## 2.2 Maternal death

|  |   |
|--|---|
| Number of maternal deaths reported         | 0 |
| Number of maternal deaths investigated     | 0 |
| Proportion of maternal deaths investigated |   |

## 3. Morbidity

## 3.1 Staffing and service availability

|   |       |
|---|-------|
| Number of full-time clinicians                                | 4     |
| Average number of full days on which each health facility was | 6.0   |
| Total number of outpatient consultations                      | 1,158 |
| Health facility utilisation rate                              | 4.5   |
| Consultations per clinician per day                           | 48    |

## 3.2 Acute health conditions

| Record NEW cases of disease only         | 0 to 4     |            | Total <5   | U5 Incid**   | 5 to 14   |           | Total 5 to 14 | 15 to 49   |            | Total 15 to 49 | ≥ 50     |           | Total ≥ 50 | Grand total | % by cause  | Crude Incid** |
|--|------------|------------|------------|--------------|-----------|-----------|---------------|------------|------------|----------------|----------|-----------|------------|-------------|-------------|---------------|
|  | M          | F          |            |              | M         | F         |               | M          | F          |                | M        | F         |            |             |             |               |
| Upper Respiratory Tract Infection (URTI) | 57         | 68         | 125        | 50.4         | 41        | 29        | 70            | 47         | 70         | 117            | 2        | 2         | 4          | 316         | 31%         | 23.7          |
| Lower Respiratory Tract Infection (LRTI) | 30         | 18         | 48         | 19.4         | 0         | 1         | 1             | 3          | 2          | 5              | 0        | 1         | 1          | 55          | 5%          | 4.1           |
| Watery diarrhoea*                        | 13         | 5          | 18         | 7.3          | 2         | 4         | 6             | 6          | 3          | 9              | 0        | 0         | 0          | 33          | 3%          | 2.5           |
| Bloody diarrhoea*                        | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0        | 0         | 0          | 0           | 0%          | 0.0           |
| Malaria (suspected)*                     | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0        | 0         | 0          | 0           | 0%          | 0.0           |
| Skin infection                           | 16         | 7          | 23         | 9.3          | 10        | 9         | 19            | 5          | 22         | 27             | 0        | 1         | 1          | 70          | 7%          | 5.3           |
| Eye infection                            | 4          | 0          | 4          | 1.6          | 4         | 1         | 5             | 9          | 11         | 20             | 0        | 0         | 0          | 29          | 3%          | 2.2           |
| Ear infection                            | 9          | 4          | 13         | 5.2          | 5         | 6         | 11            | 7          | 9          | 16             | 0        | 0         | 0          | 40          | 4%          | 3.0           |
| Dental Conditions                        | 1          | 1          | 2          | 0.8          | 4         | 1         | 5             | 14         | 24         | 38             | 1        | 0         | 1          | 46          | 5%          | 3.5           |
| Intestinal Worms                         | 1          | 0          | 1          | 0.4          | 4         | 4         | 8             | 0          | 0          | 0              | 0        | 0         | 0          | 9           | 1%          | 0.7           |
| Acute Jaundice Syndrome*                 | 1          | 0          | 1          | 0.4          | 1         | 2         | 3             | 0          | 0          | 0              | 0        | 0         | 0          | 4           | 0%          | 0.3           |
| Measles (suspected)*                     | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0        | 0         | 0          | 0           | 0%          | 0.0           |
| Meningitis (suspected)*                  | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0        | 0         | 0          | 0           | 0%          | 0.0           |
| Acute Flaccid Paralysis*                 | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0        | 0         | 0          | 0           | 0%          | 0.0           |
| Tuberculosis (suspected)                 | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0        | 0         | 0          | 0           | 0%          | 0.0           |
| Fever of unknown origin                  | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0        | 0         | 0          | 0           | 0%          | 0.0           |
| Sexually Transmitted Infection (STI)     | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 1          | 0          | 1              | 0        | 0         | 0          | 1           | 0%          | 0.1           |
| Urinary tract infection (UTI)            | 4          | 12         | 16         | 6.5          | 0         | 9         | 9             | 11         | 32         | 43             | 0        | 1         | 1          | 69          | 7%          | 5.2           |
| HIV/AIDS                                 | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0        | 0         | 0          | 0           | 0%          | 0.0           |
| Acute malnutrition                       | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0        | 0         | 0          | 0           | 0%          | 0.0           |
| Leishmaniasis                            | 0          | 0          | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0        | 0         | 0          | 0           | 0%          | 0.0           |
| Other                                    | 34         | 28         | 62         | 25.0         | 25        | 15        | 40            | 74         | 154        | 228            | 3        | 10        | 13         | 343         | 34%         | 25.7          |
| <b>Total</b>                             | <b>170</b> | <b>143</b> | <b>313</b> | <b>126.3</b> | <b>96</b> | <b>81</b> | <b>177</b>    | <b>177</b> | <b>327</b> | <b>504</b>     | <b>6</b> | <b>15</b> | <b>21</b>  | <b>1015</b> | <b>100%</b> | <b>76.1</b>   |
| % by age group                           |            |            | 31%        |              |           |           | 17%           |            |            | 50%            |          |           | 2%         | 100%        |             |               |

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. \*\*incidence is cases per 1000 per week

## 3.3 Chronic health conditions

| Record NEW and REVISITS                      | 0 to 4   |          | Total < 5 | 5 to 14  |          | Total 5 to 14 | 15 to 49  |           | Total 15 to 49 | ≥ 50      |           | Total ≥ 50 | Grand total | % by cause  |  |
|--|----------|----------|-----------|----------|----------|---------------|-----------|-----------|----------------|-----------|-----------|------------|-------------|-------------|--|
|  | M        | F        |           | M        | F        |               | M         | F         |                | M         | F         |            |             |             |  |
| Diabetes                                     | 0        | 0        | 0         | 1        | 0        | 1             | 4         | 7         | 11             | 2         | 3         | 5          | 17          | 21%         |  |
| Hypertension                                 | 0        | 0        | 0         | 1        | 0        | 1             | 3         | 17        | 20             | 5         | 10        | 15         | 36          | 44%         |  |
| Asthma                                       | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 2         | 2              | 0         | 1         | 1          | 3           | 4%          |  |
| Ischaemic heart disease                      | 1        | 0        | 1         | 0        | 0        | 0             | 5         | 1         | 6              | 0         | 1         | 1          | 8           | 10%         |  |
| Cardiovascular disease (other)               | 1        | 1        | 2         | 0        | 1        | 1             | 3         | 5         | 8              | 2         | 1         | 3          | 14          | 17%         |  |
| Chronic obstructive pulmonary disease (COPD) | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 0         | 0              | 0         | 0         | 0          | 0           | 0%          |  |
| Liver disease                                | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 0         | 0              | 0         | 0         | 0          | 0           | 0%          |  |
| Thyroid problems                             | 0        | 0        | 0         | 0        | 2        | 2             | 0         | 0         | 0              | 0         | 0         | 0          | 2           | 2%          |  |
| Cancer                                       | 0        | 1        | 1         | 0        | 0        | 0             | 0         | 0         | 0              | 1         | 0         | 1          | 2           | 2%          |  |
| Other  | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 0         | 0              | 0         | 0         | 0          | 0           | 0%          |  |
| <b>Total</b>                                 | <b>2</b> | <b>2</b> | <b>4</b>  | <b>2</b> | <b>3</b> | <b>5</b>      | <b>15</b> | <b>32</b> | <b>47</b>      | <b>10</b> | <b>16</b> | <b>26</b>  | <b>82</b>   | <b>100%</b> |  |
| % by age group                               |          |          | 5%        |          |          | 6%            |           |           | 57%            |           |           | 32%        | 100%        |             |  |

### 3.4 Mental health

|   | 0 to 4   |          |              | 5 to 14  |          |                  | 15 to 49 |           |                   | ≥ 50     |          |               | Total<br>≥ 50 | Grand<br>total | % by<br>cause |
|---|----------|----------|--------------|----------|----------|------------------|----------|-----------|-------------------|----------|----------|---------------|---------------|----------------|---------------|
|   | M        | F        | Total<br>< 5 | M        | F        | Total<br>5 to 14 | M        | F         | Total<br>15 to 49 | M        | F        | Total<br>≥ 50 |               |                |               |
| 1. Epilepsy / seizures                          | 0        | 0        | 0            | 1        | 0        | 1                | 0        | 0         | 0                 | 0        | 0        | 0             | 0             | 1              | 4%            |
| 2. Alcohol and other substance abuse disorder   | 0        | 0        | 0            | 0        | 0        | 0                | 0        | 0         | 0                 | 0        | 0        | 0             | 0             | 0              | 0%            |
| 3. Psychotic disorder                           | 0        | 0        | 0            | 0        | 0        | 0                | 2        | 2         | 4                 | 0        | 0        | 0             | 0             | 4              | 16%           |
| 4. Mental retardation / intellectual disability | 0        | 0        | 0            | 0        | 0        | 0                | 0        | 0         | 0                 | 0        | 0        | 0             | 0             | 0              | 0%            |
| 5. Severe emotional disorder                    | 0        | 0        | 0            | 0        | 0        | 0                | 4        | 2         | 6                 | 0        | 0        | 0             | 0             | 6              | 24%           |
| 6. Medically unexplained somatic complaint      | 0        | 0        | 0            | 0        | 0        | 0                | 0        | 6         | 6                 | 0        | 0        | 0             | 0             | 6              | 24%           |
| Other   | 0        | 1        | 1            | 0        | 0        | 0                | 1        | 6         | 7                 | 0        | 0        | 0             | 0             | 8              | 32%           |
| <b>Total</b>                                    | <b>0</b> | <b>1</b> | <b>1</b>     | <b>1</b> | <b>0</b> | <b>1</b>         | <b>7</b> | <b>16</b> | <b>23</b>         | <b>0</b> | <b>0</b> | <b>0</b>      | <b>0</b>      | <b>25</b>      | <b>100%</b>   |
| % by age group                                  |          |          | 4%           |          |          | 4%               |          |           | 92%               |          |          |               | 0%            | 100%           |               |

### 3.5 Injuries

|                           | 0 to 4   |          |              | 5 to 14  |          |                  | 15 to 49  |          |                   | ≥ 50     |          |               | Total<br>≥ 50 | Grand<br>total | % by<br>cause |
|---------------------------|----------|----------|--------------|----------|----------|------------------|-----------|----------|-------------------|----------|----------|---------------|---------------|----------------|---------------|
|                           | M        | F        | Total<br>< 5 | M        | F        | Total<br>5 to 14 | M         | F        | Total<br>15 to 49 | M        | F        | Total<br>≥ 50 |               |                |               |
| 1. Injury (intentional)   | 2        | 3        | 5            | 5        | 0        | 5                | 12        | 6        | 18                | 0        | 0        | 0             | 0             | 28             | 78%           |
| 2. Injury (unintentional) | 0        | 0        | 0            | 1        | 1        | 2                | 0         | 0        | 0                 | 0        | 0        | 0             | 0             | 2              | 6%            |
| 3. Burns                  | 0        | 0        | 0            | 0        | 0        | 0                | 1         | 0        | 1                 | 0        | 0        | 0             | 0             | 1              | 3%            |
| 4. Accident               | 0        | 0        | 0            | 0        | 0        | 0                | 1         | 0        | 1                 | 0        | 0        | 0             | 0             | 1              | 3%            |
| Other                     | 0        | 1        | 1            | 1        | 0        | 1                | 2         | 0        | 2                 | 0        | 0        | 0             | 0             | 4              | 11%           |
| <b>Total</b>              | <b>2</b> | <b>4</b> | <b>6</b>     | <b>7</b> | <b>1</b> | <b>8</b>         | <b>16</b> | <b>6</b> | <b>22</b>         | <b>0</b> | <b>0</b> | <b>0</b>      | <b>0</b>      | <b>36</b>      | <b>100%</b>   |
| % by age group            |          |          | 17%          |          |          | 22%              |           |          | 61%               |          |          |               | 0%            | 100%           |               |

## 4. Referrals

### 4.1 Referrals - general

|                | 0 to 4    | 5 to 14  | 15 to 49  | ≥ 50     | Grand<br>total |
|----------------|-----------|----------|-----------|----------|----------------|
| Emergency      | 3         | 0        | 9         | 0        | 12             |
| Elective       | 8         | 0        | 32        | 0        | 40             |
| Other          | 0         | 0        | 0         | 0        | 0              |
| <b>Total</b>   | <b>11</b> | <b>0</b> | <b>41</b> | <b>0</b> | <b>52</b>      |
| % by age group | 21%       | 0%       | 79%       | 0%       | 100%           |

ND: no data submitted

## 5. Laboratory & other investigations

|                         | Total    |
|-------------------------|----------|
| Haematology             | 0        |
| Imaging (X-ray, MRI/CT) | 0        |
| Other                   | 0        |
| <b>Total</b>            | <b>0</b> |

## 6. EPI and Vitamin A

|  | <1 | 1 to <5 | Total |
|--|----|---------|-------|
| BCG  | 0  | 0       | 0     |
| Hepatitis B birth dose                     | 0  | 0       | 0     |
| DPT I/HiB I/Hep B I* (Pentavalent I)       | 0  | 0       | 0     |
| DPT II/HiB II* (Tetravalent)               | 0  | 0       | 0     |
| DPT III/HiB III/Hep B II* (Pentavalent II) | 0  | 0       | 0     |
| Polio 0                                    | 0  | 0       | 0     |
| Polio I                                    | 0  | 0       | 0     |
| Polio II                                   | 0  | 0       | 0     |
| Polio III                                  | 0  | 0       | 0     |
| Measles                                    | 0  | 0       | 0     |
| MMR  | 0  | 0       | 0     |
| Rotavirus 1                                | 0  | 0       | 0     |
| Rotavirus 2                                | 0  | 0       | 0     |
| Rotavirus 3                                | 0  | 0       | 0     |
| Vitamin A                                  | 0  | 0       | 0     |
| Additional vaccines                        | 0  | 0       | 0     |

| EPI Indicators (since December 2013) |                        |      |
|--------------------------------------|------------------------|------|
| Total vaccinated this week           |                        | 0    |
| a. Program dropout rate*             |                        | -22% |
| b. Immunisation coverage             | BCG                    | 52%  |
|                                      | Hepatitis B birth dose | 52%  |
|                                      | DPT I                  | 86%  |
|                                      | DPT III                | 105% |
|                                      | Polio I                | 86%  |
|                                      | Polio III              | 105% |
|                                      | Measles                | 107% |
| c. Vitamin A coverage                | MMR**                  | 129% |
|                                      | Rotavirus I            | 86%  |
|                                      | Rotavirus III          | 105% |

\*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines  
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%  
\*\*For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

## 7. Reproductive Health

### 7.1 Antenatal care

|  | < 18           | ≥ 18 | Total |
|--|----------------|------|-------|
| First antenatal visit < 1st trimester                      |                |      |       |
| First antenatal visit > 1st trimester                      |                |      |       |
| Number of pregnant women at time of delivery who received: | <b>NO DATA</b> |      |       |
| ≥ 4 ANC visits   |                |      |       |
| 2 TT doses   |                |      |       |
| anaemia screening  |                |      |       |

ND: no data submitted

| ANC Indicators   |  |
|--|--|
| Proportion of first time antenatal visits made < 1st trimester |  |

### 7.2 Postnatal care

|  | < 18 | ≥ 18 | Total          |
|--|------|------|----------------|
| Women who attended 3 postnatal visits within 6 wks of delivery |      |      | <b>NO DATA</b> |

ND: no data submitted

### 7.3 Sexual and gender-based violence

|   | < 18 |   | ≥ 18 |   | Total |
|---|------|---|------|---|-------|
|   | M    | F | M    | F |       |
| Total no rape survivors seen  | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined within 72 hours                      | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined within 72 -120 hours                 | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined within 120 hrs - 2 weeks             | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined after 2 weeks                        | 0    | 0 | 0    | 0 | 0     |
| No of rape survivors given PEP within 72 hours                      | 0    | 0 | 0    | 0 | 0     |
| No of female rape survivors given ECP within 120 hours              |      |   |      |   | 0     |
| No of rape survivors given STI presumptive treatment within 2 weeks | 0    | 0 | 0    | 0 | 0     |
| No. cases of trauma in health centre due to domestic violence       | 0    | 0 | 0    | 0 | 0     |

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

| SGBV Indicators  |  |            |
|--|--|------------|
| Incidence of reported rape   |  | <b>0.0</b> |
| Proportion of rape survivors who receive PEP < 72 hrs                      |  |            |
| Proportion of female rape survivors who receive ECP < 120 hrs              |  |            |
| Proportion of rape survivors who receive STI presumptive treatment < 2 wks |  |            |

Data Sources

1. Health Information System

Publication date:

31 March 2014

Contact Information

Erbil  
Dr Chimmen Akrawi, DOH Erbil

Email: chimmentya@yahoo.com

Erbil  
Sandra Harlass, UNHCR

Email: HARLASS@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

