


Refugee population

Total refugee population:

3,121 *

Demographic breakdown:



Key facts

Camp opened:
August 2013

Planned capacity:
4,580

Area:
0.15 Km sq

Population:
Syrian refugees, majority from Qamishli and Hasak

* Source of population data:
Estimates from UNHCR registration

Indicators at a glance

Indicator	Standard
1 Health utilisation rate	1 - 4
2 Number of consultations per clinician per day	< 50
3 Proportion of first time antenatal visits made < 1st trimester	≥ 90%
4 Measles immunisation coverage	> 90%
5 Polio III immunisation coverage	> 90%
6 Crude Mortality Rate (CMR) (/1000/month)	< 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	< 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	< 40

Notes

HIGHLIGHTS

Health utilisation rate and consultations per clinician per day elevated. Upper respiratory tract infections remains the major cause of morbidity.

This public health profile for the refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:


DOH Erbil

Alerts


NONE

Morbidity

Acute health conditions (%)



Chronic health conditions (%)



Top 5 acute health conditions


Condition	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	37%	246
2 Lower Respiratory Tract Infection (LRTI)	8%	55
3 Skin infection	7%	50
4 Urinary tract infection (UTI)	6%	40
5 Dental Conditions	5%	36
- Other	37%	246

Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Ischaemic heart disease	38%	13
2 Hypertension	32%	11
3 Diabetes	24%	8
4 Asthma	3%	1
5 Cancer	3%	1
- Other	0%	0

Breakdown of acute health conditions

by age




by gender




Breakdown of chronic health conditions

by age




by gender




Trends since the January 2014


Number of consultations




Weekly health utilisation rates




Watery diarrhoea




Bloody diarrhoea




Acute Jaundice Syndrome




Suspected measles




Suspected Meningitis




Acute flaccid paralysis



Upper respiratory tract infections



Lower respiratory tract infections



Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline, Bloody diarrhoea = 1.5 x baseline, Acute Jaundice Syndrome = 1.5 x baseline, Upper respiratory tract infections = 1.5 x baseline,
 Meningitis = 5 cases, Acute Flaccid Paralysis = 1 case, Measles = 1 case,
 baseline = average incidence or number of cases over the previous 3 weeks

Public Health

Health Impact

	Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

Access and utilization

No. of health facilities	1.0	1 : < 10,000
Total number of consultations	726	
Health utilisation rate	12.1	1 - 4
No. of consultations per trained clinician per day	52	< 50

Reproductive health

Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
--	-----	-------

Outbreak Alert and Response

	Indicator	Standard
Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours	N/A	100%

Routine immunization

BCG immunisation coverage	57%	> 90%
DPT 1 immunisation coverage	41%	> 90%
Measles immunisation coverage	29%	> 90%
Polio III immunisation coverage	66%	> 90%
MMR immunisation coverage	78%	> 90%
Vitamin A coverage	60%	> 90%

Sexual and gender-based violence

Incidence of reported rape	0.0
----------------------------	-----

Top 3 Mental health conditions

	% morbidity	# of cases
1 Epilepsy / seizures	0%	0
2 Alcohol and other substance abuse disorder	0%	0
3 Psychotic disorder	0%	0
- Other	0%	0

Top 3 injuries


	% morbidity	# of cases
1 Burns	42%	8
2 Injury (unintentional)	26%	5
3 Injury (intentional)	16%	3
- Other	16%	3

Breakdown of mental health conditions


NO MENTAL HEALTH CONDITIONS REPORTED THIS WEEK

Breakdown of injuries


By cause



By age



By gender



We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online
<http://twine.unhcr.org>

