

Camps reporting this week: Domiz, Gawilan

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population of reporting camps	932	927	1,859	3,728	3,709	7,437	6,763	5,870	12,633	20,218	12,740	32,958	1,823	1,824	3,647	58,534
% by age group			3%			13%			22%			56%			6%	100%

* estimates from data provided by UNHCR for Gawilan and Domiz camps

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	100%	0	0	0	0	0	0	0	0	0	0	100%
% by age group															

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	11
Average number of full days on which each health facility was	5.7
Total number of outpatient consultations	2,488
Health facility utilisation rate	2.2
Consultations per clinician per day	40

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	123	98	221	23.8	76	47	123	78	72	150	2	2	4	498	29%	8.5
Lower Respiratory Tract Infection (LRTI)	32	30	62	6.7	8	6	14	11	10	21	3	1	4	101	6%	1.7
Watery diarrhoea*	17	14	31	3.3	2	6	8	8	5	13	1	1	2	54	3%	0.9
Bloody diarrhoea*	0	1	1	0.1	0	1	1	1	0	1	0	0	0	3	0%	0.1
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	11	5	16	1.7	1	4	5	16	9	25	1	2	3	49	3%	0.8
Eye infection	8	5	13	1.4	3	0	3	10	10	20	1	2	3	39	2%	0.7
Ear infection	10	8	18	1.9	5	3	8	5	2	7	0	0	0	33	2%	0.6
Dental Conditions	0	2	2	0.2	5	4	9	9	13	22	0	0	0	33	2%	0.6
Intestinal Worms	1	1	2	0.2	1	1	2	0	0	0	0	0	0	4	0%	0.1
Acute Jaundice Syndrome*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	14	6	20	2.2	4	1	5	1	1	2	0	0	0	27	2%	0.5
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	22	22	0	0	0	22	1%	0.4
Urinary tract infection (UTI)	0	11	11	1.2	3	14	17	15	82	97	2	6	8	133	8%	2.3
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Leishmaniasis	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Other	88	66	154	16.6	61	61	122	173	221	394	27	11	38	708	41%	12.1
Total	305	247	552	59.4	170	148	318	328	447	775	37	25	62	1707	100%	29.2
% by age group			32%				19%			45%			4%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

**incidence is cases per 1000 per week

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	0	0	0	3	13	16	3	15	18	34	25%
Hypertension	0	0	0	0	0	0	1	8	9	8	12	20	29	21%
Asthma	0	0	0	1	0	1	0	0	0	3	1	4	5	4%
Ischaemic heart disease	0	0	0	0	0	0	0	0	0	4	1	5	5	4%
Cardiovascular disease (other)	0	0	0	0	0	0	3	6	9	15	15	24	33	24%
Chronic obstructive pulmonary disease (COPD)	2	0	2	3	0	3	2	8	10	4	2	6	21	15%
Liver disease	0	0	0	0	1	1	0	1	1	0	0	0	2	1%
Thyroid problems	0	0	0	0	0	0	0	2	2	1	0	1	3	2%
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	1	1	2	0	0	0	0	2	2	0	0	0	4	3%
Total	3	1	4	4	1	5	9	40	49	32	46	78	136	100%
% by age group			3%			4%			36%			57%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	0	0	0	2	1	3	0	0	0	3	10%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	3	0	3	0	0	0	3	10%
3. Psychotic disorder	0	0	0	0	0	0	1	3	4	1	0	1	5	17%
4. Mental retardation / intellectual disability	0	0	0	1	0	1	1	1	2	0	0	0	3	10%
5. Severe emotional disorder	0	0	0	0	0	0	5	5	10	0	0	0	10	33%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	2	3	5	0	1	1	0	0	0	6	20%
Total	0	0	0	3	3	6	12	11	23	1	0	1	30	100%
% by age group			0%			20%			77%			3%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	8	3	11	9	4	13	15	19	34	17	22	39	97	16%
3. Burns	2	4	6	12	10	22	18	20	38	14	14	28	94	15%
4. Accident	0	0	0	0	0	0	1	3	4	0	0	0	4	1%
Other	22	45	67	125	126	251	36	22	58	17	27	44	420	68%
Total	32	52	84	146	140	286	70	64	134	48	63	111	615	100%
% by age group			14%			47%			22%			18%	100%	

4. Referrals

4.1 Referrals - general

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	5	9	6	7	27
Elective	10	14	44	9	77
Other	0	0	0	0	0
Total	15	23	50	16	104
% by age group	14%	22%	48%	15%	100%

5. Laboratory & other investigations

	Total
Haematology	27
Imaging (X-ray, MRI/CT)	77
Other	0
Total	104

6. EPI and Vitamin A

	<1	≥1 to <5	Total
BCG	0	0	0
Hepatitis B birth dose	0	0	0
DPT I/HiB I/Hep B I* (Pentavalent I)	2	1	3
DPT II/HiB II* (Tetravalent)	0	0	0
DPT III/HiB III/Hep B II* (Pentavalent II)	1	1	2
Polio 0	0	0	0
Polio I	1	0	1
Polio II	0	0	0
Polio III	0	0	0
Measles	0	0	0
MMR	0	0	0
Rotavirus 1	1	0	1
Rotavirus 2	0	0	0
Rotavirus 3	0	0	0
Vitamin A	0	0	0
Additional vaccines	0	8	8

EPI Indicators (since December 2013)		
Total vaccinated this week		15
a. Program dropout rate*		25%
b. Immunisation coverage	BCG	94%
	Hepatitis B birth dose	91%
	DPT I	101%
	DPT III	76%
	Polio I	102%
	Polio III	76%
	Measles	52%
c. Vitamin A coverage	MMR**	88%
	Rotavirus I	80%
	Rotavirus III	48%

*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%
**For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.
NAD=No adequate data; NR=Some or all camps did not consistently report

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	16	263	279
First antenatal visit > 1st trimester	0	0	0
Number of pregnant women at time of delivery	0	0	0
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
who received: anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	100%

7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	97	97

6.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

08 April 2014

Contact Information

Duhok
Dr Bakhtiyar AHMED, DOH Duhok,
Email: BAHMED@duhokhealth.org

Erbil
Sandra Harlass, UNHCR
Email: HARLASS@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

