

1. Population

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population*	50	45	95	198	179	377	383	345	728	603	579	1,182	168	170	338	2,720
% by age group			3%			14%			27%			43%			12%	100%

*UNHCR registration estimates. For multi-week reports, mean population is presented

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total > 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	100%	0	0	0	0	0	0	0	0	0	0	100%
% by age group															100%

Mortality indicators

	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (USMR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Average number of full-time clinicians	2
Average number of full days on which each health facility was	30.0
Total number of outpatient consultations	2,183
Health facility utilisation rate	8.3
Consultations per clinician per day	36

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	70	61	131	55.5	75	57	132	88	73	161	9	5	14	438	21%	32.2
Lower Respiratory Tract Infection (LRTI)	27	28	55	23.3	29	20	49	34	28	62	8	4	12	178	9%	13.1
Watery diarrhoea*	22	15	37	15.7	5	8	13	8	8	16	1	1	2	68	3%	5.0
Bloody diarrhoea*	7	12	19	8.1	1	0	1	6	4	10	1	1	2	32	2%	2.4
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	2	2	0	0	0	2	0%	0.1
Skin infection	12	6	18	7.6	2	5	7	22	18	40	1	1	2	67	3%	4.9
Eye infection	15	8	23	9.7	5	3	8	28	23	51	2	2	4	86	4%	6.3
Ear infection	5	2	7	3.0	14	3	17	14	9	23	0	0	0	47	2%	3.5
Dental Conditions	0	3	3	1.3	13	15	28	31	29	60	0	2	2	93	5%	6.8
Intestinal Worms	1	2	3	1.3	7	9	16	17	15	32	0	1	1	52	3%	3.8
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	36	24	60	25.4	19	13	32	3	4	7	1	0	1	100	5%	7.4
Sexually Transmitted Infection (STI)	11	4	15	6.4	3	2	5	1	0	1	0	0	0	21	1%	1.5
Urinary tract infection (UTI)	0	0	0	0.0	4	3	7	8	10	18	6	0	6	31	2%	2.3
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	1	1	1	3	4	1	0	1	6	0%	0.4
Leishmaniasis	3	5	8	3.4	2	2	4	1	3	4	0	0	0	16	1%	1.2
Other	35	21	56	23.7	35	38	73	311	332	643	30	17	47	819	40%	60.2
Total	244	191	435	184.3	214	179	393	573	561	1134	60	34	94	2056	100%	151.2
% by age group			21%				19%			55%			5%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. **incidence is cases per 1000 per week

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	0	0	0	0	0	0	1	6	7	3	5	8	15	26%	
Hypertension	0	0	0	0	0	0	1	11	12	7	4	11	23	40%	
Asthma	0	0	0	2	1	3	0	0	0	5	1	6	9	16%	
Ischaemic heart disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Cardiovascular disease (other)	0	0	0	0	2	2	0	2	2	0	1	1	5	9%	
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Thyroid problems	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Other	1	1	2	0	0	0	3	3	3	0	0	0	5	9%	
Total	1	1	2	2	3	5	2	22	24	15	11	26	57	100%	
% by age group			4%			9%		42%		46%			100%		

3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4. Mental retardation / intellectual disability	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5. Severe emotional disorder	1	0	1	6	0	6	1	1	2	0	0	0	9	100%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Total	1	0	1	6	0	6	1	1	2	0	0	0	9	100%
% by age group			11%			67%			22%			0%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	0	0	0	5	1	6	4	1	5	0	0	0	11	18%
3. Burns	3	3	6	2	2	4	5	10	15	0	0	0	25	41%
4. Accident	0	0	0	0	0	0	1	3	4	0	0	0	4	7%
Other	3	3	6	2	1	3	7	4	11	1	0	1	21	34%
Total	6	6	12	9	4	13	17	18	35	1	0	1	61	100%
% by age group			20%			21%			57%			2%	100%	

4. Referrals

4.1 Referrals - general

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	2	6	13	5	26
Elective	11	20	65	8	104
Other	0	0	0	0	0
Total	13	26	78	13	130
% by age group	10%	20%	60%	10%	100%

5. Laboratory & other investigations

	Total
Haematology	20
Imaging (X-ray, MRI/CT)	27
Other	65
Total	114

6. EPI and Vitamin A

	<1	≥1 to <5	Total
BCG	0	0	0
Hepatitis B birth dose	0	0	0
DPT I/HiB I/Hep B I* (Pentavalent I)	0	0	0
DPT II/HiB II* (Tetravalent)	0	0	0
DPT III/HiB III/Hep B II* (Pentavalent II)	0	0	0
Polio 0	0	0	0
Polio I	0	0	0
Polio II	0	0	0
Polio III	0	0	0
Measles	0	0	0
MMR	0	0	0
Rotavirus 1	0	0	0
Rotavirus 2	0	0	0
Rotavirus 3	0	0	0
Vitamin A	0	0	0
Additional vaccines	0	0	0

EPI Indicators (since December 2013)		
Total vaccinated		0
a. Program dropout rate*		44%
b. Immunisation coverage		
	BCG	73%
	Hepatitis B birth dose	48%
	DPT I	99%
	DPT III	55%
	Polio I	118%
	Polio III	51%
	Measles	81%
	MMR**	195%
	Rotavirus I	26%
	Rotavirus III	0%
c. Vitamin A coverage		9%

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%
**For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.
NAD=No adequate data; NR=Not consistently reported

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	0	2	2
First antenatal visit > 1st trimester	0	2	2
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	50%

7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	4	4

7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators		
Incidence of reported rape		0.0
Proportion of rape survivors who receive PEP < 72 hrs		
Proportion of female rape survivors who receive ECP < 120 hrs		
Proportion of rape survivors who receive STI presumptive treatment < 2 wks		

Data Sources: 1. Health Information System

Publication date: 07 May 2014

Contact Information: Dohuk, Dr Bakhtiyar AHMED, DOH Duhok

Email: BAHMED@duhokhealth.org

Erbil, Sandra Harlass, UNHCR

Email: HARLASS@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

