


## Refugee population

Total refugee population:

**4,547** \*

Demographic breakdown:



## Qushtapa camp

## Key facts

Camp opened:  
**August 2013**

Planned capacity:  
**7,860**

Area:  
**0.43 Km sq**

Population:  
**Syrian refugees, majority from Qamishli, Diralok and Hassaka**

\* Source of population data: Estimates from UNHCR registration. For multiweek reports, average population is presented.

## Indicators at a glance

Indicator	Value	Standard
1 Health utilisation rate	4.8	1 - 4
2 Number of consultations per clinician per day	69	< 50
3 Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
4 Measles immunisation coverage	116%	> 90%
5 Polio III immunisation coverage	68%	> 90%
6 Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

## Notes

### Highlights


This public health profile for Qushtapa refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:


**DOH - ERBIL**

## Morbidity

### Acute health conditions (%)



### Chronic health conditions (%)



### Top 5 acute health conditions


Condition	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	53%	1,080
2 Urinary tract infection (UTI)	9%	178
3 Lower Respiratory Tract Infection (LRTI)	6%	124
4 Skin infection	4%	89
5 Watery diarrhoea*	3%	62
- Other	24%	495

### Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Hypertension	56%	23
2 Diabetes	39%	16
3 Asthma	5%	2
4 Ischaemic heart disease	0%	0
5 Cardiovascular disease (other)	0%	0
- Other	0%	0

### Breakdown of acute health conditions

#### by age




#### by gender




### Breakdown of chronic health conditions


#### by age




#### by gender




### Number of consultations




### Weekly health utilisation rates




### Watery diarrhoea




### Bloody diarrhoea




### Acute Jaundice Syndrome




### Suspected measles




### Suspected Meningitis




### Acute flaccid paralysis



### Upper respiratory tract infections



### Lower respiratory tract infections



#### Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline,      Bloody diarrhoea = 1.5 x baseline,      Acute Jaundice Syndrome = 1.5 x baseline,      Upper respiratory tract infections = 1.5 x baseline,  
 Meningitis = 5 cases,      Acute Flaccid Paralysis = 1 case,      Measles = 1 case  
 baseline = average incidence or number of cases over the previous 3 weeks

## Public Health

Health Impact	Indicator	Standard	Outbreak Alert and Response	Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5	Number of outbreaks reported	0	
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0	% of outbreaks investigated within 48 hours	N/A	100%
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40	<b>Routine immunization</b>		
<b>Access and utilization</b>			BCG immunisation coverage	116%	> 90%
No. of health facilities	1.0	1 : < 10,000	DPT 1 immunisation coverage	51%	> 90%
Total number of consultations	2,077		Measles immunisation coverage	116%	> 90%
Health utilisation rate	4.8	1 - 4	Polio III immunisation coverage	68%	> 90%
No. of consultations per trained clinician per day	69	< 50	MMR immunisation coverage	82%	> 90%
<b>Reproductive health</b>			Vitamin A coverage	108%	> 90%
<b>Sexual and gender-based violence</b>			Incidence of reported rape		
Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%	0.0		

### Top 3 Mental health conditions

	% morbidity	# of cases
1 Epilepsy / seizures	0%	0
2 Alcohol and other substance abuse disorder	0%	0
3 Psychotic disorder	0%	0
- Other	0%	0

### Top 3 injuries

	% morbidity	# of cases
1 Burns	100%	8
2 Injury (intentional)	0%	0
3 Injury (unintentional)	0%	0
- Other	0%	0

### Breakdown of mental health conditions


**NO MENTAL HEALTH CONDITIONS REPORTED**

### Breakdown of injuries


#### By cause



#### By age



#### By gender



We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online  
<http://twine.unhcr.org>

