


Refugee population

Total refugee population:
Demographic breakdown:

55830 *



Key facts

Camp opened:
April 2012

Planned capacity:
27,000

Area:
1.14 Km sq

Population:
Syrian refugees, majority from fleeing from areas populated by Kurds

* Source of population data: UNHCR estimate. For multiweek reports, average population is presented.

Indicators at a glance

Indicator	Standard
1 Health utilisation rate	1 - 4
2 Number of consultations per clinician per day	< 50
3 Proportion of first time antenatal visits made < 1st trimester	≥ 90%
4 Measles immunisation coverage	> 90%
5 Polio III immunisation coverage	> 90%
6 Crude Mortality Rate (CMR) (/1000/month)	< 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	< 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	< 40

Notes

HIGHLIGHTS
NONE


This public health profile for Domiz refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:

DOH, IMC, MSF, Jiyan Foundation, UPP

Morbidity

Acute health conditions (%)




Top 5 acute health conditions


Rank	Condition	% morbidity	# of cases
1	Upper Respiratory Tract Infection (URTI)	36%	1,708
2	Urinary tract infection (UTI)	5%	257
3	Lower Respiratory Tract Infection (LRTI)	4%	179
4	Ear infection	3%	157
5	Skin infection	3%	146
-	Other	49%	2,345

Breakdown of acute health conditions


by age



by gender



Chronic health conditions (%)




Top 5 chronic health conditions


Rank	Condition	% morbidity	# of cases
1	Diabetes	32%	188
2	Cardiovascular disease (other)	28%	163
3	Hypertension	22%	128
4	Chronic obstructive pulmonary disease (COPD)	9%	54
5	Ischaemic heart disease	2%	13
-	Other	6%	33

Breakdown of chronic health conditions


by age




by gender




Number of consultations




Weekly health utilisation rates




Watery diarrhoea




Bloody diarrhoea




Acute Jaundice Syndrome




Suspected measles




Suspected Meningitis




Acute flaccid paralysis



Upper respiratory tract infections



Lower respiratory tract infections



Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline, Bloody diarrhoea = 1.5 x baseline, Acute Jaundice Syndrome = 1.5 x baseline, Upper respiratory tract infections = 1.5 x baseline,
 Meningitis = 5 cases, Acute Flaccid Paralysis = 1 case, Measles = 1 case,
 baseline = average incidence or number of cases over the previous 3 weeks

Public Health

Health Impact

Indicator	Value	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

Access and utilization

Indicator	Value	Standard
No. of health facilities	1.0	1 : < 10,000
Total number of consultations	6,822	
Health utilisation rate	1.6	1 - 4
No. of consultations per trained clinician per day	37	< 50

Reproductive health

Proportion of first time antenatal visits made < 1st trimester	100%	≥ 90%
--	------	-------

Outbreak Alert and Response

Indicator	Value	Standard
Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours	N/A	100%

Routine immunization

BCG immunisation coverage	95%	> 90%
DPT 1 immunisation coverage	101%	> 90%
Measles immunisation coverage	51%	> 90%
Polio III immunisation coverage	77%	> 90%
MMR immunisation coverage	82%	> 90%
Vitamin A coverage	94%	> 90%

Sexual and gender-based violence

Incidence of reported rape	0.0
----------------------------	-----

Top 3 Mental health conditions


	% morbidity	# of cases
1 Severe emotional disorder	29%	31
2 Epilepsy / seizures	18%	19
3 Psychotic disorder	9%	10
- Other	44%	47

Top 3 injuries


	% morbidity	# of cases
1 Injury (unintentional)	25%	340
2 Burns	11%	153
3 Injury (intentional)	0%	0
- Other	63%	851

Breakdown of mental health conditions


By cause



By age




By gender




Breakdown of injuries


By cause



By age



By gender



We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online
<http://twine.unhcr.org>

