



### 1.0 Population

This section was not collected

### 2.0 Mortality

#### 2.1 Mortality

This section was not collected

#### 2.2 Maternal Death

This section was not collected

### 3.0 Out-patient Department

#### 3.1 Staffing and service availability

This section was not collected

### 3.2 Acute health conditions

| Record NEW cases of disease only         | 0 - 4      |            | Total 0 - 4  | U5% by cause | 5 - 17     |            | Total 5 - 17 | 18 - 59    |            | Total 18 - 59 | > 60      |           | Total > 60 | Grand Total  | % by cause   |
|--|------------|------------|--------------|--------------|------------|------------|--------------|------------|------------|---------------|-----------|-----------|------------|--------------|--------------|
|  | M          | F          |              |              | M          | F          |              | M          | F          |               | M         | F         |            |              |              |
| Other                                    | 326        | 403        | 729          | 44 %         | 112        | 174        | 286          | 269        | 513        | 782           | 34        | 26        | 60         | 1,857        | 38 %         |
| Upper Respiratory Tract Infection (URTI) | 295        | 290        | 585          | 35 %         | 179        | 163        | 342          | 32         | 77         | 109           | 1         | 4         | 5          | 1,041        | 21 %         |
| Ear infection                            | 54         | 69         | 123          | 7 %          | 77         | 84         | 161          | 48         | 60         | 108           | 3         | 3         | 6          | 398          | 8 %          |
| Urinary tract infection (UTI)            | 16         | 26         | 42           | 3 %          | 95         | 114        | 209          | 76         | 56         | 132           | 4         | 3         | 7          | 390          | 8 %          |
| Skin infection                           | 24         | 29         | 53           | 3 %          | 51         | 81         | 132          | 39         | 69         | 108           | 0         | 0         | 0          | 293          | 6 %          |
| Sexually Transmitted Infection (STI)     | 0          | 0          | 0            | 0 %          | 66         | 86         | 152          | 42         | 48         | 90            | 0         | 0         | 0          | 242          | 5 %          |
| Intestinal Worms                         | 5          | 6          | 11           | 1 %          | 26         | 61         | 87           | 32         | 29         | 61            | 2         | 4         | 6          | 165          | 3 %          |
| Eye infection                            | 7          | 7          | 14           | 1 %          | 26         | 21         | 47           | 27         | 32         | 59            | 3         | 5         | 8          | 128          | 3 %          |
| Neonatal sepsis                          | 0          | 0          | 0            | 0 %          | 6          | 25         | 31           | 31         | 35         | 66            | 0         | 0         | 0          | 97           | 2 %          |
| Lower Respiratory Tract Infection (LRTI) | 17         | 20         | 37           | 2 %          | 19         | 12         | 31           | 13         | 12         | 25            | 1         | 2         | 3          | 96           | 2 %          |
| Scabies                                  | 15         | 7          | 22           | 1 %          | 22         | 21         | 43           | 11         | 11         | 22            | 0         | 0         | 0          | 87           | 2 %          |
| Watery diarrhoea*                        | 21         | 18         | 39           | 2 %          | 8          | 6          | 14           | 4          | 2          | 6             | 0         | 0         | 0          | 59           | 1 %          |
| Fever of unknown origin                  | 1          | 2          | 3            | 0 %          | 3          | 0          | 3            | 0          | 0          | 0             | 0         | 0         | 0          | 6            | 0 %          |
| Bloody diarrhoea*                        | 0          | 0          | 0            | 0 %          | 0          | 1          | 1            | 0          | 0          | 0             | 0         | 0         | 0          | 1            | 0 %          |
| Measles*                                 | 0          | 1          | 1            | 0 %          | 0          | 0          | 0            | 0          | 0          | 0             | 0         | 0         | 0          | 1            | 0 %          |
| Acute Flaccid Paralysis*                 | 0          | 0          | 0            | 0 %          | 0          | 0          | 0            | 0          | 0          | 0             | 0         | 0         | 0          | 0            | 0 %          |
| Prematurity                              | 0          | 0          | 0            | 0 %          | 0          | 0          | 0            | 0          | 0          | 0             | 0         | 0         | 0          | 0            | 0 %          |
| Meningitis*                              | 0          | 0          | 0            | 0 %          | 0          | 0          | 0            | 0          | 0          | 0             | 0         | 0         | 0          | 0            | 0 %          |
| Tuberculosis (suspected)                 | 0          | 0          | 0            | 0 %          | 0          | 0          | 0            | 0          | 0          | 0             | 0         | 0         | 0          | 0            | 0 %          |
| Acute Jaundice Syndrome*                 | 0          | 0          | 0            | 0 %          | 0          | 0          | 0            | 0          | 0          | 0             | 0         | 0         | 0          | 0            | 0 %          |
| <b>Total</b>                             | <b>781</b> | <b>878</b> | <b>1,659</b> | <b>100 %</b> | <b>690</b> | <b>849</b> | <b>1,539</b> | <b>624</b> | <b>944</b> | <b>1,568</b>  | <b>48</b> | <b>47</b> | <b>95</b>  | <b>4,861</b> | <b>100 %</b> |
| <b>% by age group</b>                    |            |            | <b>34 %</b>  |              |            |            | <b>32 %</b>  |            |            | <b>32 %</b>   |           |           | <b>2 %</b> | <b>100 %</b> |              |

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted

### 3.3 Chronic health conditions

| Record NEW and REVISITS          | 0 - 4     |           | Total < 5  | 5 - 17   |           | Total 5 - 17 | 18 - 59    |            | Total 18 - 59 | > 60      |           | Total > 60  | Grand Total  | % by cause   |
|----------------------------------|-----------|-----------|------------|----------|-----------|--------------|------------|------------|---------------|-----------|-----------|-------------|--------------|--------------|
|                                  | M         | F         |            | M        | F         |              | M          | F          |               | M         | F         |             |              |              |
| Diabetes                         | 0         | 0         | 0          | 0        | 2         | 2            | 57         | 112        | 169           | 7         | 20        | 27          | 198          | 36 %         |
| Hypertension                     | 0         | 0         | 0          | 0        | 0         | 0            | 55         | 71         | 126           | 21        | 41        | 62          | 188          | 34 %         |
| Asthma/COPD                      | 10        | 15        | 25         | 7        | 13        | 20           | 15         | 24         | 39            | 10        | 6         | 16          | 100          | 18 %         |
| Cardiovascular disorders (other) | 1         | 1         | 2          | 2        | 5         | 7            | 7          | 11         | 18            | 1         | 3         | 4           | 31           | 6 %          |
| Ischaemic heart disease          | 0         | 0         | 0          | 0        | 0         | 0            | 2          | 7          | 9             | 3         | 2         | 5           | 14           | 3 %          |
| Other                            | 1         | 0         | 1          | 0        | 1         | 1            | 1          | 5          | 6             | 0         | 0         | 0           | 8            | 1 %          |
| Cancer and other neoplasms       | 0         | 0         | 0          | 0        | 1         | 1            | 3          | 2          | 5             | 0         | 0         | 0           | 6            | 1 %          |
| Liver disease                    | 0         | 0         | 0          | 0        | 0         | 0            | 0          | 1          | 1             | 0         | 1         | 1           | 2            | 0 %          |
| Renal disease                    | 0         | 0         | 0          | 0        | 1         | 1            | 0          | 0          | 0             | 0         | 0         | 0           | 1            | 0 %          |
| <b>Total</b>                     | <b>12</b> | <b>16</b> | <b>28</b>  | <b>9</b> | <b>23</b> | <b>32</b>    | <b>140</b> | <b>233</b> | <b>373</b>    | <b>42</b> | <b>73</b> | <b>115</b>  | <b>548</b>   | <b>100 %</b> |
| <b>% by age group</b>            |           |           | <b>5 %</b> |          |           | <b>6 %</b>   |            |            | <b>68 %</b>   |           |           | <b>21 %</b> | <b>100 %</b> |              |

### 3.4 Mental Health

|  | 0 - 4     |          | Total < 5 | 5 - 17    |           | Total 5 - 17 | 18 - 59   |           | Total 18 - 59 | > 60     |          | Total > 60 | Grand Total | % by cause   |
|--|-----------|----------|-----------|-----------|-----------|--------------|-----------|-----------|---------------|----------|----------|------------|-------------|--------------|
|  | M         | F        |           | M         | F         |              | M         | F         |               | M        | F        |            |             |              |
| Epilepsy / seizures                          | 11        | 4        | 15        | 14        | 4         | 18           | 3         | 10        | 13            | 0        | 0        | 0          | 46          | 30 %         |
| Severe emotional disorder                    | 0         | 0        | 0         | 1         | 6         | 7            | 12        | 25        | 37            | 1        | 0        | 1          | 45          | 29 %         |
| Psychotic disorder                           | 3         | 0        | 3         | 5         | 6         | 11           | 4         | 8         | 12            | 0        | 0        | 0          | 26          | 17 %         |
| Other  | 0         | 0        | 0         | 2         | 0         | 2            | 0         | 15        | 15            | 0        | 1        | 1          | 18          | 12 %         |
| Mental retardation / intellectual disability | 0         | 0        | 0         | 0         | 0         | 0            | 5         | 10        | 15            | 0        | 0        | 0          | 15          | 10 %         |
| Medically unexplained somatic complaint      | 0         | 0        | 0         | 0         | 0         | 0            | 0         | 4         | 4             | 0        | 0        | 0          | 4           | 3 %          |
| Alcohol and other substance abuse disorder   | 0         | 0        | 0         | 0         | 0         | 0            | 1         | 0         | 1             | 0        | 0        | 0          | 1           | 1 %          |
| <b>Total</b>                                 | <b>14</b> | <b>4</b> | <b>18</b> | <b>22</b> | <b>16</b> | <b>38</b>    | <b>25</b> | <b>72</b> | <b>97</b>     | <b>1</b> | <b>1</b> | <b>2</b>   | <b>155</b>  | <b>100 %</b> |
| <b>% by age group</b>                        |           |          | 12 %      |           |           | 25 %         |           |           | 63 %          |          |          | 1 %        | 100 %       |              |

### 3.5 Injuries

|                        | 0 - 4    |          | Total < 5 | 5 - 17   |          | Total 5 - 17 | 18 - 59   |           | Total 18 - 59 | > 60     |          | Total > 60 | Grand Total | % by cause   |
|------------------------|----------|----------|-----------|----------|----------|--------------|-----------|-----------|---------------|----------|----------|------------|-------------|--------------|
|                        | M        | F        |           | M        | F        |              | M         | F         |               | M        | F        |            |             |              |
| Other                  | 1        | 0        | 1         | 3        | 1        | 4            | 19        | 30        | 49            | 0        | 0        | 0          | 54          | 52 %         |
| Injury (unintentional) | 6        | 3        | 9         | 2        | 0        | 2            | 7         | 8         | 15            | 0        | 1        | 1          | 27          | 26 %         |
| Accident               | 0        | 0        | 0         | 0        | 0        | 0            | 0         | 19        | 19            | 0        | 1        | 1          | 20          | 19 %         |
| Injury (burns)         | 0        | 0        | 0         | 0        | 0        | 0            | 0         | 2         | 2             | 0        | 0        | 0          | 2           | 2 %          |
| Injury (intentional)   | 0        | 0        | 0         | 0        | 0        | 0            | 0         | 0         | 0             | 0        | 0        | 0          | 0           | 0 %          |
| <b>Total</b>           | <b>7</b> | <b>3</b> | <b>10</b> | <b>5</b> | <b>1</b> | <b>6</b>     | <b>26</b> | <b>59</b> | <b>85</b>     | <b>0</b> | <b>2</b> | <b>2</b>   | <b>103</b>  | <b>100 %</b> |
| <b>% by age group</b>  |          |          | 10 %      |          |          | 6 %          |           |           | 83 %          |          |          | 2 %        | 100 %       |              |

## 4.0 In-patient Department

### 4.1 In-patient department activities

This section was not collected

### 4.2 In-patient admissions and deaths

This section was not collected

## 5.0 Referral

### 5.1 Referrals by location

This section was not collected

### 5.2 Referrals by service

This section was not collected

## 6.0 Laboratory

This section was not collected

## 7.1 Vaccination

This section was not collected

## 7.2 Vaccine wastage

This section was not collected

## 8.0 Reproductive Health

### 8.1 Antenatal care

|   |  | < 18 | > 18 | Total |
|---|--|------|------|-------|
| First antenatal visit < 1st trimester             |  | 14   | 65   | 79    |
| First antenatal visit >1st trimester              |  | 5    | 127  | 132   |
| Number of pregnant women at time of delivery who: | Received 2 doses of tetanus toxoid vaccine during antenatal period | 0    | 31   | 31    |
|   | Were screened for anaemia during antenatal period                  | 6    | 46   | 52    |
|   | Received 4 or more ANC visits at end of period                     | 3    | 29   | 32    |

#### ANC Indicators

|  |       |
|--|-------|
| Proportion of first time antenatal visits made < 1st trimester | 37 %  |
| Coverage of anaemia screening in pregnancy                     | 520 % |
| Coverage of complete antenatal care                            | 320 % |
| Coverage of antenatal tetanus immunisation                     | 310 % |

### 8.2 Delivery care

|   | < 18 | ≥ 18 | Total |
|---|------|------|-------|
| Live births                               | 5    | 5    | 10    |
| Still births                              | 0    | 0    | 0     |
| Low birth weight (<2500 g)                | 0    | 6    | 6     |
| Attended by skilled health worker         | 0    | 3    | 3     |
| Number of obstetric complications treated | 0    | 0    | 0     |
| Number of caesarean sections performed    | 1    | 1    | 2     |

#### Delivery Indicators

|  |      |
|--|------|
| Crude birth rate (/1,000/month)                                    | 0.0  |
| Proportion of births attended by skilled health worker (excl. TBA) | 30 % |
| Proportion of low birth weight deliveries                          | 60 % |
| Proportion of all births performed by caesarean section            | 20 % |
| Proportion obstetric complications treated among girls < 18        | 0 %  |

### 8.3 Postnatal care

|  | < 18 | > 18 | Total |
|--|------|------|-------|
| Women who attended 3 postnatal visits within 6 wks of delivery | 5    | 10   | 15    |

#### Postnatal Indicators

|                                     |       |
|-------------------------------------|-------|
| Coverage of complete postnatal care | 150 % |
|-------------------------------------|-------|

## 8.4 Family planning

| Number of users                              | Total at beginning | New       |           | Repeat    |            | Discontinued |           | Total at end |
|--|--------------------|-----------|-----------|-----------|------------|--------------|-----------|--------------|
|  |                    | < 18      | ≥18       | < 18      | ≥18        | < 18         | ≥18       |              |
| Combined pill - low dose                     | 120                | 1         | 16        | 43        | 157        | 0            | 7         | 330          |
| Combined pill - high dose                    | 0                  | 0         | 15        | 0         | 17         | 0            | 0         | 32           |
| Condom (Female)                              | 0                  | 10        | 0         | 16        | 2          | 0            | 0         | 28           |
| Condom (Male)                                | 0                  | 7         | 1         | 11        | 0          | 0            | 0         | 19           |
| Intra-Uterine Device (IUD)                   | 0                  | 0         | 0         | 5         | 0          | 0            | 0         | 5            |
| Injectable (Depo-Provera)                    | 0                  | 0         | 0         | 0         | 1          | 0            | 0         | 1            |
| Other  | 0                  | 0         | 0         | 0         | 0          | 0            | 0         | 0            |
| Emergency Contraceptive Pill                 | 0                  | 0         | 0         | 0         | 0          | 0            | 0         | 0            |
| Implantable (Norplant)                       | 0                  | 0         | 0         | 0         | 0          | 0            | 0         | 0            |
| Progestogen-only pill (Micro-val; Micro-lut) | 0                  | 0         | 0         | 0         | 0          | 0            | 0         | 0            |
| Sterilisation (Male)                         | 0                  | 0         | 0         | 0         | 0          | 0            | 0         | 0            |
| Sterilisation (Female)                       | 0                  | 0         | 0         | 0         | 0          | 0            | 6         | -6           |
| <b>Totals</b>                                | <b>120</b>         | <b>18</b> | <b>32</b> | <b>75</b> | <b>177</b> | <b>0</b>     | <b>13</b> | <b>0</b>     |

## 8.5 Sexual and gender-based violence

This section was not collected

## 9.0 HIV/AIDS

### 9.1 Voluntary counselling and testing (VCT)

This section was not collected

### 9.2 Prevention of mother-to-child transmission (PMTCT)

This section was not collected



View interactive maps  
and statistics online  
<http://twine.unhcr.org>

