

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,667	1,588	3,255	6,088	5,724	11,812	15,040	14,283	29,323	15,972	16,831	32,803	920	1,269	2,189	79,382
% by age group			4%			15%			37%			41%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	33%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	33%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	1	0	1	100%	0	0	0	0	0	0	0	0	0	1	33%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13. Other	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Total	1	0	1	100%	0	0	0	0	1	1	1	0	1	3	100%
% by age group			33%				0%			33%			33%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.2
Under 5 Mortality Rate (USMR) (/1000/month)	0.6	0.0	0.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	54.7
Average number of full days on which each health facility was functioning	4.0
Total number of outpatient consultations	9,352
Health facility utilisation rate	6.1
Consultations per clinician per day	43

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	322	312	634	42.1	267	279	546	285	256	541	38	32	70	1,791	33%	22.6
Influenza-like illness (ILI)	80	78	158	10.5	50	39	89	55	58	113	9	11	20	380	7%	4.8
Lower Respiratory Tract Infection (LRTI)	31	41	72	4.8	27	30	57	32	47	79	18	18	36	244	5%	3.1
Watery diarrhoea*	78	71	149	9.9	25	19	44	9	15	24	5	1	6	223	4%	2.8
Bloody diarrhoea*	6	2	8	0.5	1	1	2	0	0	0	0	0	0	10	0%	0.1
Skin infection	47	37	84	5.6	53	24	77	83	104	187	30	23	53	401	7%	5.1
Eye infection	3	5	8	0.5	11	2	13	10	11	21	3	0	3	45	1%	0.6
Ear infection	12	11	23	1.5	16	19	35	32	35	67	6	7	13	138	3%	1.7
Dental Conditions	14	8	22	1.5	60	68	128	135	199	334	13	6	19	503	9%	6.3
Intestinal Worms	11	23	34	2.3	7	13	20	4	3	7	8	12	20	81	2%	1.0
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	198	191	389	25.8	154	139	293	318	377	695	83	83	166	1,543	29%	19.4
Total	802	779	1,581	104.9	671	633	1,304	963	1,105	2,068	213	193	406	5,359	100%	67.5
% by age group			30%				24%			39%			8%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	0	5	5	42	41	83	42	47	89	177	14%
Hypertension	0	0	0	0	1	1	43	64	107	46	50	96	204	16%
Asthma	18	10	28	7	6	13	24	34	58	16	9	25	124	9%
Ischaemic heart disease	0	0	0	0	0	0	13	8	21	15	11	26	47	4%
Cardiovascular disease (other)	0	0	0	1	2	3	22	13	35	17	10	27	65	5%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	5	8	13	7	12	19	32	2%
Liver disease	0	0	0	0	0	0	3	5	8	7	13	20	28	2%
Thyroid problems	0	0	0	2	3	5	27	33	60	29	33	62	127	10%
Cancer	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
Other	9	5	14	38	48	86	137	155	292	58	52	110	502	38%
Total	27	15	42	48	65	113	316	362	678	237	237	474	1,307	100%
% by age group			3%			9%			52%			36%	100%	

3.4 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Epilepsy / seizures	2	1	3	3	7	10	10	7	17	0	0	0	30	17%
2.	Alcohol and other substance use disorder	0	0	0	0	0	0	2	0	2	0	0	0	2	1%
3.	Psychotic disorder (including mania)	0	0	0	0	1	1	22	11	33	0	0	0	34	19%
4.	Intellectual disability	0	0	0	2	4	6	6	6	12	0	0	0	18	10%
5.	Severe emotional disorder, including moderate-severe depression	0	0	0	1	4	5	35	30	65	4	2	6	76	43%
6.	Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other psychological complaints		0	0	0	7	0	7	4	4	8	1	0	1	16	9%
Total		2	1	3	13	16	29	79	58	137	5	2	7	176	100%
% by age group				2%			16%			78%			4%	100%	

3.5 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Bites (all causes)	0	0	0	0	0	0	1	1	2	0	0	0	2	0%
2.	Injury (war related)	0	0	0	3	0	3	3	0	3	0	0	0	6	1%
3.	Injury ( Burns)	13	14	27	10	5	15	13	11	24	2	1	3	69	17%
4.	Assault (with weapon non-war related )	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other		15	15	30	55	36	91	91	82	173	18	21	39	333	81%
Total		28	29	57	68	41	109	108	94	202	20	22	42	410	100%
% by age group				14%			27%			49%			10%	100%	

3.6 Reproductive Tract Infections

		< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
		M	F		M	F			
1.	Vaginal discharge	0	18	18	0	102	102	120	40%
2.	Urethral discharge	0	0	0	0	0	0	0	0%
3.	Genital ulcer	0	0	0	0	1	1	1	0%
3.	Lower abdominal pain	0	14	14	0	114	114	128	43%
Other		0	3	3	0	48	48	51	17%
Total		0	35	35	0	265	265	300	100%
% by age group				12%			88%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		1	0	1	4	0	4	19	1	20	0	0	0	25
Total admissions		1	1	2	1	14	15	8	37	45	1	0	1	63
Number of exits	authorized	0	1	1	1	14	15	8	37	45	1	0	1	62
	unauthorized	0	0	0	0	0	0	1	0	1	0	0	0	1
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		0	1	1	1	14	15	9	37	46	1	0	1	63
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	7
Number of beds	81
Sum number of days stay for authorised discharges	187.4
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	3.0
Bed occupancy	34%
Hospitalisation rate (/1000/month)	3.4

4.2 In-patient Admissions and Deaths

		0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1.	Paediatric medicine	2	0	0%	0	0		0	0		0	0	2	0	0%
2.	General Surgery	0	0		1	0	0%	9	0	0%	0	0	10	0	0%
3.	Injury (non-war related)	0	0		0	0		2	0	0%	0	0	2	0	0%
4.	Internal medicine	0	0		0	0		0	0		0	0	0	0	
5.	Obstetrics	0	0		10	0	0%	30	0	0%	0	0	40	0	0%
6.	Gynaecology	0	0		0	0		5	0	0%	0	0	5	0	0%
7.	Other	0	0		0	0		6	0	0%	0	0	6	0	0%
Total		2	0	0%	11	0	0%	52	0	0%	0	0	65	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	3	3	2	2	8	8	2	2	15
2.	Jordan University Hospital	2	2	1	1	6	6	0	0	9
3.	Private affiliated Hospital	10	10	13	13	78	78	6	6	107
4.	Royal Medical Services	0	0	0	0	0	0	0	0	0
5.	Other	0	0	0	0	0	0	0	0	0
Total No of referred cases out side the Camp		131								

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	15	15	0	0	0	0	0	0	15
2.	Internal medicine	0	0	5	5	54	54	3	3	62
3.	Obstetric	0	0	3	3	13	13	0	0	16
4.	Gynaecological	0	0	2	2	0	0	0	0	2
5.	Surgical	0	0	4	4	10	10	1	1	15
6.	Other	0	0	2	2	15	15	4	4	21

6. Laboratory

	Total
Number of laboratory tests conducted	3,707

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	13	74	87
First antenatal visit > 1st trimester	5	34	39

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	69%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	8	36	44
	2 TT doses	8	33	41
	anaemia screening	13	45	58

Coverage of complete antenatal care	76%
Coverage of antenatal tetanus immunisation	71%
Coverage of anaemia screening in pregnancy	100%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	13	45	58
Still births	0	0	0
Low birth weight (<2500 g)	1	1	2
Attended by skilled health worker	13	45	58
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	3	9	12

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.2
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	3%
Proportion of all births performed by caesarean section	21%
Proportion of obsetric complications treated among girls < 18	

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	13	27	40

Postnatal Indicators	
Coverage of complete postnatal care	69%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	0	0	0	0	0
Emergency Contaceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	8	0	15	23
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	0	7	0	1	8
Condom (Male)	0	31	0	157	188
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	25	203

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	5	5

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

<b>Data Sources</b>	1. Health Information System	<b>Publication date:</b>	19/05/2016
---------------------	------------------------------	--------------------------	------------

<b>Contact Information</b>	<b>Za'atri</b> Asaad Kadhum, UNHCR Email: kadhum@unhcr.org	<b>Amman</b> Ann Burton, UNHCR Email: burton@unhcr.org
----------------------------	--	--

UNHCR gratefully acknowledges the support of the following partners:












