

1. Population

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,605	1,499	3,104	6,418	5,998	12,416	15,360	14,542	29,902	16,196	17,182	33,378	952	1,290	2,242	81,042
% by age group			4%			15%			37%			41%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	6	2	8	9%	0	1	1	1	1	2	0	0	0	11	5%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	3	2	5	5%	0	0	0	10	8	18	19	24	43	66	29%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	3	0	3	1	7	8	11	5%
6. Injury	1	1	2	2%	2	1	3	5	1	6	0	0	0	11	5%
7. Cancer	0	0	0	0%	1	0	1	4	8	12	4	3	7	20	9%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	2	2	0	0	0	2	1%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	29	25	54	59%	0	0	0	0	0	0	0	0	0	54	23%
11. Other	10	12	22	24%	4	1	5	9	7	16	8	4	12	55	24%
Total	49	42	91	100%	7	3	10	32	27	59	32	38	70	230	100%
% by age group			40%				4%			26%			30%		100%

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/ month)	0.2	0.2	0.2
Under 5 Mortality Rate (USMR) (/1000 population under 5/ month)	0.5	0.5	0.5
Under 5 Mortality Rate (USMR) (/1000 livebirths)	13.1	11.3	24.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			14.5

2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated within 48 hours	0
Proportion of maternal deaths investigated within 48 hours	0%

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	55.9
Average number of full days on which each health facility was functioning	5.7
Total number of outpatient consultations	461,370
Health facility utilisation rate	5.7
Consultations per clinician per day	27

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	21,127	18,693	39,820	2,566	16,727	15,982	32,709	16,439	18,173	34,612	2,619	2,469	5,088	112,229	33%	1384.8
Influenza-like illness (ILI)	5,714	5,019	10,733	692	3,976	4,241	8,217	4,687	5,393	10,080	1,052	1,063	2,115	31,145	9%	384.3
Lower Respiratory Tract Infection (LRTI)	3,136	2,955	6,091	392	1,946	1,950	3,896	2,094	2,271	4,365	891	693	1,584	15,936	5%	196.6
Watery diarrhoea*	3,212	2,746	5,958	384	1,030	1,041	2,071	538	612	1,150	206	196	402	9,581	3%	118.2
Bloody diarrhoea*	46	43	89	6	20	11	31	21	17	38	1	0	1	159	0%	2.0
Skin infection	3,081	3,038	6,119	394	3,606	3,821	7,427	4,288	4,468	8,756	1,108	983	2,091	24,393	7%	301.0
Eye infection	689	584	1,273	82	665	620	1,285	884	825	1,709	299	334	633	4,900	1%	60.5
Ear infection	965	1,007	1,972	127	811	902	1,713	1,235	1,440	2,675	295	262	557	6,917	2%	85.4
Dental Conditions	449	520	969	62	2,208	2,506	4,714	6,142	7,628	13,770	317	334	651	20,104	6%	248.1
Intestinal Worms	908	1,043	1,951	126	762	759	1,521	270	288	558	34	45	79	4,109	1%	50.7
Acute Jaundice Syndrome*	17	10	27	2	3	3	6	2	4	6	0	1	1	40	0%	0.5
Measles (suspected)*	5	2	7	0	0	0	0	0	0	0	0	0	0	7	0%	0.1
Meningitis (suspected)*	30	25	55	4	4	2	6	2	1	3	0	0	0	64	0%	0.8
Acute Flaccid Paralysis*	0	0	0	0	0	2	2	0	0	0	0	0	0	2	0%	0.0
Leishmaniasis	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0%	0.0
Fever of unknown origin	116	120	236	15	34	34	68	19	11	30	3	1	4	338	0%	4.2
Reproductive Tract Infection	0	8	8	1	0	178	178	6	1,898	1,904	0	25	25	2,115	1%	26.1
Tuberculosis (suspected)	0	0	0	0	0	2	2	8	5	13	2	0	2	17	0%	0.2
Other	10,323	9,664	19,987	1,288	12,182	14,095	26,277	22,741	30,731	53,472	5,853	5,813	11,666	111,402	32%	1374.6
Total	49,818	45,477	95,295	6,140	43,974	46,149	90,123	59,376	73,765	133,141	12,681	12,219	24,900	343,459	100%	4238.0
% by age group			28%				26%			39%			7%		100%	

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	6	0	6	171	154	325	3,679	4,953	8,632	3,220	3,953	7,173	16,136	21%	
Hypertension	0	0	0	24	42	66	4,092	5,603	9,695	4,040	4,822	8,862	18,623	24%	
Asthma	1,108	892	2,000	797	767	1,564	1,729	1,869	3,598	1,078	1,029	2,107	9,269	12%	
Ischaemic heart disease	0	1	1	6	19	25	1,206	1,059	2,265	1,367	1,292	2,659	4,950	6%	
Cardiovascular disease (other)	8	3	11	37	61	98	1,078	1,107	2,185	1,122	1,025	2,147	4,441	6%	
Chronic obstructive pulmonary disease (COPD)	12	9	21	8	13	21	494	398	892	696	544	1,240	2,174	3%	
Liver disease	26	28	54	13	16	29	318	427	745	421	481	902	1,730	2%	
Thyroid problems	0	2	2	80	157	237	1,207	2,145	3,352	1,377	1,772	3,149	6,740	9%	
Cancer	0	0	0	3	3	6	32	58	90	23	14	37	133	0%	
Other	316	316	632	583	803	1,386	3,240	4,240	7,480	2,571	2,412	4,983	14,481	18%	
Total	1,476	1,251	2,727	1,722	2,035	3,757	17,075	21,859	38,934	15,915	17,344	33,259	78,677	100%	
% by age group			3%			5%			49%			42%		100%	

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	1,806	1,806	169	169	0	0	0	0	1,975
2.	Internal medicine	155	155	866	866	3,366	3,366	638	638	5,025
3.	Obstetric	0	0	222	222	1,364	1,364	0	0	1,586
4.	Gynaecological	1	1	78	78	449	449	1	1	529
5.	Surgical	128	128	305	305	964	964	199	199	1,596
6	Other	136	136	180	180	614	614	190	190	1,120

6. Laboratory

	Total
Number of laboratory tests conducted	101,713

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	530	3,190	3,720
First antenatal visit > 1st trimester	189	1,187	1,376

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	73%
--	-----

7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	2 TT doses	anaemia screening	217	2,439	2,656	202	2,152	2,354	306	2,980	3,286

Coverage of complete antenatal care	71%
Coverage of antenatal tetanus immunisation	63%
Coverage of anaemia screening in pregnancy	88%

7.3 Delivery care

	< 18	≥ 18	Total
Live births	356	3,374	3,730
Still births	0	35	35
Low birth weight (<2500 g)	4	60	64
Attended by skilled health worker	356	3,374	3,730
Number of obstetric complications treated	0	5	5
Number of caesarean sections performed	90	958	1,048

Delivery Indicators

Crude birth rate (/1000 population/month)	3.8
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	2%
Proportion of all births performed by caesarean section	28%
Proportion of obstetric complications treated among girls < 18	0%

7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	378	3,144	3,522

Postnatal Indicators

Coverage of complete postnatal care	94%
-------------------------------------	-----

7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	77	1,679	249	5,799	7,804
Emergency Contraceptive Pill	1	0	0	1	2
Injectable (Depo-Provera)	2	469	26	460	957
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	2	335	16	24	377
Condom (Male)	96	1,682	180	2,436	4,394
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	521	2,243

Family Planning Indicators

Number of females aged 15-49 years	18,397
------------------------------------	--------

7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	1	3	1	3	8
No. of rape survivors examined within 72 hours	1	0	1	1	3
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	3	0	2	5
No of rape survivors given PEP within 72 hours	1	0	1	1	3
No of female rape survivors given ECP within 120 hours	0	0	0	1	1
No of rape survivors given STI presumptive treatment within 2 weeks	1	0	1	1	3
No. cases of trauma in health centre due to domestic violence	0	5	0	16	21

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	1.0
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

Data Sources	1. Health Information System	Publication date:	16/03/2016
--------------	------------------------------	-------------------	------------

Contact Information	Za'atri Asaad Kadhum, UNHCR Email: kadhum@unhcr.org	Amman Ann Burton, UNHCR Email: burton@unhcr.org
---------------------	--	--

UNHCR gratefully acknowledges the support of the following partners:

