

Second Half 2016 02 July - 30 December 2016

Population	0 to <	: 1	Total <1	1 to	4	Total 1	5 to	17	Total 5 to	18 to	59	Total 18	> (60	Total >	Grand
ropulation	M	F	Total CI	M	F	to 4	M	F	17	M	F	to 59	M	F	60	total
Refugee population	645	609	1,254	3,121	2,986	6,107	6,563	5,955	12,518	7,048	8,091	15,140	333	485	818	35,837
% by age group			4%			17%			35%			42%			2%	100%

2. Mortality

2.1 Mortality

	Record ONE cause of mortality per case	0 to	4	Total <5	U5 %	5 to	17	Total 5	18	to 59	Total 18	>	60	Total >	Grand	Crude %
	Record ONE cause of mortality per case	M	F	TOTAL <3	mort	M	F	to 17	M	F	to 59	M	F	60	total	mort
1.	Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2.	Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3.	Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4.	Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	1	1	2	3	7%
5.	Cardiovascular disorders (other)	0	1	1	5%	0	0	0	3	0	3	1	3	4	8	18%
6.	Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	1	3	4	4	9%
7.	Chronic kidney disease	0	1	1	5%	0	0	0	0	0	0	1	1	2	3	7%
8.	Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9.	Cancer	0	0	0	0%	0	1	1	1	1	2	0	0	0	3	7%
10.	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11.	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12.	Neonatal death	8	7	15	68%	0	0	0	0	0	0	0	0	0	15	34%
13.	Other	3	2	5	23%	0	1	1	1	1	2	0	0	0	8	18%
-	Total	11	11	22	100%	0	2	2	6	2	8	4	8	12	44	100%
	% by age group			50%				5%			18%			27%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.2	0.2	0.2
Under 5 Mortality Rate (U5MR) (/1000 population/month)	0.5	0.5	0.5
Neonatal Mortality Rate (NNMR) (/1000 population/month)			21.6

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	13.1
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	137,162
Health facility utilisation rate	7.7
Consultations per clinician per day	64

3.2 Acute health conditions

Decord NEW coops of disease only	0 to	4	Total <5	U5 Incid	5 to	17	Total 5	18 t	o 59	Total 18	> 6	0	Total >	Grand	% by	Crude
Record NEW cases of disease only	M	F	Total <5	U5 Incia	M	F	to 17	M	F	to 59	M	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	8,016	6,676	14,692	1995.8	5,687	5,057	10,744	3,083	4,182	7,265	170	300	470	33,171	33%	925.6
Influenza-like illness (ILI)	1,606	1,338	2,944	399.9	774	781	1,555	775	1,035	1,810	35	42	77	6,386	6%	178.2
Lower Respiratory Tract Infection (LRTI)	723	460	1,183	160.7	236	213	449	252	312	564	26	43	69	2,265	2%	63.2
Watery diarrhoea*	1,705	1,502	3,207	435.7	415	449	864	383	468	851	34	41	75	4,997	5%	139.4
Bloody diarrhoea*	2	9	11	1.5	0	5	5	0	1	1	0	0	0	17	0%	0.5
Skin infection	1,410	1,461	2,871	390.0	1,460	1,499	2,959	819	1,068	1,887	44	80	124	7,841	8%	218.8
Eye infection	331	303	634	86.1	336	258	594	336	391	727	34	51	85	2,040	2%	56.9
Ear infection	465	476	941	127.8	286	332	618	327	656	983	25	50	75	2,617	3%	73.0
Dental Conditions	145	133	278	37.8	936	967	1,903	2,686	3,435	6,121	52	84	136	8,438	8%	235.5
Intestinal Worms	160	194	354	48.1	222	202	424	58	65	123	3	5	8	909	1%	25.4
Acute Jaundice Syndrome*	94	46	140	19.0	48	43	91	4	6	10	0	0	0	241	0%	6.7
Measles (suspected)*	1	0	1	0.1	1	0	1	0	0	0	0	0	0	2	0%	0.1
Meningitis (suspected)*	3	3	6	0.8	1	1	2	0	0	0	0	0	0	8	0%	0.2
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	2	4	6	0.8	13	15	28	4	7	11	1	2	3	48	0%	1.3
Fever of unknown origin	7	4	11	1.5	2	2	4	0	0	0	0	0	0	15	0%	0.4
Tuberculosis (suspected)	0	0	0	0.0	0	1	1	1	1	2	0	1	1	4	0%	0.1
Other	3,361	3,147	6,508	884.1	2,989	3,590	6,579	6,032	9,474	15,506	766	1,136	1,902	30,495	31%	850.9
Total	18,031	15,756	33,787	4589.8	13,406	13,415	26,821	14,760	21,101	35,861	1,190	1,835	3,025	99,494	100%	2776.3
% by age group			34%				27%			36%			3%	100%		

^{*} indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to	4	Total <	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total	Grand	% by
Record NEW and REVISITS	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Diabetes	12	0	12	10	31	41	373	390	763	188	360	548	1,364	21%
Hypertension	0	2	2	1	1	2	617	925	1,542	438	749	1,187	2,733	42%
Asthma	75	36	111	118	53	171	171	171	342	72	53	125	749	12%
Ischaemic heart disease	0	1	1	1	3	4	169	82	251	86	63	149	405	6%
Cardiovascular disease (other)	7	2	9	1	16	17	58	82	140	29	36	65	231	4%
Chronic obstructive pulmonary disease (COPD)	0	0	0	1	0	1	10	4	14	17	1	18	33	1%
Liver disease	2	0	2	0	1	1	1	3	4	7	0	7	14	0%
Thyroid problems	0	1	1	4	10	14	38	169	207	9	23	32	254	4%
Cancer	0	0	0	3	2	5	4	8	12	1	0	1	18	0%
Other	18	7	25	26	41	67	164	275	439	79	57	136	667	10%
Total	114	49	163	165	158	323	1,605	2,109	3,714	926	1,342	2,268	6,468	100%
% by age group			3%			5%			57%			35%	100%	

3.4 Mental health

	0 to 4		Total <	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total	Grand	% by
	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Epilepsy / seizures	52	67	119	174	157	331	193	185	378	2	7	9	837	34%
Alcohol and other substance use disorder	0	0	0	0	2	2	6	1	7	0	0	0	9	0%
Psychotic disorder (including mania)	0	0	0	7	11	18	137	132	269	4	4	8	295	12%
4. Intellecutal disability	1	0	1	21	16	37	28	16	44	2	1	3	85	3%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	32	29	61	223	444	667	15	5	20	748	30%
Medically unexplained somatic complaint	0	0	0	1	3	4	13	27	40	4	0	4	48	2%
Other psychological complaints	0	6	6	71	101	172	94	170	264	9	6	15	457	18%
Total	53	73	126	306	319	625	694	975	1,669	36	23	59	2,479	100%
% by age group			5%			25%			67%			2%	100%	

3.5 Injuries

	0 to	4	Total <	5 to	17	Total 5	18 to	59	Total 18	> (60	Total	Grand	% by
	М	F	5	М	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Bites (all causes)	1	0	1	5	2	7	1	4	5	0	(0	13	2%
2. Injury (war related)	7	3	10	4	9	13	10	4	14	1	(1	38	5%
3. Injury (Burns)	16	16	32	9	10	19	6	17	23	0	(0	74	10%
Assault (with weapon non-war related)	1	1	2	0	0	0	0	1	1	0	(0	3	0%
Other	81	56	137	180	70	250	132	76	208	5	4	1 9	604	83%
Total	106	76	182	198	91	289	149	102	251	6	4	1 10	732	100%
% by age group			25%			39%			34%			1%	100%	

3.6 Reproductive Tract Infections

	< 1	8	Total <	≥	18	Total ≥	Grand	% by
	М	F	18	M	F	18	total	cause
1. Vaginal discharge	0	149	149	0	3,360	3,360	3,509	75%
Urethral discharge	0	0	0	0	0	0	0	0%
3. Genital ulcer	0	0	0	0	5	5	5	0%
Lower abdominal pain	0	48	48	0	1,110	1,110	1,158	25%
Other	0	0	0	0	0	0	0	0%
Total	0	197	197	0	4,475	4,475	4,672	100%
% by age group			4%			96%	100%	

4.1 In-patient Department Activities

		0 to 4		Total <	5 to	17	Total 5	18 to	59	Total 18	> 60		Total	Grand
		M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total
Number at beginning of repo	orting period	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions		365	101	466	38	63	101	0	699	699	0	0	0	1266
	authorized	365	101	466	38	63	101	0	699	699	0	0	0	1266
Number of exits	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		365	101	466	38	63	101	0	699	699	0	0	0	1266
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	182
Number of beds	15
Sum number of days stay for authorised discharges	2,355
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.9
Bed occupancy	85%
Hospitalisation rate (/1000 population/month)	5.9

4.2 In-patient Admissions and Deaths

	0 to	o 4	U5 CFR	5 to	17	5-17	18 t	o 59	18-59	>	60	Total adm	Total	Crude
	Adm	Deaths	US CFR	Adm	Deaths	CFR	Adm	Deaths	CFR	Adm	Deaths		deaths	CFR
1. Paediatric medicine	223	C	0%	37	0	0%	0	0		0	C	260	0	0%
2. General Surgery	242	C	0%	22	0	0%	1	0	0%	0	C	265	0	0%
3. Injury (non-war related)	0	C		0	0		0	0		0	C	0	0	
4. Internal medicine	0	C		0	0		0	0		0	C	0	0	
5. Obstetrics	0	C		41	0	0%	624	0	0%	0	C	665	0	09
6. Gynaecology	0	C		2	0	0%	75	0	0%	0	C	77	0	09
7. Other	0	C		0	0		0	0		0	C	0	0	
Total	465	0	0%	102	0	0%	700	0	0%	0	0	1267	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	47	47	72	72	146	146	10	10	275
2.	Jordan University Hospital	151	151	137	137	135	135	15	15	438
3.	Private affiliated Hospital	723	723	692	692	1180	1180	221	221	2,816
4.	Royal Medical Services	0	0	0	0	1	1	0	0	1
5.	Other	0	0	1	1	0	0	0	0	1

Total number of reffered cases out side the camp 3,531

5.2 Referrals by service

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	460	460	66	66	5	5	0	0	531
2.	Internal medicine	157	157	273	273	672	672	125	125	1227
3.	Obstetric	1	1	3	3	25	25	0	0	29
4.	Gynaecological	2	2	17	17	51	51	2	2	72
5.	Surgical	190	190	339	339	458	458	54	54	1041
6	Other	111	111	204	204	250	250	66	66	631

6. Laboratory

	Total
Number of laboratory tests conducted	8,641

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	120	2,248	2,368
First antenatal visit > 1st trimester	71	1,612	1,683

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	58%

7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:		≥ 4 ANC visits	23	368	391
	2 TT doses	15	212	227	
ď	time of delivery who received.	anaemia screening	42	646	688

Coverage of complete antenatal care	56%
Coverage of antenatal tetanus immunisation	33%
Coverage of anaemia screening in pregnancy	99%

7.3 Delivery care

	< 18	≥ 18	Total
Live births	44	649	693
Still births	0	4	4
Low birth weight (<2500 g)	3	29	32
Attended by skilled health worker	44	649	693
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	4	135	139

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.2
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	4.6%
Proportion of all births performed by caesarean section	20%
Proportion of obsetric complications treated among girls < 18	

7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	1	42	43

Postnatal Indicators	
Coverage of complete postnatal care	6%

7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	Total
Oral contraceptives	5	236	1	193	435
Emergency Contaceptive Pill	0	1	0	2	3
Injectable (Depo-Provera)	0	69	0	67	136
Implantable (Norplant)	0	7	0	3	10
Intra-Uterine Device (IUD)	2	89	1	11	103
Condom (Male)	2	171	1	72	246
Other	0	61	0	7	68

	< 18	≥ 18
Family Planning Counseling*	9	548

7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	IOlai
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on 09/01/2017

Contact Information UNHCR Asaad Kadhum Email: KADHUM@unhcr.org UNHCR Adam Musa Khalifa Email: KHALIFAA@unhcr.org

We gratefully acknowledge the contributions of the following agencies:







