Za'atri | Jordan

Refugee population

Total refugee population: **79,792**

Demographic breakdown:

Age	Male	Female
> 60	1%	2%
18 - 59	21%	21%
5 - 17	19%	18%
0 - 4	10%	9%

Key facts

Camp opened:
July 2012

Indicators at a glance

|			
1	Health utilisation rate	7.4	X
2	Number of consultations per clinician per day	36	√
3	Hospitalisation rate (/1000/month)	4.3	
4	% deliveries attended by skilled personnel	100%	√
5	Crude Mortality Rate (CMR) (/1000/month)	0.2	√
6	Under-five Mortality Rate (U5MR) (/1000/month)	0.2	√
7	Neonatal Mortality Rate (NNMR) (/1000 livebirths)	8.1	√

Notes

This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- **IMC Clinic**
- **JHAS Clinic**
- **Moroccan Field Hospital**
- **RAF Qatari Clinic**
- **Saudi Clinic**
- **IRC Clinic**
- **AMR Clinic 1 (Comprehensive Charitable Medical Center)**
- **AMR Clinic 2 (Maternity and Childhood center)**

Data is collected using standardised Health Information System (HIS) data collection and

Morbidity

Acute health conditions (%)

- Upper Respiratory Tract Infection (URTI) — 29%
- Dental Conditions — 10%
- Influenza-like illness (ILI) — 8%
- Skin infection — 6%
- Ear infection — 4%
- Other — 43%

Chronic health conditions (%)

- Hypertension — 22%
- Diabetes — 16%
- Asthma — 13%
- Thyroid problems — 9%
- Cardiovascular disorders — 5%
- Other — 35%

Top 5 acute health conditions

		% morbidity	# of cases
1	Upper Respiratory Tract Infection (URTI)	29%	26,650
2	Dental Conditions	10%	9,381
3	Influenza-like illness (ILI)	8%	7,834
4	Skin infection	5%	5,098
5	Ear infection	4%	4,129
-	Other	43%	40,215

Top 5 chronic health conditions

		% morbidity	# of cases
1	Hypertension	22%	5,145
2	Diabetes	16%	3,830
3	Asthma	13%	3,066
4	Thyroid problems	9%	2,141
5	Cardiovascular disorders	5%	1,207
-	Other	35%	8,282

Breakdown of acute health conditions

by age

- 0-4 — 25%
- 5 to 17 — 27%
- 18 to 59 — 43%
- > 60 — 5%

by gender

- Male — 50%
- Female — 50%

Breakdown of chronic health conditions

by age

- 0-4 — 4%
- 5 to 17 — 7%
- 18 to 59 — 55%
- > 60 — 34%

by gender

- Male — 48%
- Female — 52%

UNHCR gratefully acknowledges the support of the following partners:

Public Health

Health Impact

	Indicator	Standard	
Crude Mortality Rate (CMR) (/1000/month)	0.2	< 0.51	√
Under-five Mortality Rate (U5MR) (/1000/month)	0.2	< 1.5	√
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	8.1	< 14.9	√

Access and utilization

|	Indicator	Standard	
No. of health facilities	1 : 9974	1 : < 10,000	X
Total number of consultations	148,101		
Health utilisation rate	7.4	1 - 4	X
No. of consultations per trained clinician per day	36	< 50	√

Outbreak Alert and Response

	Indicator	Standard
Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours		100%

Laboratory

	Indicator	Standard
Number of laboratory samples	103,125	

Breakdown of mental health conditions

By cause

- Severe emotional disorder, including moderate-severe depression: 32%
- Epilepsy / seizures: 28%
- Psychotic disorder (including mania): 21%
- Intellectual disability: 14%
- Other: 5%

By age

- 0-4: 3%
- 5 to 17: 26%
- 18 to 59: 68%
- > 60: 3%

By gender

- Male: 59%
- Female: 41%

Breakdown of injuries

By cause

- Injury (burns): 16%
- Injury (war-related): 2%
- Bites (all causes)
- Assault (with weapon non-war related)
- Other: 82%

By age

- 0-4: 14%
- 5 to 17: 27%
- 18 to 59: 39%
- > 60: 20%

By gender

- Male: 55%
- Female: 45%

In-patient and referral

In-patient department

	Indicator	Standard	
Hospitalisation rate (/1000/year)	51.2	50 - 150	⚑
Bed occupancy rate	37%	> 75%	X
Mean length of stay for authorised discharges (days)	1.3		

	Indicator	Standard
Overall case fatality rate	0%	
Proportion of deaths within 24 hours of admission	0%	

Reproductive Health

Antenatal care

	Indicator	Standard	
Coverage of antenatal care (4 or more visits)	75%	≥ 90%	X
Coverage of TT vaccination	74%	≥ 90%	X
Coverage of anaemia screening in pregnancy	93%	≥ 90%	√

Delivery care

	Indicator	Standard	
Proportion of deliveries attended by skilled personnel	100%	≥ 90%	√
Proportion of deliveries performed by caesarean section	32%	5 - 15%	X
Proportion of low birth weight deliveries (<2500g)	1%	< 15%	√

Maternal mortality

	Indicator	Standard
Number of maternal deaths reported	0	
% of maternal deaths investigated		100%

Postnatal care

	Indicator	Standard	
Coverage of postnatal care	60%	≥ 90%	X

Sexual and Gender-based Violence

	Indicator	Standard		
Incidence of rape (reported cases/10,000/year)*	0.0		^	⚑
% of rape survivors who received PEP** < 72 hours		100%	^	⚑
% of rape survivors who received ECP*** < 120 hours		100%	^	⚑
% of rape survivors who received STI**** prophylaxis < 2 wks		100%	^	⚑

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection