

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	631	596	1,227	2,940	2,875	5,815	6,819	6,237	13,056	6,527	7,658	14,185	309	468	777	35,060
% by age group			4%			17%			37%			40%			2%	100%

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	3	3	50%	0	0	0	0	0	0	0	0	0	3	23%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	8%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	8%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	2	2	2	2	15%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	1	0	1	2	0	2	3	23%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	2	1	3	50%	0	0	0	0	0	0	0	0	0	3	23%
13. Other	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Total	2	4	6	100%	0	0	0	1	1	2	3	2	5	13	100%
% by age group			46%				0%			15%			38%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.1	0.1	0.1
Under 5 Mortality Rate (USMR) (/1000 population/month)	0.2	0.4	0.3
Neonatal Mortality Rate (NNMR) (/1000 population/month)			7.1

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3.1 Staffing and service availability

Number of full-time clinicians	19.7
Average number of full days on which each health facility was functioning	6.9
Total number of outpatient consultations	72,251
Health facility utilisation rate	8.2
Consultations per clinician per day	41

3.2 Acute health conditions

Record NEW cases of disease only			0 to 4		Total <5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide	
			M	F		M	F		M	F		M	F					
Upper Respiratory Tract Infection (URTI)			4,276	3,688	7,964	1130.9	2,211	2,074	4,285	2,197	2,244	4,441	158	153	311	17,001	34%	484.5
Influenza-like illness (ILI)			1,105	924	2,029	288.1	623	656	1,279	768	853	1,621	60	67	127	5,056	10%	144.2
Lower Respiratory Tract Infection (LRTI)			640	471	1,111	157.8	64	42	106	126	112	238	20	17	37	1,492	3%	42.6
Watery diarrhoea*			402	421	823	116.9	80	78	158	102	114	216	13	9	22	1,219	2%	34.8
Bloody diarrhoea*			1	4	5	0.7	0	2	2	1	1	2	0	0	0	9	0%	0.3
Skin infection			416	438	854	121.3	345	397	742	341	415	756	52	44	96	2,448	5%	69.8
Eye infection			228	213	441	62.6	127	143	270	247	228	475	62	35	97	1,283	3%	36.6
Ear infection			362	307	669	95.0	171	195	366	224	375	599	52	38	90	1,724	3%	49.2
Dental Conditions			77	82	159	22.6	459	421	880	1,282	1,419	2,701	63	51	114	3,854	8%	109.9
Intestinal Worms			59	96	155	22.0	71	104	175	73	51	124	17	17	34	488	1%	13.9
Acute Jaundice Syndrome*			1	1	2	0.3	0	0	0	0	0	0	0	0	0	2	0%	0.1
Measles (suspected)*			0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*			1	1	2	0.3	3	0	3	0	0	0	0	0	0	5	0%	0.1
Acute Flaccid Paralysis*			0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis			1	1	2	0.3	0	0	0	0	0	0	0	0	0	2	0%	0.1
Fever of unknown origin			1	1	2	0.3	0	0	0	1	2	3	0	0	0	5	0%	0.1
Tuberculosis (suspected)			0	0	0	0.0	0	0	0	0	0	0	1	0	1	1	0%	0.0
Other			1,570	1,729	3,299	468.5	1,163	1,548	2,711	3,242	4,910	8,152	367	411	778	14,940	30%	426.1
Total			9,140	8,377	17,517	2487.4	5,317	5,660	10,977	8,604	10,724	19,328	865	842	1,707	49,529	100%	1412.7
% by age group					35%				22%			39%			3%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	2	0	2	6	23	29	190	233	423	197	232	429	883	20%
Hypertension	0	1	1	0	11	11	337	446	783	316	387	703	1,498	33%
Asthma	159	65	224	84	31	115	98	116	214	30	33	63	616	14%
Ischaemic heart disease	0	0	0	0	2	2	62	33	95	64	55	119	216	5%
Cardiovascular disease (other)	3	3	6	0	2	2	20	29	49	6	6	12	69	2%
Chronic obstructive pulmonary disease (COPD)	1	0	1	0	0	0	7	1	8	11	1	12	21	0%
Liver disease	1	0	1	1	0	1	0	0	0	0	0	0	2	0%
Thyroid problems	6	5	11	4	9	13	34	101	135	8	18	26	185	4%
Cancer	0	0	0	0	0	0	4	1	5	1	0	1	6	0%
Other	164	110	274	26	36	62	192	286	478	179	31	210	1,024	23%
Total	336	184	520	121	114	235	944	1,246	2,190	812	763	1,575	4,520	100%
% by age group			12%			5%			48%			35%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	30	53	83	137	91	228	137	91	228	0	4	4	543	36%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	6	0	6	0	0	0	6	0%
3. Psychotic disorder (including mania)	0	0	0	5	5	10	67	61	128	3	10	13	151	10%
4. Intellectual disability	2	0	2	10	13	23	8	9	17	1	4	5	47	3%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	5	10	15	151	305	456	12	10	22	493	32%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	3	4	7	0	1	1	8	1%
Other psychological complaints	1	2	3	75	56	131	38	85	123	4	9	13	270	18%
Total	33	55	88	232	175	407	410	555	965	20	38	58	1,518	100%
% by age group			6%			27%			64%			4%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	1	0	1	1	1	2	1	1	2	0	0	0	5	0%
2. Injury (war related)	1	2	3	1	0	1	2	0	2	0	0	0	6	0%
3. Injury (Burns)	60	65	125	61	48	109	71	54	125	30	23	53	412	27%
4. Assault (with weapon non-war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	162	114	276	260	127	387	214	138	352	59	43	102	1,117	73%
Total	224	181	405	323	176	499	288	193	481	89	66	155	1,540	100%
% by age group			26%			32%			31%			10%	100%	

3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	86	86	2	1250	1252	1338	65%
2. Urethral discharge	0	0	0	0	0	0	0	0%
3. Genital ulcer	0	3	3	0	33	33	36	2%
3. Lower abdominal pain	6	91	97	0	584	584	681	33%
Other	1	3	4	0	10	10	14	1%
Total	7	183	190	2	1877	1879	2069	100%
% by age group			9%			91%	100%	

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	6	8	14	0	2	2	0	4	4	0	0	0	20
Total admissions	326	139	465	37	50	87	25	456	481	3	1	4	1,037
Number of exits	317	135	452	33	51	84	25	433	458	3	1	4	998
	0	1	1	0	0	0	0	20	20	0	0	0	21
	0	0	0	0	0	0	0	0	0	0	0	0	0
	12	6	18	2	1	3	0	2	2	0	0	0	23
Total exits	329	142	471	35	52	87	25	455	480	3	1	4	1,042
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	26
Sum number of days stay for authorised discharges	2,153
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.2
Bed occupancy	95%
Hospitalisation rate (/1000 population/month)	9.9

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	291	0	0%	46	0	0%	0	0		0	0	337	0	0%
2. General Surgery	174	0	0%	23	0	0%	50	0	0%	4	0	251	0	0%
3. Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4. Internal medicine	0	0		0	0		0	0		0	0	0	0	
5. Obstetrics	0	0		17	0	0%	391	0	0%	0	0	408	0	0%
6. Gynaecology	0	0		2	0	0%	39	0	0%	0	0	41	0	0%
7. Other	0	0		0	0		0	0		0	0	0	0	
Total	465	0	0%	88	0	0%	480	0	0%	4	0	1,037	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5.1 Referrals by location

	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1. MOH Hospital	60	60	65	65	65	65	5	5	195
2. Jordan University Hospital	215	215	134	134	190	190	45	45	584
3. Private affiliated Hospital	249	249	213	213	365	365	40	40	867
4. Royal Medical Services	3	3	0	0	0	0	0	0	3
5. Other	0	0	0	0	1	1	0	0	1
Total number of referred cases out side the camp		1,650							

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	345	345	49	49	0	0	0	0	394
2.	Internal medicine	45	45	144	144	270	270	56	56	515
3.	Obstetric	0	0	1	1	23	23	0	0	24
4.	Gynaecological	0	0	11	11	31	31	0	0	42
5.	Surgical	55	55	120	120	160	160	15	15	350
6	Other	82	82	87	87	137	137	19	19	325

	Total
Number of laboratory tests conducted	13,624

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	115	510	625
First antenatal visit > 1st trimester	79	673	752

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	45%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	10	270	280
	2 TT doses	10	215	225
	anaemia screening	17	404	421

Coverage of complete antenatal care	66%
Coverage of antenatal tetanus immunisation	53%
Coverage of anaemia screening in pregnancy	100%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	17	405	422
Still births	0	2	2
Low birth weight (<2500 g)	1	12	13
Attended by skilled health worker	17	396	413
Number of obstetric complications treated	1	18	19
Number of caesarean sections performed	3	61	64

Delivery Indicators	
Crude birth rate (/1000 population/ month)	4.0
Proportion of births attended by skilled health worker (excl. TBA)	98%
Proportion of low birth weight deliveries	3%
Proportion of all births performed by caesarean section	15%
Proportion of obsetric complications treated among girls < 18	5%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	75	285	360

Postnatal Indicators	
Coverage of complete postnatal care	85%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	37	422	46	256	761
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	1	77	0	1	79
Implantable (Norplant)	0	0	0	1	1
Intra-Uterine Device (IUD)	0	10	0	0	10
Condom (Male)	35	340	15	117	507
Other	0	0	0	0	0
	< 18	≥ 18			
Family Planning Counseling*	263	1753			

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

**Contact
Information**

UNHCR
Asaad Khadum
Email: KADHUM@unhcr.org

UNHCR
Adam Musa Khalifa
Email: KHALIFAA@unhcr.org

We gratefully
acknowledge the contributions of
the following agencies:

