

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	641	605	1,246	3,101	2,967	6,068	6,521	5,917	12,438	7,003	8,040	15,043	331	482	813	35,608
% by age group			4%			17%			35%			42%			2%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	3	5	8	21%	0	0	0	1	0	1	0	0	0	9	13%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	2	1	3	2	1	3	6	9%
5. Cardiovascular disorders (other)	3	2	5	13%	0	0	0	0	3	3	1	1	2	10	15%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	1	2	3	3	4%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	1	1	0	1	1	2	3%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	1	1	2	3	1	4	6	9%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	14	6	20	53%	0	0	0	0	0	0	0	0	0	20	30%
13. Other	3	2	5	13%	0	0	0	2	1	3	2	1	3	11	16%
Total	23	15	38	100%	0	0	0	6	7	13	9	7	16	67	100%
% by age group			57%				0%			19%			24%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.2	0.1	0.2
Under 5 Mortality Rate (USMR) (/1000 population/month)	0.5	0.3	0.4
Neonatal Mortality Rate (NNMR) (/1000 population/month)			11.9

2.2 Maternal death

Number of maternal deaths reported	2
Number of maternal deaths investigated	2
Proportion of maternal deaths investigated	100%

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	17.9
Average number of full days on which each health facility was functioning	6.1
Total number of outpatient consultations	273,907
Health facility utilisation rate	7.7
Consultations per clinician per day	48

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	15,693	13,212	28,905	3951.9	8,562	7,942	16,504	7,117	8,438	15,555	523	637	1,160	62,124	31%	1744.7
Influenza-like illness (ILI)	2,598	2,256	4,854	663.6	1,670	1,824	3,494	2,129	2,612	4,741	136	144	280	13,369	7%	375.4
Lower Respiratory Tract Infection (LRTI)	2,643	1,801	4,444	607.6	357	206	563	462	529	991	62	54	116	6,114	3%	171.7
Watery diarrhoea*	2,206	2,000	4,206	575.0	469	499	968	521	714	1,235	32	46	78	6,487	3%	182.2
Bloody diarrhoea*	9	13	22	3.0	3	2	5	7	6	13	0	2	2	42	0%	1.2
Skin infection	2,068	2,035	4,103	561.0	1,974	2,309	4,283	1,793	2,242	4,035	176	152	328	12,749	6%	358.0
Eye infection	861	689	1,550	211.9	611	575	1,186	929	1,058	1,987	148	150	298	5,021	2%	141.0
Ear infection	1,094	1,027	2,121	290.0	645	783	1,428	883	1,590	2,473	119	115	234	6,256	3%	175.7
Dental Conditions	308	269	577	78.9	2,249	2,181	4,430	6,042	7,540	13,582	209	206	415	19,004	9%	533.7
Intestinal Worms	267	368	635	86.8	465	481	946	165	173	338	24	29	53	1,972	1%	55.4
Acute Jaundice Syndrome*	1	3	4	0.5	1	0	1	0	0	0	0	0	0	5	0%	0.1
Measles (suspected)*	0	1	1	0.1	1	0	1	0	0	0	0	0	0	2	0%	0.1
Meningitis (suspected)*	8	5	13	1.8	6	2	8	0	0	0	0	0	0	21	0%	0.6
Acute Flaccid Paralysis*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Leishmaniasis	3	4	7	1.0	4	5	9	0	3	3	1	1	2	21	0%	0.6
Fever of unknown origin	7	4	11	1.5	16	0	16	4	6	10	0	0	0	37	0%	1.0
Tuberculosis (suspected)	1	0	1	0.1	2	0	2	0	0	0	2	0	2	5	0%	0.1
Other	8,807	8,644	17,451	2385.9	5,370	6,915	12,285	14,074	22,631	36,705	1,478	1,955	3,433	69,874	34%	1962.3
Total	36,574	32,332	68,906	9420.8	22,405	23,724	46,129	34,126	47,542	81,668	2,910	3,491	6,401	203,104	100%	5703.9
% by age group			34%				23%			40%			3%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	4	4	8	20	58	78	1,023	1,118	2,141	563	902	1,465	3,692	21%
Hypertension	0	1	1	0	17	17	1,727	2,081	3,808	992	1,638	2,630	6,456	37%
Asthma	351	157	508	305	114	419	383	396	779	100	88	188	1,894	11%
Ischaemic heart disease	3	0	3	4	5	9	358	174	532	204	190	394	938	5%
Cardiovascular disease (other)	11	12	23	6	10	16	122	132	254	42	53	95	388	2%
Chronic obstructive pulmonary disease (COPD)	1	0	1	0	2	2	23	10	33	34	3	37	73	0%
Liver disease	2	0	2	8	0	8	5	7	12	1	1	2	24	0%
Thyroid problems	7	7	14	17	25	42	113	423	536	21	55	76	668	4%
Cancer	0	0	0	0	0	0	5	7	12	4	1	5	17	0%
Other	228	158	386	134	178	312	869	1,297	2,166	395	244	639	3,503	20%
Total	607	339	946	494	409	903	4,628	5,645	10,273	2,356	3,175	5,531	17,653	100%
% by age group			5%			5%			58%			31%	100%	

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total > 60	Grand total
1.	Paediatrics	1,177	1,177	211	211	3	3	1	1	1,392
2.	Internal medicine	151	151	504	504	1,016	1,016	188	188	1,859
3.	Obstetric	0	0	2	2	96	96	0	0	98
4.	Gynaecological	1	1	50	50	140	140	0	0	191
5.	Surgical	216	216	482	482	588	588	53	53	1,339
6	Other	234	234	401	401	544	544	128	128	1,307

6. Laboratory

	Total
Number of laboratory tests conducted	40,903

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	229	3,242	3,471
First antenatal visit > 1st trimester	118	1,614	1,732

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	67%

7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	48	1,262	1,310
	2 TT doses	44	1,029	1,073
	anaemia screening	72	1,607	1,679

Coverage of complete antenatal care	78%
Coverage of antenatal tetanus immunisation	64%
Coverage of anaemia screening in pregnancy	100%

7.3 Delivery care

	< 18	≥ 18	Total
Live births	72	1,612	1,684
Still births	0	13	13
Low birth weight (<2500 g)	6	74	80
Attended by skilled health worker	72	1,589	1,661
Number of obstetric complications treated	3	69	72
Number of caesarean sections performed	5	320	325

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.9
Proportion of births attended by skilled health worker (excl. TBA)	99%
Proportion of low birth weight deliveries	4.8%
Proportion of all births performed by caesarean section	19%
Proportion of obsetric complications treated among girls < 18	4%

7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	82	500	582

Postnatal Indicators	
Coverage of complete postnatal care	35%

7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	49	1080	88	1099	2316
Emergency Contaceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	1	205	4	122	332
Implantable (Norplant)	0	0	0	1	1
Intra-Uterine Device (IUD)	2	109	0	65	176
Condom (Male)	37	515	27	315	894
Other	0	88	0	31	119
	< 18	≥ 18			
Family Planning Counseling*	496	3491			

7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

29/01/2018

Contact Information

UNHCR
Asaad Kadhum
Email: KADHUM@unhcr.org

UNHCR
Adam Musa Khalifa
Email: KHALIFAA@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

