

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	614	580	1,194	2,970	2,842	5,812	6,246	5,667	11,913	6,708	7,700	14,408	317	462	779	34,105
% by age group			4%			17%			35%			42%			2%	100%

## 2. Mortality

### 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	4	4	24%	0	0	0	0	0	0	0	0	0	4	14%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	2	1	3	3	10%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	3%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	2	2	2	2	7%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	1	0	1	2	0	2	3	10%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	7	3	10	59%	0	0	0	0	0	0	0	0	0	10	34%
13. Other	1	2	3	18%	0	0	0	1	1	2	0	1	1	6	21%
<b>Total</b>	<b>8</b>	<b>9</b>	<b>17</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>8</b>	<b>29</b>	<b>100%</b>
% by age group			59%				0%			14%			28%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.1	0.1	0.1
Under 5 Mortality Rate (USMR) (/1000 population/month)	0.4	0.4	0.4
Neonatal Mortality Rate (NNMR) (/1000 population/month)			11.9

### 2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated	1
Proportion of maternal deaths investigated	100%

## 3. Morbidity

### 3.1 Staffing and service availability

Number of full-time clinicians	19.4
Average number of full days on which each health facility was functioning	6.4
Total number of outpatient consultations	136,963
Health facility utilisation rate	8.0
Consultations per clinician per day	43

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	7,761	6,661	14,422	2058.7	3,917	3,613	7,530	3,583	3,918	7,501	309	301	610	30,063	31%	881.5
Influenza-like illness (ILI)	1,495	1,284	2,779	396.7	909	1,054	1,963	1,199	1,380	2,579	93	89	182	7,503	8%	220.0
Lower Respiratory Tract Infection (LRTI)	991	674	1,665	237.7	117	58	175	188	194	382	35	33	68	2,290	2%	67.1
Watery diarrhoea*	886	837	1,723	245.9	178	204	382	232	298	530	18	20	38	2,673	3%	78.4
Bloody diarrhoea*	3	7	10	1.4	1	2	3	6	4	10	0	1	1	24	0%	0.7
Skin infection	845	854	1,699	242.5	763	890	1,653	751	905	1,656	129	78	207	5,215	5%	152.9
Eye infection	470	403	873	124.6	326	342	668	483	507	990	99	75	174	2,705	3%	79.3
Ear infection	569	502	1,071	152.9	329	375	704	414	751	1,165	93	62	155	3,095	3%	90.7
Dental Conditions	141	145	286	40.8	1,072	1,066	2,138	2,750	3,204	5,954	123	90	213	8,591	9%	251.9
Intestinal Worms	115	173	288	41.1	202	214	416	94	93	187	20	23	43	934	1%	27.4
Acute Jaundice Syndrome*	1	1	2	0.3	0	0	0	0	0	0	0	0	0	2	0%	0.1
Measles (suspected)*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	4	2	6	0.9	5	1	6	0	0	0	0	0	0	12	0%	0.4
Acute Flaccid Paralysis*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Leishmaniasis	2	2	4	0.6	0	1	1	0	0	0	1	0	1	6	0%	0.2
Fever of unknown origin	1	2	3	0.4	1	0	1	1	2	3	0	0	0	7	0%	0.2
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	1	0	1	1	0%	0.0
Other	3,825	4,060	7,885	1125.5	2,648	3,532	6,180	6,753	11,222	17,975	834	946	1,780	33,820	35%	991.6
<b>Total</b>	<b>17,109</b>	<b>15,609</b>	<b>32,718</b>	<b>4670.3</b>	<b>10,468</b>	<b>11,352</b>	<b>21,820</b>	<b>16,454</b>	<b>22,478</b>	<b>38,932</b>	<b>1,755</b>	<b>1,718</b>	<b>3,473</b>	<b>96,943</b>	<b>100%</b>	<b>2842.5</b>
% by age group			34%				23%			40%			4%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	3	1	4	11	36	47	447	549	996	332	462	794	1,841	20%
Hypertension	0	1	1	0	15	15	800	1,013	1,813	554	807	1,361	3,190	35%
Asthma	237	92	329	173	61	234	186	243	429	59	51	110	1,102	12%
Ischaemic heart disease	0	0	0	2	2	4	166	88	254	118	103	221	479	5%
Cardiovascular disease (other)	6	6	12	1	4	5	46	55	101	19	18	37	155	2%
Chronic obstructive pulmonary disease (COPD)	1	0	1	0	1	1	15	4	19	22	3	25	46	1%
Liver disease	2	0	2	3	0	3	2	3	5	1	1	2	12	0%
Thyroid problems	7	6	13	9	18	27	62	215	277	12	29	41	358	4%
Cancer	0	0	0	0	0	0	4	4	8	2	0	2	10	0%
Other	176	126	302	58	86	144	388	605	993	267	113	380	1,819	20%
<b>Total</b>	<b>432</b>	<b>232</b>	<b>664</b>	<b>257</b>	<b>223</b>	<b>480</b>	<b>2,116</b>	<b>2,779</b>	<b>4,895</b>	<b>1,386</b>	<b>1,587</b>	<b>2,973</b>	<b>9,012</b>	<b>100%</b>
% by age group			7%			5%			54%			33%	100%	



## 5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	601	601	99	99	2	2	1	1	703
2.	Internal medicine	63	63	230	230	434	434	88	88	815
3.	Obstetric	0	0	1	1	49	49	0	0	50
4.	Gynaecological	1	1	19	19	70	70	0	0	90
5.	Surgical	87	87	192	192	249	249	19	19	547
6.	Other	117	117	154	154	230	230	30	30	531

## 6. Laboratory

	Total
Number of laboratory tests conducted	24,461

## 7. Reproductive Health

### 7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	155	1,336	1,491
First antenatal visit > 1st trimester	102	1,220	1,322

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	53%
--	-----

### 7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	23	587	610
	2 TT doses	23	465	488
	anaemia screening	38	797	835

Coverage of complete antenatal care	73%
Coverage of antenatal tetanus immunisation	58%
Coverage of anaemia screening in pregnancy	100%

### 7.3 Delivery care

	< 18	≥ 18	Total
Live births	38	800	838
Still births	0	4	4
Low birth weight (<2500 g)	2	36	38
Attended by skilled health worker	38	777	815
Number of obstetric complications treated	2	36	38
Number of caesarean sections performed	5	147	152

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	4.1
Proportion of births attended by skilled health worker (excl. TBA)	97%
Proportion of low birth weight deliveries	4.5%
Proportion of all births performed by caesarean section	18%
Proportion of obstetric complications treated among girls < 18	5%

### 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	81	368	449

#### Postnatal Indicators

Coverage of complete postnatal care	54%
-------------------------------------	-----

### 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	41	596	85	531	1253
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	1	105	4	28	138
Implantable (Norplant)	0	0	0	1	1
Intra-Uterine Device (IUD)	0	14	0	3	17
Condom (Male)	36	386	27	163	612
Other	0	12	0	4	16

  

	< 18	≥ 18
Family Planning Counseling*	463	2423

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

### Note

*This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.*

Published on

29/01/2018

#### Contact Information

**UNHCR**  
Asaad Kadhum  
Email: KADHUM@unhcr.org

**UNHCR**  
Adam Musa Khalifa  
Email: KHALIFAA@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

