

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	668	631	1,299	3,095	2,980	6,074	7,229	6,587	13,816	6,922	8,175	15,097	336	497	834	37,120
% by age group			4%			16%			37%			41%			2%	100%

## 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	2	2	17%	0	0	0	0	0	0	0	0	0	2	7%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	3	1	4	2	1	3	7	23%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	0	0	2	2	4	4	13%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	3%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	3%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	3%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	2	6	8	67%	0	0	0	0	0	0	0	0	0	8	27%
13. Other	0	2	2	17%	0	1	1	1	2	3	0	0	0	6	20%
<b>Total</b>	<b>2</b>	<b>10</b>	<b>12</b>	<b>100%</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>4</b>	<b>8</b>	<b>6</b>	<b>3</b>	<b>9</b>	<b>30</b>	<b>100%</b>
% by age group			40%				3%			27%			30%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.1	0.2	0.1
Under 5 Mortality Rate (U5MR) (/1000 population/month)	0.1	0.5	0.3
Neonatal Mortality Rate (NNMR) (/1000 population/month)			10.3

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3.1 Staffing and service availability

Number of full-time clinicians	20.5
Average number of full days on which each health facility was functioning	5.7
Total number of outpatient consultations	156,855
Health facility utilisation rate	8.5
Consultations per clinician per day	52

## 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	6,827	5,673	12,500	1695.3	4,933	4,488	9,421	3,576	4,216	7,792	223	248	471	30,184	30%	813.1
Influenza-like illness (ILI)	2,255	1,963	4,218	572.1	1,502	1,480	2,982	1,352	1,583	2,935	83	68	151	10,286	10%	277.1
Lower Respiratory Tract Infection (LRTI)	1,609	1,241	2,850	386.5	137	95	232	159	207	366	21	31	52	3,500	3%	94.3
Watery diarrhoea*	1,744	1,479	3,223	437.1	271	256	527	360	414	774	12	24	36	4,560	4%	122.8
Bloody diarrhoea*	6	5	11	1.5	2	5	7	2	4	6	0	0	0	24	0%	0.6
Skin infection	872	793	1,665	225.8	843	983	1,826	665	843	1,508	63	20	83	5,082	5%	136.9
Eye infection	461	442	903	122.5	202	209	411	373	352	725	39	41	80	2,119	2%	57.1
Ear infection	796	645	1,441	195.4	386	381	767	345	661	1,006	26	26	52	3,266	3%	88.0
Dental Conditions	85	92	177	24.0	943	984	1,927	2,824	3,084	5,908	156	65	221	8,233	8%	221.8
Intestinal Worms	120	117	237	32.1	231	177	408	51	80	131	7	0	7	783	1%	21.1
Acute Jaundice Syndrome*	2	0	2	0.3	1	0	1	0	0	0	0	0	0	3	0%	0.1
Measles (suspected)*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	3	2	5	0.7	1	2	3	0	0	0	0	0	0	8	0%	0.2
Acute Flaccid Paralysis*	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	45	58	103	14.0	10	27	37	35	75	110	1	1	2	252	0%	6.8
Tuberculosis (suspected)	0	0	0	0.0	4	0	4	0	7	7	0	0	0	11	0%	0.3
Other	4,755	4,640	9,395	1274.2	2,491	3,803	6,294	6,019	10,185	16,204	702	791	1,493	33,386	33%	899.4
<b>Total</b>	<b>19,580</b>	<b>17,151</b>	<b>36,731</b>	<b>4981.5</b>	<b>11,957</b>	<b>12,891</b>	<b>24,848</b>	<b>15,761</b>	<b>21,711</b>	<b>37,472</b>	<b>1,333</b>	<b>1,315</b>	<b>2,648</b>	<b>101,699</b>	<b>100%</b>	<b>2739.7</b>
% by age group			36%				24%			37%			3%	100%		

\* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

## 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	12	14	26	18	44	62	375	432	807	235	337	572	1,467	18%
Hypertension	2	3	5	1	3	4	701	1,013	1,714	424	661	1,085	2,808	35%
Asthma	320	175	495	218	122	340	178	223	401	39	27	66	1,302	16%
Ischaemic heart disease	0	2	2	0	2	2	131	84	215	76	76	152	371	5%
Cardiovascular disease (other)	7	11	18	5	5	10	44	49	93	21	23	44	165	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	8	3	11	17	2	19	30	0%
Liver disease	0	0	0	1	1	2	1	2	3	1	1	2	7	0%
Thyroid problems	5	9	14	10	8	18	52	256	308	6	28	34	374	5%
Cancer	0	0	0	0	0	0	2	8	10	2	0	2	12	0%
Other	245	132	377	70	56	126	325	553	878	76	60	136	1,517	19%
<b>Total</b>	<b>591</b>	<b>346</b>	<b>937</b>	<b>323</b>	<b>241</b>	<b>564</b>	<b>1,817</b>	<b>2,623</b>	<b>4,440</b>	<b>897</b>	<b>1,215</b>	<b>2,112</b>	<b>8,053</b>	<b>100%</b>
% by age group			12%			7%			55%			26%	100%	

### 3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	44	114	158	219	160	379	243	192	435	4	12	16	988	30%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	12	1	13	0	0	0	13	0%
3. Psychotic disorder (including mania)	0	0	0	5	19	24	144	94	238	1	21	22	284	9%
4. Intellectual disability	6	0	6	52	19	71	27	18	45	0	4	4	126	4%
5. Severe emotional disorder, including moderate-severe depression	1	0	1	14	27	41	415	680	1,095	13	15	28	1,165	35%
6. Medically unexplained somatic complaint	0	0	0	4	1	5	36	10	46	1	0	1	52	2%
Other psychological complaints	1	0	1	175	187	362	113	168	281	5	9	14	658	20%
<b>Total</b>	<b>52</b>	<b>114</b>	<b>166</b>	<b>469</b>	<b>413</b>	<b>882</b>	<b>990</b>	<b>1,163</b>	<b>2,153</b>	<b>24</b>	<b>61</b>	<b>85</b>	<b>3,286</b>	<b>100%</b>
% by age group			5%			27%			66%			3%	100%	

0.02094931

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	44	40	84	27	42	69	30	20	50	16	3	19	222	10%
2. Injury (war related)	28	32	60	28	29	57	24	4	28	4	1	5	150	7%
3. Injury ( Burns)	20	15	35	10	12	22	11	21	32	0	0	0	89	4%
4. Assault (with weapon non-war related )	0	0	0	1	0	1	0	0	0	0	0	0	1	0%
Other	277	190	467	457	196	653	302	177	479	82	40	122	1,721	79%
<b>Total</b>	<b>369</b>	<b>277</b>	<b>646</b>	<b>523</b>	<b>279</b>	<b>802</b>	<b>367</b>	<b>222</b>	<b>589</b>	<b>102</b>	<b>44</b>	<b>146</b>	<b>2,183</b>	<b>100%</b>
% by age group			30%			37%			27%			7%	100%	

### 3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	57	57	0	1,812	1,812	1,869	95.5%
2. Urethral discharge	0	0	0	0	0	0	0	0.0%
3. Genital ulcer	0	0	0	0	3	3	3	0.2%
3. Lower abdominal pain	0	6	6	0	80	80	86	4.4%
Other	0	0	0	0	0	0	0	0.0%
<b>Total</b>	<b>0</b>	<b>63</b>	<b>63</b>	<b>0</b>	<b>1,895</b>	<b>1,895</b>	<b>1,958</b>	<b>100%</b>
% by age group			3%			97%	100%	

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
<b>Number at beginning of reporting period</b>	3	5	8	2	0	2	0	5	5	0	0	0	15	
Total admissions	896	335	1,231	69	84	153	37	799	836	2	1	3	2,223	
Number of exits	authorized	879	314	1,193	66	70	136	37	699	736	2	1	3	2,068
	unauthorized	2	2	4	0	6	6	0	100	100	0	0	0	110
	death	0	1	1	0	0	0	0	0	0	0	0	0	1
	referral	14	17	31	5	7	12	0	2	2	0	0	4	45
<b>Total exits</b>	<b>895</b>	<b>334</b>	<b>1,229</b>	<b>71</b>	<b>83</b>	<b>154</b>	<b>37</b>	<b>801</b>	<b>838</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>2,224</b>	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	

Number of days in reporting period	182
Number of beds	26
Sum number of days stay for authorised discharges	4,109
Proportion of < 5 IPD deaths within 24 hours	0%
Average length of stay (days)	2.0
Bed occupancy	93%
Hospitalisation rate (/1000 population/month)	10.0

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	714	1	0%	80	0	0%	0	0	0%	0	0	794	1	0%
2. General Surgery	517	0	0%	38	0	0%	81	0	0%	3	0	639	0	0%
3. Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4. Internal medicine	0	0		0	0		0	0		0	0	0	0	
5. Obstetrics	0	0		29	0	0%	705	0	0%	0	0	734	0	0%
6. Gynaecology	0	0		5	0	0%	50	0	0%	0	0	55	0	0%
7. Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	<b>1231</b>	<b>1</b>	<b>0%</b>	<b>152</b>	<b>0</b>	<b>0%</b>	<b>836</b>	<b>0</b>	<b>0%</b>	<b>3</b>	<b>0</b>	<b>2,222</b>	<b>1</b>	<b>0%</b>

Adm. = Admission; CFR = Case Fatality Rate

### 5.1 Referrals by location

	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1. MOH Hospital	71	71	107	107	85	85	19	19	282
2. Jordan University Hospital	256	256	190	190	254	254	37	37	737
3. Private affiliated Hospital	568	568	388	388	659	659	87	87	1,702
4. Royal Medical Services	7	7	19	19	13	13	2	2	41
5. Other	1	1	1	1	0	0	0	0	2

Total number of referred cases out side the camp	2,764
--	-------

## 5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	665	665	98	98	2	2	0	0	765
2.	Internal medicine	50	50	188	188	412	412	71	71	721
3.	Obstetric	0	0	0	0	42	42	0	0	42
4.	Gynaecological	0	0	14	14	33	33	0	0	47
5.	Surgical	98	98	250	250	305	305	15	15	668
6.	Other	90	90	155	155	217	217	59	59	521

	Total
Number of laboratory tests conducted	31,082

## 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	75	1,117	1,192
First antenatal visit > 1st trimester	10	255	265

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	82%

## 8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	2 TT doses	anaemia screening	
	20	16	29	568
				374
				768

Coverage of complete antenatal care	73%
Coverage of antenatal tetanus immunisation	48%
Coverage of anaemia screening in pregnancy	99%

## 8.3 Delivery care

	< 18	≥ 18	Total
Live births	29	744	773
Still births	1	6	7
Low birth weight (<2500 g)	6	45	51
Attended by skilled health worker	29	729	758
Number of obstetric complications treated	2	36	38
Number of caesarean sections performed	4	152	156

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.5
Proportion of births attended by skilled health worker (excl. TBA)	98.1%
Proportion of low birth weight deliveries	7%
Proportion of all births performed by caesarean section	20%
Proportion of obstetric complications treated among girls < 18	7%

## 8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	60	758	818

Postnatal Indicators	
Coverage of complete postnatal care	106%

## 8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	59	1,117	37	1,058	2,271
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	2	189	0	31	222
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	1	72	4	5	82
Condom (Male)	34	688	64	406	1,192
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	308	4,701

## 8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	1	0	2	3
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	3	3

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	1.6
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

### Note

*This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.*

Published on

#### Contact Information

**UNHCR**  
Asaad Khadum  
Email: KADHUM@unhcr.org

**UNHCR**  
Adam Musa Khalifa  
Email: KHALIFAA@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

