

1. Population

Population	0 to <	:1	Total <1	1 t	o 4	Total 1 to	5 to	17	Total 5 to	18 to	59	Total 18	≥ 60		Total ≥	Grand
ropulation	M	F	10141 11	M	F	4	M	F	17	M	F	to 59	М	F	60	total
Refugee population	1,682	1,602	3,285	5,782	5,467	11,248	15,074	14,222	29,296	17,022	17,127	34,149	882	1,258	2,140	80,118
% by age group			4%			14%			37%			43%			3%	100%

2. Mortality

2.1 Mortality

	ONE source of montality new socs	0 to	4	Total <f< th=""><th>U5 %</th><th>5 to</th><th>17</th><th>Total 5</th><th>181</th><th>to 59</th><th>Total 18</th><th>≥</th><th>60</th><th>Total ≥ 60</th><th>Grand</th><th>Crude %</th></f<>	U5 %	5 to	17	Total 5	181	to 59	Total 18	≥	60	Total ≥ 60	Grand	Crude %
	ONE cause of mortality per case	М	F	Total <5	mort	М	F	to 17	М	F	to 59	M	F	i otai ≥ 60	total	mort
1.	Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	1	0	1	1	0	1	2	5%
2.	Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3.	Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4.	Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	2	0	2	2	5%
5.	Cardiovascular disorders (other)	2	2	4	25%	0	1	1	0	1	1	0	1	1	7	17%
6.	Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	1	1	2	2	5%
7.	Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8.	Injury	0	0	0	0%	1	0	1	0	0	0	0	0	0	1	2%
9.	Cancer	0	0	0	0%	0	0	0	0	1	1	3	0	3	4	10%
10.	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11.	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12.	Neonatal death	3	5	8	50%	0	0	0	0	0	0	0	0	0	8	19%
13.	COVID-19	0	0	0	0%	0	1	1	1	1	2	0	1	1	4	10%
14.	Other	3	1	4	25%	1	0	1	1	2	3	2	2	4	12	29%
	Total	8	8	16	100%	2	2	4	3	5	8	9	5	14	42	100%
	% by age group			38%				10%			19%			33%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.2	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.4	0.4	0.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			10.7

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	31.0
Average number of full days on which each health facility was functioning	4.7
Total number of outpatient consultations	82,576
Health facility utilisation rate	4.1
	44

3.2 Acute health conditions

	0 to	4		U5 Incid	5 to	17	Total 5	18 to	59	Total 18	≥	60		Grand	% by	Crude
NEW cases of disease only	M	F	Total <5	U5 Incid	M	F	to 17	M	F	to 59	М	F	Total ≥ 60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	4,639	3,831	8,470	583	3,211	2,907	6,118	1,906	2,439	4,345	357	306	663	19,596	31%	24
Influenza-like illness (ILI)	807	650	1,457	100	738	774	1,512	622	779	1,401	192	190	382	4,752	8%	
Lower Respiratory Tract Infection (LRTI)	574	438	1,012	70	353	295	648	245	253	498	161	168	329	2,487	4%	3
Watery diarrhoea*	9	9	18	1	2	3	5	1	3	4	0	1	1	28	0%	
Bloody diarrhoea*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Skin infection	571	579	1,150	79	576	903	1,479	399	568	967	153	113	266	3,862	6%	4
Eye infection	459	334	793	55	282	292	574	271	268	539	163	165	328	2,234	4%	2
Ear infection	643	531	1,174	81	409	379	788	411	441	852	168	161	329	3,143	5%	3
Dental Conditions	409	321	730	50	874	814	1,688	1,152	2,156	3,308	134	190	324	6,050	10%	7
Intestinal Worms	254	173	427	29	119	164	283	69	45	114	0	1	1	825	1%	1
Acute Jaundice Syndrome*	1	4	5	0	7	1	8	0	0	0	0	0	0	13	0%	
Measles (suspected)*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Meningitis (suspected)*	0	0	0	0	0	1	1	1	0	1	0	0	0	2	0%	
Acute Flaccid Paralysis*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Leishmaniasis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Fever of unknown origin	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0%	
Tuberculosis (suspected)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
COVID-19 (suspected)	1	1	2	0	7	24	31	36	81	117	5	12	17	167	0%	
COVID-19 (confirmed)	7	6	13	1	63	64	127	125	144	269	17	12	29	438	1%	
Other	1,734	1,424	3,158	217	1,670	2,138	3,808	3,619	7,312	10,931	612	906	1,518	19,415	31%	24
Total	10,108	8,302	18,410	1,267	8,311	8,759	17,070	8,857	14,489	23,346	1,962	2,225	4,187	63,013	100%	78
% by age group	- ,	,	29%		, , ,		27%		,	37%	,		7%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

NEW and REVISITS	0 to	4	Total <	5 to	17	Total 5 to	18 to	59	Total 18	≥ 6	60	Total	Grand	% by
NEW and REVISITS	M	F	5	M	F	17	M	F	to 59	M	F	≥ 60	total	cause
Diabetes	3	0	3	14	206	220	627	915	1,542	371	618	989	2,754	24%
Hypertension	3	6	9	7	202	209	760	1,255	2,015	484	851	1,335	3,568	31%
Asthma	199	172	371	258	206	464	200	254	454	145	35	180	1,469	13%
Ischaemic heart disease	0	1	1	0	2	2	60	40	100	40	53	93	196	2%
Cardiovascular disease (other)	1	2	3	2	1	3	16	23	39	17	15	32	77	1%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	4	4	8	8	4	12	20	0%
Liver disease	0	1	1	0	0	0	3	1	4	1	1	2	7	0%
Thyroid problems	2	2	4	6	172	178	152	399	551	129	142	271	1,004	9%
Cancer	0	0	0	0	1	1	15	11	26	2	4	6	33	0%
Other	27	33	60	44	185	229	423	971	1,394	309	393	702	2,385	21%
Total	235	217	452	331	975	1,306	2,260	3,873	6,133	1,506	2,116	3,622	11,513	100%
% by age group			4%			11%			53%			31%	100%	

3.4 Mental health

		0 to	4	Total <	5 to	17	Total 5 to	18 to	o 59	Total 18	≥	60	Total	Grand	% by
		M	F	5	M	F	17	M	F	to 59	M	F	≥ 60	total	cause
1. E	Epilepsy / seizures	4	12	16	84	91	175	208	177	385	0	2	2	578	27%
2. A	Alcohol and other substance use disorder	0	0	0	0	0	0	1	1	2	0	0	0	2	0%
3. F	Psychotic disorder (including mania)	1	0	1	5	1	6	308	120	428	0	0	0	435	20%
	ntellecutal disability	1	0	1	62	48	110	79	28	107	1	2	3	221	10%
	severe emotional disorder, including moderate-severe	0	0	0	35	51	86	335	362	697	1	1	2	785	36%
	Medically unexplained somatic complaint	0	0	0	0	0	0	8	4	12	0	0	0	12	1%
C	Other psychological complaints	1	1	2	32	26	58	23	31	54	1	11	12	126	6%
Т	Fotal	7	13	20	218	217	435	962	723	1,685	3	16	19	2,159	100%
9	% by age group			1%			20%			78%			1%	100%	

3.5 Injuries

	0 to	4	Total <	5 te	o 17	Total 5 to	18 t	o 59	Total 18	≥	60	Total	Grand	% by
	M	F	5	M	F	17	M	F	to 59	M	F	≥ 60	total	cause
Bites (all causes)	8	1	9	6	3	9	3	3	6	0	2	2	26	19
Injury (war related)	2	1	3	1	0	1	1	0	1	0	0	0	5	0%
3. Injury (Burns)	50	42	92	29	13	42	15	17	32	0	1	1	167	7%
Assault (with weapon non-war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	269	167	436	541	275	816	445	275	720	25	37	62	2,034	91%
Total	329	211	540	577	291	868	464	295	759	25	40	65	2,232	100%
% by age group			24%			39%			34%			3%	100%	

3.6 Reproductive Tract Infections

		< 1	8	Total <	≥	18	Total ≥ 18	Grand	% by
		М	F	18	М	F	TOTAL E 10	total	cause
1.	Vaginal discharge	0	584	584	0	2,173	2,173	2,757	81%
2.	Urethral discharge	0	0	0	2	0	2	2	0%
3.	Genital ulcer	0	0	0	0	0	0	0	0%
3.	Lower abdominal pain	0	25	25	0	432	432	457	13%
	Other	1	12	13	2	166	168	181	5%
	Total	1	621	622	4	2,771	2,775	3,397	100%
	% by age group			18%			82%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to	4	Total <	5 t	17	Total 5 to	18 t	o 59	Total 18	≥	60	Total	Grand
		M	F	5	M	F	17	M	F	to 59	M	F	≥ 60	total
Number at beginning of repo	rting period	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions		0	0	0	0	73	73	0	673	673	0	0	0	746
	authorized	0	0	0	0	39	39	0	380	380	0	0	0	419
Number of exits	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	34	34	0	293	293	0	0	0	327
Total exits		0	0	0	0	73	73	0	673	673	0	0	0	746
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	10
Sum number of days stay for authorised discharges	514
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.2
Bed occupancy	101%
Hospitalisation rate (/1000/month)	3.1

4.2 In-patient Admissions and Deaths

		0 to	4	U5 CFR	5 t	o 17	5-17 CFR	18 t	o 59	18-59	≥	60	Total	Total	Crude
		Adm	Deaths	US CFR	Adm	Deaths	5-17 CFK	Adm	Deaths	CFR	Adm	Deaths	adm	deaths	CFR
1.	Paediatric medicine	0	0		0	0		0	0		0	0	0	0	
2.	General Surgery	0	0		0	0		0	0		0	0	0	0	
3.	Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4.	Internal medicine	0	0		0	0		0	0		0	0	0	0	
5.	Obstetrics	0	0		73	0	0%	673	0	0%	0	0	746	0	0%
6.	Gynaecology	0	0		0	0		0	0		0	0	0	0	
7.	COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
8.	COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
9.	Other	0	0		0	0		0	0		0	0	0	0	
	Total	0	0		73	0	0%	673	0	0%	0	0	746	0	0%

5. Referral

5.1 Referrals by location

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	≥ 60	Total	Grand total
1.	MOH Hospital	80	80	54	54	145	145	38	38	317
2.	Jordan University Hospital	64	64	65	65	110	110	16	16	255
3.	Private affiliated Hospital	228	228	210	210	617	617	72	72	1,127
4.	Royal Medical Services	0	0	0	0	0	0	0	0	0
5.	Other	0	0	0	0	0	0	0	0	0

Total No of reffered cases out side the Camp	1,699

5.2 Referrals by service

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	≥ 60	Total	Grand total
1.	Paediatrics	259	259	81	81	0	0	0	0	340
2.	Internal medicine	15	15	58	58	217	217	73	73	363
3.	Obstetric	0	0	38	38	384	384	0	0	422
4.	Gynaecological	3	3	13	13	18	18	3	3	37
5.	Surgical	95	95	139	139	253	253	50	50	537
6	Other	0	0	0	0	0	0	0	0	0

6. Laboratory

	Total
Number of laboratory tests conducted	41,933

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	209	868	1,077
First antenatal visit > 1st trimester	108	363	471

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	70%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	73	673	746
	2 TT doses	73	673	746
	anaemia screening	73	673	746

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	100%
Coverage of anaemia screening in pregnancy	100%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	73	673	746
Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	73	673	746
Number of obstetric complications treated	26	320	346
Number of caesarean sections performed	14	211	225

Delivery Indicators				
Crude birth rate (/1000 population/ month)	3.1			
Proportion of births attended by skilled health worker (excl. TBA)	100.0%			
Proportion of low birth weight deliveries	0.0%			
Proportion of all births performed by caesarean section	30%			
Proportion of obsetric complications treated among girls < 18	36%			

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	88	757	845

Postnatal Indicators	
Coverage of complete postnatal care	113%

8.5 Family planning

	Nev	w	Rep	Total	
	< 18 ≥ 18 <		< 18		≥ 18
Oral contraceptives	152	445	194	1,232	2,023
Emergency Contaceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	4	67	10	75	156
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	1	122	3	51	177
Condom (Male)	72	360	175	859	1,466
Other	0	126	89	548	763
	< 18	≥ 18			
Family Planning Counseling*	1,279	4,322			

8.6 Sexual and gender-based violence

	< 1	18	≥	18	Total
	М	F	М	F	Iotai
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

20011										
SGBV Indicators Incidence of reported rap	09 (/10 000 nonulation(war)	0.0								
	vors who receive PEP < 72 hrs	0.0								
	e survivors who receive ECP < 120 hrs									
Proportion of rape surviv 2 wks	ors who receive STI presumptive treatment	<								
	l									
Data Sources	Health Information System									
Contact Information	Amman Adam Musa Khalifa, UNHCR		Email: khal	ifaa@unhcr.oi	rg					
UNHCR grate acknowledge: the following	s the support of	International Medical Corpo	SOSMO COLUMN SOCIETY	Unicef	WFP	JNFPA		Qusari cliric 4. Jadát éstjat	RESCUE	August and





















