

1. POPULATION

Population	0 to < 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,730	1,648	3,379	5,694	5,503	11,196	15,625	14,734	30,359	17,517	17,768	35,285	892	1,293	2,185	82,404
% by age group			4%			14%			37%			43%			3%	100%

2. MORTALITY

2.1 Mortality

Record ONE cause of mortality per case	< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F		M	F			M	F		M	F		M	F			
1 Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2 Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3 URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4 LRTI	0	0	0	0	0	0	0%	0	1	1	0	0	0	0	1	1	2	3%
5 Neonatal death	7	6	13	0	0	0	68%	0	0	0	0	0	0	0	0	0	13	21%
6 Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7 Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8 Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9 Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10 Meningitis (Non-meningococcal)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11 HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12 Acute malnutrition	0	0	0	1	0	1	5%	0	0	0	0	0	0	0	0	0	1	2%
13 Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14 Anaemia	0	0	0	0	0	0	0%	1	0	1	0	0	0	0	0	0	1	2%
15 Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16 Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17 Cancer	0	0	0	0	1	1	5%	0	0	0	0	0	0	4	0	4	5	8%
18 Cardiovascular disease (Non-IHD)	0	2	2	0	1	1	16%	0	0	0	0	1	1	4	5	9	13	21%
19 Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	1	0	1	1	0	1	2	3%
20 Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21 Diabetes	0	0	0	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	2%
22 Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
23 Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	1	1	1	2%
24 Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25 Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26 Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27 Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28 Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29 Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30 Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31 Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32 Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33 COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	2	2	2	2	3%
34 Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35 Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36 Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37 Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38 Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39 Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40 Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41 Salmonellosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42 Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43 Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44 Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45 Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47 Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48 Accidents	0	0	0	0	0	0	0%	0	1	1	1	0	1	0	0	0	2	3%
49 Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50 Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51 Other	0	1	1	0	0	0	5%	2	3	5	3	0	3	2	7	9	18	30%
Total	7	9	16	1	2	3	100%	3	5	8	5	2	7	11	16	27	61	100%
% by age group			26%			5%				13%			11%			44%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.2	0.3	0.2
Infant Mortality Rate (IMR) (/1000/month)	0.7	0.9	0.8
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			9.7

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

3. MORBIDITY

3.1 Staffing and service availability

Number of full-time clinicians	31.4
Average number of full days on which each health facility was functioning	5.0
Total number of outpatient consultations	162,660
Health facility utilisation rate	3.3
Consultations per clinician per day	40

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	54,985	79,331	134,316
Re-visit Consultations	14,768	13,576	28,344
TOTAL Consultations	69,753	92,907	162,660

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total < 5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 URTI	7,222	5,996	13,218	906.9	6,334	5,805	12,139	3,776	6,256	10,032	639	608	1,247	36,636	36%	444.6
2 ILI	495	458	953	65.4	575	578	1,153	393	736	1,129	304	363	667	3,902	4%	47.4
3 LRTI	828	689	1,517	104.1	512	579	1,091	401	461	862	275	244	519	3,989	4%	48.4
4 Watery diarrhoea	190	141	331	22.7	85	55	140	30	40	70	6	3	9	550	1%	6.7
5 Bloody diarrhoea	1	0	1	0.1	0	1	1	1	1	2	0	1	1	5	0%	0.1
6 Skin disease	900	835	1,735	119.0	859	2,097	2,956	721	1,421	2,142	243	391	634	7,467	7%	90.6
7 Eye disease	482	382	864	59.3	443	496	939	397	475	872	330	264	594	3,269	3%	39.7
8 Ear disease	461	566	1,027	70.5	502	522	1,024	407	548	955	150	108	258	3,264	3%	39.6
9 Dental conditions	309	735	1,044	71.6	1,117	1,329	2,446	1,498	2,023	3,521	282	232	514	7,525	7%	91.3
10 Intestinal worms	347	475	822	56.4	370	611	981	200	128	328	169	125	294	2,425	2%	29.4
11 Acute Jaundice Syndrome	1	1	2	0.1	1	2	3	10	1	11	0	0	0	16	0%	0.2
12 Urinary Tract Infection	206	385	591	40.5	450	1,435	1,885	1,156	4,112	5,268	300	225	525	8,269	8%	100.3
13 Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14 Measles (suspected)	21	9	30	2.1	6	5	11	0	0	0	0	0	0	41	0%	0.5
15 Meningitis (suspected)	4	2	6	0.4	0	1	1	0	0	0	0	0	0	7	0%	0.1
16 Acute malnutrition- Moderate	5	8	13	0.9	1	0	1	0	0	0	0	0	0	14	0%	0.2
17 Acute malnutrition- Severe	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
18 Anaemia	308	292	600	41.2	371	797	1,168	713	2,339	3,052	192	201	393	5,213	5%	63.3
19 Abortion	0	0	0	0.0	0	10	10	0	65	65	0	0	0	75	0%	0.9
20 HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21 Other	2,100	2,048	4,148	284.6	1,997	2,488	4,485	3,949	5,545	9,494	628	916	1,544	19,671	19%	238.7
Total	13,881	13,022	26,903	1845.8	13,623	16,811	30,434	13,652	24,151	37,803	3,518	3,681	7,199	102,339	100%	1241.9
% by age group			26%				30%			37%			7%	100%		

3.3 Notifiable diseases

Record NEW cases of disease only	0 to 4		Total < 5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 COVID-19 (suspected)	0	1	1	0.1	0	0	0	10	6	16	0	1	1	18	3%	0.2
2 COVID-19 (confirmed)	2	0	2	0.1	2	5	7	6	12	18	1	4	5	32	5%	0.4
3 Acute Flaccid Paralysis	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
4 Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5 Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6 Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7 Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8 Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9 Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10 Salmonellosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11 Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12 Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13 Varicella	52	48	100	6.9	244	197	441	87	8	95	0	0	0	636	93%	7.7
14 Whooping cough	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Total	54	49	103	7.1	247	202	449	103	26	129	1	5	6	687	100%	8.3
% by age group			15%				65%			19%			1%	100%		

3.4 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
1 Diabetes	3	7	10	165	293	458	2,264	3,191	5,455	1,093	1,831	2,924	8,847	21%	
2 Hypertension	2	4	6	7	1	8	2,375	3,653	6,028	1,301	2,215	3,516	9,558	23%	
3 Ischaemic heart disease	3	2	5	4	3	7	561	536	1,097	378	390	768	1,877	4%	
4 Cardiovascular disease (other)	38	24	62	13	13	26	776	1,119	1,895	465	652	1,117	3,100	7%	
5 Asthma	432	562	994	486	616	1,102	560	940	1,500	274	362	636	4,232	10%	
6 Chronic obstructive pulmonary disease	0	0	0	0	2	2	109	40	149	87	30	117	268	1%	
7 Thyroid disorders	220	4	224	296	424	720	363	1,409	1,772	282	358	640	3,356	8%	
8 Cancer	0	0	0	0	1	1	10	13	23	3	4	7	31	0%	
9 Liver disease	1	9	10	6	19	25	36	26	62	16	5	21	118	0%	
10 Musculoskeletal disorders	6	13	19	174	172	346	848	1,728	2,576	468	465	933	3,874	9%	
11 Other	70	66	136	91	136	227	1,816	2,501	4,317	918	1,412	2,330	7,010	17%	
Total	775	691	1,466	1,242	1,680	2,922	9,718	15,156	24,874	5,285	7,724	13,009	42,271	100%	
% by age group			3%			7%			59%			31%	100%		

3.5 Mental health

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
1 Epilepsy/Seizures	5	9	14	93	126	219	369	323	692	3	0	3	928	24%	
2 Alcohol/Substance abuse	0	1	1	39	31	70	51	16	67	0	0	0	138	4%	
3 Intellectual disability and development disorders	0	1	1	64	40	104	230	112	342	0	0	0	447	12%	
4 Psychosis (including bipolar disorder)	0	0	0	12	27	39	528	375	903	0	0	0	942	25%	
5 Moderate-severe emotional disorder	1	1	2	35	73	108	505	573	1,078	5	4	9	1,197	31%	
6 Medically unexplained somatic complaint	0	0	0	0	1	1	2	3	5	1	1	2	8	0%	
7 Dementia or delirium	0	0	0	6	3	9	5	7	12	0	1	1	22	1%	
8 Other psychological complaint	1	1	2	26	26	52	42	28	70	0	3	3	127	3%	
Total	7	13	20	275	327	602	1,732	1,437	3,169	9	9	18	3,809	100%	
% by age group			1%			16%			83%			0%	100%		

3.6 Injuries

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
1 Burns	55	47	102	233	116	349	31	56	87	2	5	7	545	10%	
2 Bites	5	2	7	31	4	35	18	6	24	1	5	6	72	1%	
3 Assault	1	2	3	8	2	10	1	3	4	1	0	1	18	0%	
4 Accidents	55	45	100	146	69	215	93	50	143	3	5	8	466	8%	
5 Self-harm	2	0	2	0	1	1	0	1	1	0	0	0	4	0%	
6 Suicidal attempt	0	0	0	0	3	3	0	1	1	0	0	0	4	0%	
7 Other	384	269	653	1,356	738	2,094	1,069	580	1,649	48	57	105	4,501	80%	
Total	502	365	867	1,774	933	2,707	1,212	697	1,909	55	72	127	5,610	100%	
% by age group			15%			48%			34%			2%	100%		

3.7 Reproductive Tract Infections

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1 Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2 Vaginal discharge syndrome	0	330	330	0	517	517	5	2,863	2,868	0	226	226	3,941	74%
3 Genital ulcer disease	0	0	0	0	233	233	0	0	0	0	0	0	233	4%
4 Pelvic inflammatory disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5 Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6 Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7 Other	230	211	441	1	292	293	1	391	392	0	2	2	1,128	21%
Total	230	541	771	1	1,042	1,043	6	3,254	3,260	0	228	228	5,302	100%
% by age group			14%			19%			58%			4%	100%	

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions	0	0	0	0	107	107	0	1,241	1,241	0	0	0	1,348
Number of exits	authorized	0	0	0	59	59	0	713	713	0	0	0	772
	unauthorized	0	0	0	0	0	0	2	2	0	0	0	2
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	52	52	0	535	535	0	0	587
Total exits	0	0	0	0	111	111	0	1,250	1,250	0	0	0	1,361
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	182
Number of beds	10
Sum number of days stay for authorised discharges	1216
Average length of stay (days)	1.6
Bed occupancy	87%
Hospitalisation rate (/1000/month)	2.7

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1 Paediatric medicine	0	0		0	0		0	0		0	0	0	0	
2 General Surgery	0	0		0	0		0	0		0	0	0	0	
3 Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4 Internal medicine	0	0		0	0		0	0		0	0	0	0	
5 Obstetrics	0	0		107	0		1,241	0		0	0	1,348	0	
6 Gynaecology	0	0		0	0		0	0		0	0	0	0	
7 COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
8 COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
9 Other	0	0		0	0		0	0		0	0	0	0	
Total	0	0		107	0		1,241	0		0	0	1,348	0	

Adm. = Admission; CFR = Case Fatality Rate

5. REFERRALS

5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	431	599	1,648	258	2,936
2 Jordan University Hospital	37	32	101	31	201
3 Private affiliated Hospital	439	407	2,065	534	3,445
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total No of referred cases out side the Camp	6,582
Referral Rate (/1000/month)	13.3

5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	702	335	0	0	1,037
2 Internal medicine	0	217	2,350	762	3,329
3 Obstetric	0	39	1,019	0	1,058
4 Gynaecological	0	8	27	0	35
5 Surgical	205	439	418	61	1,123
6 Other	0	0	0	0	0

6. LABORATORY

	Total
Number of laboratory tests conducted	124,301

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

	< 18	≥ 18	Total
1 First antenatal visit (during the first trimester)	409	1,448	1,857
2 First antenatal visit (after the first trimester)	398	964	1,362
3 Repeat antenatal visit	1,656	12,955	14,611
4 High risk pregnancies detected	10	543	553
5 Tested for anaemia	287	2,110	2,397
6 Tested positive for severe and moderate anaemia	43	441	484
7 Number tested for syphilis	0	1	1
8 Number tested positive for syphilis	0	0	0
9 Abortions	14	82	96

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	58%
--	-----

7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	107	1,237	1,344
	2 TT doses	107	1,237	1,344
	anaemia screening	104	1,237	1,341
	syphilis screening	0	0	0

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	100%
Coverage of anaemia screening in pregnancy	100%

7.3 Delivery care

	< 18	≥ 18	Total
1 Livebirths	107	1,237	1,344
2 Stillbirths	0	5	5
3 Low birth weight (< 2500g)	3	5	8
4 Attended by a skilled health worker	107	1,237	1,344
5 Obstetric complications	0	0	0
6 Caesarean sections	38	386	424

Delivery Indicators

Crude birth rate (/1000 population/ month)	2.7
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	32%
Proportion of obstetric complications treated among girls < 18	

7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	70	900	970

Postnatal Indicators

Coverage of complete postnatal care	72%
-------------------------------------	-----

7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	3	117	52	629	801
Combined pill (highdose)	87	717	117	1,042	1,963
Progesterone pill (Micro-val; Micro-lut)	49	314	22	185	570
Emergency contraceptive pill	0	0	0	0	0
Injectable (Depo-Provera)	0	174	0	188	362
Implantable (Norplant)	0	100	0	0	100
Intra-uterine device (IUD)	4	236	9	111	360
Condom (male)	103	428	211	992	1,734
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	0	3	131	935	1,069
Other	1	7	10	17	35

7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	1	0	0	1
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	1	0	0	1
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	1	0	0	1
No of female rape survivors given ECP within 120 hours		1		0	1
No of rape survivors given STI presumptive treatment within 2 weeks	0	1	0	0	1
No. cases of trauma in health centre due to domestic violence	0	0	0	1	1

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators

Incidence of reported rape (/10,000 population/year)	0.2
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

8. NUTRITION

8.1 Outpatient Therapeutic Program

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	3	5	0	0	0	0
2 Re-visits	1	1	0	0	0	0
3 Exits- Recovered (moved to TSFP)	9	5	0	0	0	0
4 Exits - None response	0	0	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to other OTP	0	0	0	0	0	1
7 Exits - Medical Referral	0	0	0	0	0	0
8 Exits- Death	1	1	0	2	0	0
9 Exits- Defaulter	0	0	0	0	0	0

8.2 Supplementary Feeding Program - U5

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	38	51	2	2	3	4
2 Re-visits	1	3	1	0	1	0
3 Exits- Recovered	49	62	6	2	2	0
4 Exits - None response	2	1	1	0	0	1
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to OTP	3	1	0	0	0	0
7 Exits - Moved to other TSFP	1	1	1	0	0	0
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	0	0	0	0	0
10 Exits- Defaulter	0	0	0	0	0	0

8.3 Supplementary Feeding Program - PLW

	< 18	≥ 18
1 New admissions	8	56
2 Re-visits	0	1
3 Exits- Recovered	0	47
4 Exits - None response	0	0
5 Exits - Moved to other TSFP	0	4
6 Exits - Medical Referral	0	0
7 Exits- Death	0	0
8 Exits- Defaulter	0	1

8.4 MUAC (Health Facility)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	833	887	415	356
2 Children screened - Yellow (borderline)	22	42	4	1
3 Children screened - Red (danger)	2	4	0	0
4 Children screened - Oedema	0	0	0	0

8.5 GMP (Community)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	5,025	4,921	6,700	6,486
2 Children screened - Yellow (borderline)	16	26	2	2
3 Children screened - Red (danger)	2	1	0	0
4 Children screened - Oedema	0	0	0	0

Data Source | Health Information System

Contact Information

Za'atari

Muhammad Fawad, UNHCR
Iyad Shtayiat, UNHCR

Email: fawad@unhcr.org
Email: shtayiat@unhcr.org

Amman

Adam Musa Khalifa, UNHCR

Email: khalifaa@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

