

1. POPULATION

| Population | < 1 | | Total < 1 | 1 to 4 | | Total 1 to 4 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total |
|--------------------|-------|-------|-----------|--------|-------|--------------|---------|--------|---------------|----------|--------|----------------|------|-------|------------|-------------|
| | M | F | | M | F | | M | F | | M | F | | M | F | | |
| Refugee population | 1,750 | 1,667 | 3,416 | 5,655 | 5,422 | 11,078 | 15,868 | 15,035 | 30,903 | 17,545 | 18,148 | 35,693 | 917 | 1,320 | 2,237 | 83,327 |
| % by age group | | | 4% | | | 13% | | | 37% | | | 43% | | | 3% | 100% |

2. MORTALITY

2.1 Mortality

| Record ONE cause of mortality per case | < 1 | | Total < 1 | 1 to 4 | | Total 1 to 4 | U5 % mort | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | Crude % mort |
|---|----------|----------|-----------|----------|----------|--------------|-------------|----------|----------|---------------|----------|----------|----------------|----------|----------|------------|-------------|--------------|
| | M | F | | M | F | | | M | F | | M | F | | M | F | | | |
| 1 Malaria (suspected) | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 2 Malaria (confirmed) | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 3 URTI | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 4 LRTI | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 5 Neonatal death | 4 | 5 | 9 | 0 | 0 | 0 | 82% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 24% |
| 6 Sexually transmitted infections | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 7 Watery diarrhoea | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 8 Bloody diarrhoea | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 9 Tuberculosis | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 10 Meningitis (Non-meningococcal) | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 11 HIV/AIDS | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 12 Acute malnutrition | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 13 Chronic malnutrition | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 14 Anaemia | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 15 Acute Jaundice Syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 16 Asthma | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 17 Cancer | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 2 | 3 | 8% |
| 18 Cardiovascular disease (Non-IHD) | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 19 Ischaemic heart disease | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 0 | 1 | 3 | 8% |
| 20 Chronic obstructive pulmonary disease (non-asthma) | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 21 Diabetes | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 22 Hypertension | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 23 Liver disease | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 24 Musculoskeletal disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 25 Mental health | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 26 Maternal Death - Hemorrhage | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 27 Maternal Death - Hypertensive disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 28 Maternal Death - Infections | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 29 Maternal Death - Abortions | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 30 Maternal Death - Embolism | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 31 Maternal Death - Other direct causes | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 32 Maternal Death - Indirect causes | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 33 COVID-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 34 Acute Flaccid Paralysis | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 35 Cholera | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 36 Yellow Fever | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 37 Viral Hemorrhagic Fever | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 38 Plague | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 39 Measles | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 40 Meningococcal Meningitis | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 41 Salmonellosis | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 42 Shigella | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 43 Tetanus | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 44 Varicella | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 45 Whooping cough | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 46 Monkeypox | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 46 Assault | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 47 Bites | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 48 Accidents | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 1 | 0 | 1 | 3 | 6 | 9 | 0 | 0 | 0 | 10 | 26% |
| 49 Self-harm | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 50 Suicidal attempt | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 51 Other | 0 | 0 | 0 | 1 | 1 | 2 | 18% | 2 | 0 | 2 | 3 | 1 | 4 | 2 | 3 | 5 | 13 | 34% |
| Total | 4 | 5 | 9 | 1 | 1 | 2 | 100% | 3 | 0 | 3 | 8 | 8 | 16 | 4 | 4 | 8 | 38 | 100% |
| % by age group | | | 24% | | | 5% | | | | 8% | | | 42% | | | 21% | 100% | |

| Mortality indicators | Male | Female | Total |
|---|------|--------|-------|
| Crude Mortality Rate (CMR) (/1000/month) | 0.2 | 0.1 | 0.2 |
| Under 5 Mortality Rate (U5MR) (/1000/month) | 0.2 | 0.3 | 0.3 |
| Infant Mortality Rate (IMR) (/1000/month) | 0.8 | 1.0 | 0.9 |
| Neonatal Mortality Rate (NNMR) (/1000 livebirths) | | | 15.6 |

2.2 Maternal death

| | |
|--|---|
| Number of maternal deaths reported | 0 |
| Number of maternal deaths investigated | 0 |
| Proportion of maternal deaths investigated | |

3. MORBIDITY

3.1 Staffing and service availability

| | |
|---|--------|
| Number of full-time clinicians | 27.8 |
| Average number of full days on which each health facility was functioning | 4.9 |
| Total number of outpatient consultations | 73,010 |
| Health facility utilisation rate | 2.6 |
| Consultations per clinician per day | 41 |

| OUTPATIENT CONSULTATIONS | Male | Female | TOTAL |
|--------------------------|--------|--------|--------|
| New Consultations | 22,457 | 32,562 | 55,019 |
| Re-visit Consultations | 6,809 | 11,182 | 17,991 |
| TOTAL Consultations | 29,266 | 43,744 | 73,010 |

3.2 Acute health conditions

| Record NEW cases of disease only | 0 to 4 | | Total < 5 | U5 Incid | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause | Crude Incide |
|----------------------------------|--------------|--------------|---------------|--------------|--------------|--------------|---------------|--------------|--------------|----------------|--------------|--------------|--------------|---------------|-------------|--------------|
| | M | F | | | M | F | | M | F | | M | F | | | | |
| 1 URTI | 2,261 | 1,905 | 4,166 | 287.4 | 2,130 | 1,933 | 4,063 | 1,223 | 2,481 | 3,704 | 252 | 338 | 590 | 12,523 | 32% | 150.3 |
| 2 ILI | 226 | 203 | 429 | 29.6 | 144 | 202 | 346 | 130 | 270 | 400 | 123 | 147 | 270 | 1,445 | 4% | 17.3 |
| 3 LRTI | 310 | 342 | 652 | 45.0 | 217 | 277 | 494 | 214 | 296 | 510 | 123 | 174 | 297 | 1,953 | 5% | 23.4 |
| 4 Watery diarrhoea | 77 | 66 | 143 | 9.9 | 42 | 34 | 76 | 24 | 39 | 63 | 4 | 3 | 7 | 289 | 1% | 3.5 |
| 5 Bloody diarrhoea | 1 | 1 | 2 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0% | 0.0 |
| 6 Skin disease | 272 | 285 | 557 | 38.4 | 286 | 653 | 939 | 272 | 507 | 779 | 119 | 178 | 297 | 2,572 | 7% | 30.9 |
| 7 Eye disease | 201 | 145 | 346 | 23.9 | 161 | 135 | 296 | 95 | 146 | 241 | 84 | 67 | 151 | 1,034 | 3% | 12.4 |
| 8 Ear disease | 178 | 216 | 394 | 27.2 | 151 | 170 | 321 | 89 | 204 | 293 | 67 | 61 | 128 | 1,136 | 3% | 13.6 |
| 9 Dental conditions | 150 | 300 | 450 | 31.0 | 420 | 564 | 984 | 509 | 887 | 1,396 | 111 | 118 | 229 | 3,059 | 8% | 36.7 |
| 10 Intestinal worms | 193 | 215 | 408 | 28.1 | 176 | 148 | 324 | 58 | 74 | 132 | 34 | 44 | 78 | 942 | 2% | 11.3 |
| 11 Acute Jaundice Syndrome | 1 | 0 | 1 | 0.1 | 0 | 0 | 0 | 13 | 0 | 13 | 0 | 0 | 0 | 14 | 0% | 0.2 |
| 12 Urinary Tract Infection | 85 | 165 | 250 | 17.2 | 131 | 562 | 693 | 252 | 1,429 | 1,681 | 121 | 107 | 228 | 2,852 | 7% | 34.2 |
| 13 Tuberculosis (suspected) | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 14 Measles (suspected) | 2 | 1 | 3 | 0.2 | 3 | 2 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0% | 0.1 |
| 15 Meningitis (suspected) | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 16 Acute malnutrition- Moderate | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 17 Acute malnutrition- Severe | 0 | 1 | 1 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | 0.0 |
| 18 Anaemia | 162 | 181 | 343 | 23.7 | 95 | 215 | 310 | 89 | 728 | 817 | 28 | 79 | 107 | 1,577 | 4% | 18.9 |
| 19 Abortion | 0 | 0 | 0 | 0.0 | 0 | 1 | 1 | 0 | 26 | 26 | 0 | 0 | 0 | 27 | 0% | 0.3 |
| 20 HIV/AIDS | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 21 Other | 1,194 | 963 | 2,157 | 148.8 | 914 | 1,164 | 2,078 | 1,498 | 2,803 | 4,301 | 286 | 442 | 728 | 9,264 | 24% | 111.2 |
| Total | 5,313 | 4,989 | 10,302 | 710.8 | 4,870 | 6,060 | 10,930 | 4,466 | 9,890 | 14,356 | 1,352 | 1,758 | 3,110 | 38,698 | 100% | 464.4 |
| % by age group | | | 27% | | | | 28% | | | 37% | | | 8% | 100% | | |

3.3 Notifiable diseases

| Record NEW cases of disease only | 0 to 4 | | Total < 5 | U5 Incid | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause | Crude Incide |
|----------------------------------|-----------|-----------|-----------|------------|------------|-----------|---------------|-----------|----------|----------------|----------|----------|------------|-------------|-------------|--------------|
| | M | F | | | M | F | | M | F | | M | F | | | | |
| 1 COVID-19 (suspected) | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 2 | 1% | 0.0 |
| 2 COVID-19 (confirmed) | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 3 Acute Flaccid Paralysis | 0 | 0 | 0 | 0.0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | 0.0 |
| 4 Cholera | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 5 Yellow Fever | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 6 Viral Hemorrhagic Fever | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 7 Plague | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 8 Measles | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 9 Meningococcal Meningitis | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 10 Salmonellosis | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 11 Shigella | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 12 Tetanus | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 13 Varicella | 16 | 15 | 31 | 2.1 | 107 | 63 | 170 | 31 | 0 | 31 | 0 | 0 | 0 | 232 | 99% | 2.8 |
| 14 Whooping cough | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| Monkeypox | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| Total | 16 | 15 | 31 | 2.1 | 108 | 63 | 171 | 31 | 2 | 33 | 0 | 0 | 0 | 235 | 100% | 2.8 |
| % by age group | | | 13% | | | | 73% | | | 14% | | | 0% | 100% | | |

3.4 Chronic health conditions

| Record NEW and REVISITS | 0 to 4 | | Total < 5 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause |
|---|------------|------------|------------|------------|------------|---------------|--------------|--------------|----------------|--------------|--------------|--------------|---------------|-------------|
| | M | F | | M | F | | M | F | | M | F | | | |
| 1 Diabetes | 0 | 0 | 0 | 7 | 19 | 26 | 660 | 1,037 | 1,697 | 416 | 743 | 1,159 | 2,882 | 19% |
| 2 Hypertension | 0 | 0 | 0 | 0 | 1 | 1 | 905 | 1,473 | 2,378 | 553 | 965 | 1,518 | 3,897 | 26% |
| 3 Ischaemic heart disease | 0 | 0 | 0 | 1 | 0 | 1 | 179 | 167 | 346 | 103 | 126 | 229 | 576 | 4% |
| 4 Cardiovascular disease (other) | 2 | 3 | 5 | 6 | 7 | 13 | 224 | 379 | 603 | 114 | 127 | 241 | 862 | 6% |
| 5 Asthma | 147 | 186 | 333 | 141 | 212 | 353 | 164 | 404 | 568 | 86 | 156 | 242 | 1,496 | 10% |
| 6 Chronic obstructive pulmonary disease | 0 | 0 | 0 | 0 | 0 | 0 | 51 | 7 | 58 | 43 | 10 | 53 | 111 | 1% |
| 7 Thyroid disorders | 103 | 9 | 112 | 91 | 207 | 298 | 95 | 525 | 620 | 73 | 136 | 209 | 1,239 | 8% |
| 8 Cancer | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 11 | 21 | 2 | 0 | 2 | 23 | 0% |
| 9 Liver disease | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0% |
| 10 Musculoskeletal disorders | 14 | 11 | 25 | 44 | 25 | 69 | 239 | 531 | 770 | 177 | 165 | 342 | 1,206 | 8% |
| 11 Other | 35 | 42 | 77 | 44 | 43 | 87 | 580 | 1,060 | 1,640 | 342 | 511 | 853 | 2,657 | 18% |
| Total | 301 | 251 | 552 | 334 | 514 | 848 | 3,108 | 5,594 | 8,702 | 1,909 | 2,939 | 4,848 | 14,950 | 100% |
| % by age group | | | 4% | | | 6% | | | 58% | | | 32% | 100% | |

3.5 Mental health

| Record NEW and REVISITS | 0 to 4 | | Total < 5 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause |
|---|----------|----------|-----------|------------|------------|---------------|------------|------------|----------------|-----------|-----------|------------|--------------|-------------|
| | M | F | | M | F | | M | F | | M | F | | | |
| 1 Epilepsy/Seizures | 5 | 5 | 10 | 37 | 51 | 88 | 262 | 178 | 440 | 2 | 3 | 5 | 543 | 27% |
| 2 Alcohol/Substance abuse | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 3 Intellectual disability and development disorders | 1 | 0 | 1 | 61 | 64 | 125 | 69 | 25 | 94 | 0 | 0 | 0 | 220 | 11% |
| 4 Psychosis (including bipolar disorder) | 0 | 0 | 0 | 11 | 2 | 13 | 263 | 133 | 396 | 6 | 2 | 8 | 417 | 21% |
| 5 Moderate-severe emotional disorder | 0 | 1 | 1 | 3 | 27 | 30 | 333 | 388 | 721 | 5 | 6 | 11 | 763 | 38% |
| 6 Medically unexplained somatic complaint | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 1 | 1 | 3 | 0% |
| 7 Dementia or delirium | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 7 | 9 | 0 | 2 | 2 | 12 | 1% |
| 8 Other psychological complaint | 1 | 0 | 1 | 11 | 31 | 42 | 12 | 15 | 27 | 0 | 0 | 0 | 70 | 3% |
| Total | 7 | 6 | 13 | 123 | 176 | 299 | 941 | 748 | 1,689 | 13 | 14 | 27 | 2,028 | 100% |
| % by age group | | | 1% | | | 15% | | | 83% | | | 1% | 100% | |

3.6 Injuries

| Record NEW and REVISITS | 0 to 4 | | Total < 5 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause |
|-------------------------|------------|------------|------------|------------|------------|---------------|------------|------------|----------------|-----------|-----------|------------|--------------|-------------|
| | M | F | | M | F | | M | F | | M | F | | | |
| 1 Burns | 17 | 17 | 34 | 97 | 8 | 105 | 7 | 41 | 48 | 0 | 0 | 0 | 187 | 7% |
| 2 Bites | 3 | 0 | 3 | 28 | 5 | 33 | 19 | 2 | 21 | 0 | 0 | 0 | 57 | 2% |
| 3 Assault | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% |
| 4 Accidents | 154 | 146 | 300 | 510 | 321 | 831 | 265 | 170 | 435 | 17 | 20 | 37 | 1,603 | 62% |
| 5 Self-harm | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 0% |
| 6 Suicidal attempt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0% |
| 7 Other | 31 | 39 | 70 | 163 | 206 | 369 | 141 | 115 | 256 | 15 | 19 | 34 | 729 | 28% |
| Total | 205 | 202 | 407 | 799 | 541 | 1,340 | 433 | 329 | 762 | 32 | 39 | 71 | 2,580 | 100% |
| % by age group | | | 16% | | | 52% | | | 30% | | | 3% | 100% | |

3.7 Reproductive Tract Infections

| | 0 to 4 | | Total < 5 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause |
|-------------------------------|-----------|------------|------------|----------|------------|---------------|----------|--------------|----------------|----------|------------|------------|--------------|-------------|
| | M | F | | M | F | | M | F | | M | F | | | |
| 1 Urethral discharge syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 2 Vaginal discharge syndrome | 0 | 177 | 177 | 0 | 266 | 266 | 0 | 1,271 | 1,271 | 0 | 146 | 146 | 1,860 | 76% |
| 3 Genital ulcer disease | 0 | 0 | 0 | 0 | 68 | 68 | 0 | 0 | 0 | 0 | 0 | 0 | 68 | 3% |
| 4 Pelvic inflammatory disease | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 5 Congenital syphilis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 6 Ophthalmia Neonatorum | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 7 Other | 71 | 102 | 173 | 0 | 134 | 134 | 0 | 205 | 205 | 0 | 0 | 0 | 512 | 21% |
| Total | 71 | 279 | 350 | 0 | 468 | 468 | 0 | 1,476 | 1,476 | 0 | 146 | 146 | 2,440 | 100% |
| % by age group | | | 14% | | | 18% | | | 57% | | | | 6% | 100% |

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

| | 0 to 4 | | Total < 5 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total |
|---|--------------|----------|-----------|----------|-----------|---------------|----------|------------|----------------|----------|----------|------------|-------------|
| | M | F | | M | F | | M | F | | M | F | | |
| Number at beginning of reporting period | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total admissions | 0 | 0 | 0 | 0 | 47 | 47 | 0 | 491 | 491 | 0 | 0 | 0 | 538 |
| Number of exits | authorized | 0 | 0 | 0 | 22 | 22 | 0 | 321 | 321 | 0 | 0 | 0 | 343 |
| | unauthorized | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 |
| | death | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | referral | 0 | 0 | 0 | 0 | 29 | 29 | 0 | 251 | 251 | 0 | 0 | 280 |
| Total exits | 0 | 0 | 0 | 0 | 51 | 51 | 0 | 573 | 573 | 0 | 0 | 0 | 624 |
| Deaths within 24 hours | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|-----|
| Number of days in reporting period | 91 |
| Number of beds | 10 |
| Sum number of days stay for authorised discharges | 600 |
| Average length of stay (days) | 1.0 |
| Bed occupancy | 57% |
| Hospitalisation rate (/1000/month) | 2.2 |

4.2 In-patient Admissions and Deaths

| | 0 to 4 | | U5 CFR | 5 to 17 | | 5-17 CFR | 18 to 59 | | 18-59 CFR | ≥ 60 | | Total adm | Total deaths | Crude CFR |
|------------------------|----------|----------|--------|-----------|----------|----------|------------|----------|-----------|----------|----------|------------|--------------|-----------|
| | Adm | Deaths | | Adm | Deaths | | Adm | Deaths | | Adm | Deaths | | | |
| 1 Paediatric medicine | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| 2 General Surgery | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| 3 Internal medicine | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| 4 Obstetrics | 0 | 0 | | 49 | 0 | | 531 | 0 | | 0 | 0 | 580 | 0 | |
| 5 Gynaecology | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| 6 COVID-19 (suspected) | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| 7 COVID-19 (confirmed) | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| 8 Other | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| Total | 0 | 0 | | 49 | 0 | | 531 | 0 | | 0 | 0 | 580 | 0 | |

Adm. = Admission; CFR = Case Fatality Rate

5. REFERRALS

5.1 Referrals by location

| | 0 to 4 | 5 to 17 | 18 to 59 | ≥ 60 | Grand total |
|-------------------------------|--------|---------|----------|------|-------------|
| 1 MOH Hospital | 293 | 370 | 831 | 91 | 1,585 |
| 2 Jordan University Hospital | 21 | 5 | 20 | 1 | 47 |
| 3 Private affiliated Hospital | 111 | 106 | 605 | 280 | 1,102 |
| 4 Royal Medical Services | 0 | 0 | 0 | 0 | 0 |
| 5 Other | 0 | 0 | 0 | 0 | 0 |

| | |
|--|-------|
| Total No of referred cases out side the Camp | 2,734 |
| Referral Rate (/1000/month) | 10.9 |

5.2 Referrals by service

| | 0 to 4 | 5 to 17 | 18 to 59 | ≥ 60 | Grand total |
|---------------------|--------|---------|----------|------|-------------|
| 1 Paediatrics | 302 | 146 | 0 | 0 | 448 |
| 2 Internal medicine | 0 | 45 | 706 | 345 | 1,096 |
| 3 Obstetric | 0 | 24 | 584 | 0 | 608 |
| 4 Gynaecological | 0 | 1 | 16 | 0 | 17 |
| 5 Surgical | 123 | 265 | 150 | 27 | 565 |
| 6 Other | 0 | 0 | 0 | 0 | 0 |

6. LABORATORY

| | Total |
|--------------------------------------|--------|
| Number of laboratory tests conducted | 48,162 |

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

| | < 18 | ≥ 18 | Total |
|--|------|-------|-------|
| 1 First antenatal visit (during the first trimester) | 181 | 679 | 860 |
| 2 First antenatal visit (after the first trimester) | 176 | 382 | 558 |
| 3 Repeat antenatal visit | 747 | 5,034 | 5,781 |
| 4 High risk pregnancies detected | 12 | 837 | 849 |
| 5 Tested for anaemia | 177 | 1,259 | 1,436 |
| 6 Tested positive for severe and moderate anaemia | 14 | 186 | 200 |
| 7 Number tested for syphilis | 0 | 0 | 0 |
| 8 Number tested positive for syphilis | 0 | 0 | 0 |
| 9 Abortions | 3 | 39 | 42 |

ANC Indicators

| | |
|--|-----|
| Proportion of first time antenatal visits made < 1st trimester | 61% |
|--|-----|

7.2 Antenatal care in facility

| | | | | |
|--|--------------------|----|-----|-----|
| Number of pregnant women at time of delivery who received: | ≥ 4 ANC visits | 49 | 526 | 575 |
| | 2 TT doses | 49 | 526 | 575 |
| | anaemia screening | 49 | 526 | 575 |
| | syphilis screening | 0 | 0 | 0 |

| | |
|--|------|
| Coverage of complete antenatal care | 100% |
| Coverage of antenatal tetanus immunisation | 100% |
| Coverage of anaemia screening in pregnancy | 100% |

7.3 Delivery care

| | Health Facility | | Home Delivery | | TOTAL |
|---------------------------------------|-----------------|------|---------------|------|-------|
| | < 18 | ≥ 18 | < 18 | ≥ 18 | |
| 1 Livebirths | 49 | 525 | 0 | 2 | 576 |
| 2 Stillbirths | 0 | 6 | 0 | 0 | 6 |
| 3 Low birth weight (< 2500g) | 0 | 12 | 0 | 0 | 12 |
| 4 Attended by a skilled health worker | 49 | 525 | 0 | 0 | 574 |
| 5 Obstetric complications | 0 | 0 | 0 | 0 | 0 |
| 6 Caesarean sections | 16 | 205 | 0 | 0 | 221 |

Delivery Indicators

| | |
|--|-------|
| Crude birth rate (/1000 population/ month) | 2.3 |
| Proportion of births attended by skilled health worker (excl. TBA) | 99.7% |
| Proportion of low birth weight deliveries | 2% |
| Proportion of all births performed by caesarean section | 38% |
| Proportion of obstetric complications treated among girls < 18 | |

7.4 Postnatal care

| | < 18 | ≥ 18 | Total |
|--|------|------|-------|
| At least three PNC visits within 6 weeks | 42 | 383 | 425 |

Postnatal Indicators

| | |
|-------------------------------------|-----|
| Coverage of complete postnatal care | 74% |
|-------------------------------------|-----|

7.5 Family planning

| | New | | Repeat | | Total |
|--|------|------|--------|------|-------|
| | < 18 | ≥ 18 | < 18 | ≥ 18 | |
| Combined pill (low dose) | 2 | 68 | 5 | 298 | 373 |
| Combined pill (highdose) | 1 | 182 | 13 | 922 | 1,118 |
| Progesterone pill (Micro-val; Micro-lut) | 6 | 198 | 2 | 136 | 342 |
| Emergency contraceptive pill | 0 | 0 | 0 | 0 | 0 |
| Injectable (Depo-Provera) | 0 | 68 | 1 | 82 | 151 |
| Implantable (Norplant) | 0 | 35 | 0 | 0 | 35 |
| Intra-uterine device (IUD) | 0 | 127 | 0 | 37 | 164 |
| Condom (male) | 2 | 185 | 6 | 405 | 598 |
| Condom (female) | 0 | 0 | 0 | 0 | 0 |
| Sterilisation (male) | 0 | 0 | 0 | 0 | 0 |
| Sterilisation (female) | 0 | 0 | 0 | 0 | 0 |
| Counseling (only) | 0 | 0 | 0 | 1 | 1 |
| Other | 0 | 0 | 0 | 0 | 0 |

7.6 Sexual and gender-based violence

| | < 18 | | ≥ 18 | | Total |
|---|------|---|------|---|-------|
| | M | F | M | F | |
| Total no rape survivors seen | 0 | 0 | 0 | 0 | 0 |
| No. of rape survivors examined within 72 hours | 0 | 0 | 0 | 0 | 0 |
| No. of rape survivors examined within 72 -120 hours | 0 | 0 | 0 | 0 | 0 |
| No. of rape survivors examined within 120 hrs - 2 weeks | 0 | 0 | 0 | 0 | 0 |
| No. of rape survivors examined after 2 weeks | 0 | 0 | 0 | 0 | 0 |
| No of rape survivors given PEP within 72 hours | 0 | 0 | 0 | 0 | 0 |
| No of female rape survivors given ECP within 120 hours | | 0 | | 0 | 0 |
| No of rape survivors given STI presumptive treatment within 2 weeks | 0 | 0 | 0 | 0 | 0 |
| No. cases of trauma in health centre due to domestic violence | 0 | 0 | 0 | 1 | 1 |

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators

| | |
|--|-----|
| Incidence of reported rape (/10,000 population/year) | 0.0 |
| Proportion of rape survivors who receive PEP < 72 hrs | |
| Proportion of female rape survivors who receive ECP < 120 hrs | |
| Proportion of rape survivors who receive STI presumptive treatment < 2 wks | |

8. NUTRITION

8.1 Outpatient Therapeutic Program

| | 6 to 23 months | | 24 to 59 months | | ≥ 60 months | |
|--|----------------|---|-----------------|---|-------------|---|
| | M | F | M | F | M | F |
| 1 New admissions | 3 | 4 | 0 | 0 | 0 | 0 |
| 2 Re-visits | 1 | 2 | 0 | 0 | 0 | 0 |
| 3 Exits- Recovered (moved to TSFP) | 0 | 1 | 0 | 0 | 0 | 0 |
| 4 Exits - None response | 1 | 0 | 0 | 0 | 0 | 0 |
| 5 Exits - Moved to SC | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 Exits - Moved to other OTP | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 Exits - Medical Referral | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 Exits- Death | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 Exits- Defaulter | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 Sum number of days stay for discharged children (< 5) | | | | | 214 | |
| 12 Sum average weight gain for discharged children (< 5) | | | | | 5 | |

8.2 Supplementary Feeding Program - U5

| | 6 to 23 months | | 24 to 59 months | | ≥ 60 months | |
|--|----------------|----|-----------------|---|-------------|---|
| | M | F | M | F | M | F |
| 1 New admissions | 9 | 22 | 1 | 2 | 0 | 2 |
| 2 Re-visits | 3 | 1 | 1 | 0 | 1 | 0 |
| 3 Exits- Recovered | 11 | 12 | 2 | 2 | 1 | 2 |
| 4 Exits - None response | 3 | 0 | 0 | 0 | 0 | 0 |
| 5 Exits - Moved to SC | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 Exits - Moved to OTP | 0 | 3 | 0 | 0 | 0 | 0 |
| 7 Exits - Moved to other TSFP | 1 | 0 | 0 | 0 | 0 | 0 |
| 8 Exits - Medical Referral | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 Exits- Death | 1 | 0 | 0 | 0 | 0 | 0 |
| 10 Exits- Defaulter | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 Sum number of days stay for discharged children (< 5) | | | | | 2,190 | |
| 12 Sum average weight gain for discharged children (< 5) | | | | | 23 | |

8.3 Supplementary Feeding Program - PLW

| | < 18 | ≥ 18 |
|-------------------------------|------|------|
| 1 New admissions | 6 | 21 |
| 2 Re-visits | 2 | 5 |
| 3 Exits- Recovered | 2 | 10 |
| 4 Exits - None response | 0 | 1 |
| 5 Exits - Moved to other TSFP | 0 | 0 |
| 6 Exits - Medical Referral | 0 | 0 |
| 7 Exits- Death | 0 | 0 |
| 8 Exits- Defaulter | 0 | 0 |

8.4 MUAC (Health Facility)

| | 6 to 23 months | | 24 to 59 months | |
|---|----------------|-----|-----------------|-----|
| | M | F | M | F |
| 1 Children screened - Green (normal) | 524 | 637 | 238 | 192 |
| 2 Children screened - Yellow (borderline) | 10 | 19 | 0 | 0 |
| 3 Children screened - Red (danger) | 4 | 5 | 0 | 0 |
| 4 Children screened - Oedema | 0 | 0 | 0 | 0 |

8.5 GMP (Community)

| | 6 to 23 months | | 24 to 59 months | |
|---|----------------|-------|-----------------|-------|
| | M | F | M | F |
| 1 Children screened - Green (normal) | 2,581 | 2,550 | 1,710 | 1,783 |
| 2 Children screened - Yellow (borderline) | 3 | 11 | 0 | 0 |
| 3 Children screened - Red (danger) | 0 | 0 | 0 | 0 |
| 4 Children screened - Oedema | 0 | 0 | 0 | 0 |

Data Source | Health Information System

Publication date: | 31/08/2023

Contact Information | **Za'atari**
Muhammad Fawad, UNHCR Email: fawad@unhcr.org
Iyad Shtayiat, UNHCR Email: shtayiat@unhcr.org

Amman
Adam Musa Khalifa, UNHCR Email: khalifaa@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

