

1. POPULATION

| Population | < 1 | | Total < 1 | 1 to 4 | | Total 1 to 4 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total |
|--------------------|-----|-----|-----------|--------|-------|--------------|---------|-------|---------------|----------|-------|----------------|------|-----|------------|-------------|
| | M | F | | M | F | | M | F | | M | F | | | | | |
| Refugee population | 737 | 696 | 1,434 | 2,816 | 2,917 | 5,733 | 8,674 | 8,232 | 16,906 | 8,010 | 8,102 | 16,112 | 320 | 464 | 784 | 40,968 |
| % by age group | | | 4% | | | 14% | | | 41% | | | 39% | | | 2% | 100% |

2. MORTALITY

2.1 Mortality

| Record ONE cause of mortality per case | < 1 | | Total < 1 | 1 to 4 | | Total 1 to 4 | US % mort | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | Crude % mort |
|---|-----|---|-----------|--------|---|--------------|-----------|---------|----|---------------|----------|-----|----------------|------|-----|------------|-------------|--------------|
| | M | F | | M | F | | | M | F | | M | F | | | | | | |
| 1 Malaria (suspected) | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 2 Malaria (confirmed) | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 3 URTI | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 4 LRTI | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 5 Neonatal death | 0 | 3 | 3 | 0 | 0 | 0 | 75% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 38% |
| 6 Sexually transmitted infections | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 7 Watery diarrhoea | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 8 Bloody diarrhoea | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 9 Tuberculosis | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 10 Meningitis (Non-meningococcal) | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 11 HIV/AIDS | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 12 Acute malnutrition | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 13 Chronic malnutrition | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 14 Anaemia | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 15 Acute Jaundice Syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 16 Asthma | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 17 Cancer | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 18 Cardiovascular disease (Non-IHD) | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 2 | 3 | 38% |
| 19 Ischaemic heart disease | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 20 Chronic obstructive pulmonary disease (non-asthma) | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 21 Diabetes | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 22 Hypertension | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 23 Liver disease | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 24 Musculoskeletal disorders | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 25 Mental health | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 26 Maternal Death - Hemorrhage | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 27 Maternal Death - Hypertensive disorder | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 28 Maternal Death - Infections | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 29 Maternal Death - Abortions | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 30 Maternal Death - Embolism | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 31 Maternal Death - Other direct causes | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 32 Maternal Death - Indirect causes | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 33 COVID-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 34 Acute Flaccid Paralysis | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 35 Cholera | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 36 Yellow Fever | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 37 Viral Hemorrhagic Fever | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 38 Plague | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 39 Measles | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 40 Meningococcal Meningitis | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 41 Salmonellosis | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 42 Shigella | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 43 Tetanus | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 44 Varicella | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 45 Whooping cough | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 46 Monkeypox | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 47 Assault | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 48 Bites | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 49 Accidents | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 50 Self-harm | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 51 Suicidal attempt | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 52 Other | 0 | 0 | 0 | 1 | 0 | 1 | 25% | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 2 | 25% |
| Total | 0 | 3 | 3 | 1 | 0 | 1 | 100% | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 2 | 2 | 8 | 100% |
| % by age group | | | 38% | | | 13% | | | 0% | | | 25% | | | 25% | | 100% | |

| Mortality indicators | Male | Female | Total |
|---|------|--------|-------|
| Crude Mortality Rate (CMR) (/1000/month) | 0.0 | 0.1 | 0.1 |
| Under 5 Mortality Rate (U5MR) (/1000/month) | 0.1 | 0.3 | 0.2 |
| Infant Mortality Rate (IMR) (/1000/month) | 0.0 | 1.4 | 0.7 |
| Neonatal Mortality Rate (NNMR) (/1000 livebirths) | | | 12.1 |

2.2 Maternal death

| | |
|--|---|
| Number of maternal deaths reported | 0 |
| Number of maternal deaths investigated | |
| Proportion of maternal deaths investigated | |

3. MORBIDITY

3.1 Staffing and service availability

| | |
|---|--------|
| Number of full-time clinicians | 23.3 |
| Average number of full days on which each health facility was functioning | 5.4 |
| Total number of outpatient consultations | 62,744 |
| Health facility utilisation rate | 4.6 |
| Consultations per clinician per day | 38 |

| OUTPATIENT CONSULTATIONS | Male | Female | TOTAL |
|--------------------------|--------|--------|--------|
| New Consultations | 20,358 | 26,393 | 46,751 |
| Re-visit Consultations | 6,479 | 9,514 | 15,993 |
| TOTAL Consultations | 26,837 | 35,907 | 62,744 |

3.2 Acute health conditions

| Record NEW cases of disease only | 0 to 4 | | Total <5 | US Incid | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause | Crude Incide |
|----------------------------------|--------------|--------------|--------------|---------------|--------------|--------------|---------------|--------------|---------------|----------------|------------|------------|--------------|---------------|-------------|---------------|
| | M | F | | | M | F | | M | F | | M | F | | | | |
| 1 URTI | 2,031 | 1,721 | 3,752 | 523.5 | 2,208 | 2,097 | 4,305 | 1,811 | 2,289 | 4,100 | 73 | 110 | 183 | 12,340 | 28% | 301.2 |
| 2 ILI | 163 | 154 | 317 | 44.2 | 41 | 60 | 101 | 41 | 87 | 128 | 1 | 2 | 3 | 549 | 1% | 13.4 |
| 3 LRTI | 177 | 134 | 311 | 43.4 | 84 | 80 | 164 | 75 | 85 | 160 | 4 | 15 | 19 | 654 | 1% | 16.0 |
| 4 Watery diarrhoea | 468 | 384 | 852 | 118.9 | 184 | 173 | 357 | 47 | 73 | 120 | 3 | 11 | 14 | 1,343 | 3% | 32.8 |
| 5 Bloody diarrhoea | 3 | 0 | 3 | 0.4 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 5 | 0% | 0.1 |
| 6 Skin disease | 290 | 325 | 615 | 85.8 | 329 | 504 | 833 | 242 | 479 | 721 | 24 | 20 | 44 | 2,213 | 5% | 54.0 |
| 7 Eye disease | 179 | 164 | 343 | 47.9 | 244 | 241 | 485 | 258 | 270 | 528 | 19 | 20 | 39 | 1,395 | 3% | 34.1 |
| 8 Ear disease | 122 | 94 | 216 | 30.1 | 113 | 149 | 262 | 209 | 408 | 617 | 14 | 26 | 40 | 1,135 | 3% | 27.7 |
| 9 Dental conditions | 55 | 79 | 134 | 18.7 | 1,090 | 1,335 | 2,425 | 1,604 | 3,082 | 4,686 | 46 | 96 | 142 | 7,387 | 17% | 180.3 |
| 10 Intestinal worms | 43 | 50 | 93 | 13.0 | 131 | 158 | 289 | 39 | 48 | 87 | 0 | 2 | 2 | 471 | 1% | 11.5 |
| 11 Acute Jaundice Syndrome | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 12 Urinary Tract Infection | 44 | 152 | 196 | 27.3 | 97 | 392 | 489 | 238 | 786 | 1,024 | 20 | 68 | 88 | 1,797 | 4% | 43.9 |
| 13 Tuberculosis (suspected) | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 14 Measles (suspected) | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 15 Meningitis (suspected) | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0% | 0.0 |
| 16 Acute malnutrition- Moderate | 0 | 1 | 1 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | 0.0 |
| 17 Acute malnutrition- Severe | 1 | 0 | 1 | 0.1 | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 3 | 0% | 0.1 |
| 18 Anaemia | 173 | 145 | 318 | 44.4 | 141 | 187 | 328 | 35 | 530 | 565 | 1 | 6 | 7 | 1,218 | 3% | 29.7 |
| 19 Abortion | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 20 HIV/AIDS | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 21 Other | 1,097 | 997 | 2,094 | 292.2 | 1,492 | 1,891 | 3,383 | 3,125 | 4,646 | 7,771 | 290 | 411 | 701 | 13,949 | 31% | 340.5 |
| Total | 4,846 | 4,400 | 9,246 | 1290.1 | 6,155 | 7,268 | 13,423 | 7,725 | 12,785 | 20,510 | 495 | 787 | 1,282 | 44,461 | 100% | 1085.3 |
| % by age group | | | 21% | | | | 30% | | | 46% | | | 3% | 100% | | |

3.3 Notifiable diseases

| Record NEW cases of disease only | 0 to 4 | | Total <5 | US Incid | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause | Crude Incide |
|----------------------------------|-----------|----------|-----------|------------|-----------|-----------|---------------|----------|----------|----------------|----------|----------|------------|-------------|-------------|--------------|
| | M | F | | | M | F | | M | F | | M | F | | | | |
| 1 COVID-19 (suspected) | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 2 COVID-19 (confirmed) | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 3 Acute Flaccid Paralysis | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 4 Cholera | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 5 Yellow Fever | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 6 Viral Hemorrhagic Fever | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 7 Plague | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 8 Measles | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 9 Meningococcal Meningitis | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 10 Salmonellosis | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 11 Shigella | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 12 Tetanus | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 13 Varicella | 12 | 8 | 20 | 2.8 | 29 | 27 | 56 | 2 | 0 | 2 | 0 | 0 | 0 | 78 | 100% | 1.9 |
| 14 Whooping cough | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| 15 Monkeypox | 0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0.0 |
| Total | 12 | 8 | 20 | 2.8 | 29 | 27 | 56 | 2 | 0 | 2 | 0 | 0 | 0 | 78 | 100% | 1.9 |
| % by age group | | | 26% | | | | 72% | | | 3% | | | 0% | 100% | | |

3.4 Chronic health conditions

| Record NEW and REVISITS | | 0 to 4 | | Total < 5 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause |
|-------------------------|---------------------------------------|-----------|-----------|------------|------------|------------|---------------|--------------|--------------|----------------|------------|------------|--------------|--------------|-------------|
| | | M | F | | M | F | | M | F | | M | F | | | |
| 1 | Diabetes | 0 | 0 | 0 | 9 | 19 | 28 | 218 | 376 | 594 | 109 | 187 | 296 | 918 | 19% |
| 2 | Hypertension | 0 | 0 | 0 | 1 | 0 | 1 | 376 | 600 | 976 | 219 | 311 | 530 | 1,507 | 31% |
| 3 | Ischaemic heart disease | 0 | 0 | 0 | 0 | 0 | 0 | 53 | 22 | 75 | 39 | 16 | 55 | 130 | 3% |
| 4 | Cardiovascular disease (other) | 2 | 3 | 5 | 10 | 7 | 17 | 21 | 50 | 71 | 5 | 3 | 8 | 101 | 2% |
| 5 | Asthma | 35 | 25 | 60 | 58 | 31 | 89 | 47 | 84 | 131 | 17 | 15 | 32 | 312 | 6% |
| 6 | Chronic obstructive pulmonary disease | 0 | 0 | 0 | 0 | 0 | 0 | 39 | 15 | 54 | 29 | 19 | 48 | 102 | 2% |
| 7 | Thyroid disorders | 16 | 4 | 20 | 14 | 19 | 33 | 38 | 299 | 337 | 2 | 19 | 21 | 411 | 8% |
| 8 | Cancer | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 5 | 6 | 2 | 0 | 2 | 9 | 0% |
| 9 | Liver disease | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 10 | 11 | 2 | 0 | 2 | 13 | 0% |
| 10 | Musculoskeletal disorders | 6 | 4 | 10 | 24 | 24 | 48 | 135 | 204 | 339 | 12 | 16 | 28 | 425 | 9% |
| 11 | Other | 35 | 29 | 64 | 68 | 99 | 167 | 254 | 293 | 547 | 70 | 78 | 148 | 926 | 19% |
| Total | | 94 | 65 | 159 | 184 | 200 | 384 | 1,183 | 1,958 | 3,141 | 506 | 664 | 1,170 | 4,854 | 100% |
| % by age group | | | | 3% | | | 8% | | | 65% | | | 24% | 100% | |

3.5 Mental health

| | | 0 to 4 | | Total < 5 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause |
|----------------|---|-----------|-----------|-----------|------------|------------|---------------|------------|------------|----------------|-----------|-----------|------------|--------------|-------------|
| | | M | F | | M | F | | M | F | | M | F | | | |
| 1 | Epilepsy/Seizures | 42 | 40 | 82 | 131 | 115 | 246 | 114 | 79 | 193 | 10 | 12 | 22 | 543 | 39% |
| 2 | Alcohol/Substance abuse | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0% |
| 3 | Intellectual disability and development disorders | 0 | 0 | 0 | 14 | 9 | 23 | 6 | 7 | 13 | 0 | 2 | 2 | 38 | 3% |
| 4 | Psychosis (including bipolar disorder) | 0 | 0 | 0 | 1 | 2 | 3 | 74 | 70 | 144 | 8 | 12 | 20 | 167 | 12% |
| 5 | Moderate-severe emotional disorder | 0 | 0 | 0 | 25 | 36 | 61 | 144 | 241 | 385 | 21 | 14 | 35 | 481 | 34% |
| 6 | Medically unexplained somatic complaint | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 6 | 9 | 0 | 0 | 0 | 9 | 1% |
| 7 | Dementia or delirium | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 15 | 21 | 21 | 1% |
| 8 | Other psychological complaint | 7 | 0 | 7 | 39 | 48 | 87 | 20 | 30 | 50 | 0 | 6 | 6 | 150 | 11% |
| Total | | 49 | 40 | 89 | 210 | 210 | 420 | 362 | 433 | 795 | 45 | 61 | 106 | 1,410 | 100% |
| % by age group | | | | 6% | | | 30% | | | 56% | | | 8% | 100% | |

3.6 Injuries

| | | 0 to 4 | | Total < 5 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause |
|----------------|------------------|-----------|-----------|------------|------------|------------|---------------|------------|------------|----------------|-----------|-----------|------------|--------------|-------------|
| | | M | F | | M | F | | M | F | | M | F | | | |
| 1 | Burns | 11 | 10 | 21 | 7 | 10 | 17 | 9 | 9 | 18 | 0 | 0 | 0 | 56 | 4% |
| 2 | Bites | 1 | 3 | 4 | 2 | 2 | 4 | 9 | 2 | 11 | 2 | 0 | 2 | 21 | 2% |
| 3 | Assault | 0 | 0 | 0 | 9 | 1 | 10 | 1 | 2 | 3 | 0 | 0 | 0 | 13 | 1% |
| 4 | Accidents | 52 | 47 | 99 | 261 | 140 | 401 | 144 | 65 | 209 | 5 | 4 | 9 | 718 | 57% |
| 5 | Self-harm | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0% |
| 6 | Suicidal attempt | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 2 | 0% |
| 7 | Other | 33 | 32 | 65 | 129 | 45 | 174 | 100 | 72 | 172 | 19 | 9 | 28 | 439 | 35% |
| Total | | 97 | 92 | 189 | 408 | 199 | 607 | 264 | 151 | 415 | 26 | 13 | 39 | 1,250 | 100% |
| % by age group | | | | 15% | | | 49% | | | 33% | | | 3% | 100% | |

3.7 Reproductive Tract Infections

| | | 0 to 4 | | Total < 5 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total | % by cause |
|----------------|-----------------------------|----------|----------|-----------|----------|-----------|---------------|----------|--------------|----------------|----------|-----------|------------|--------------|-------------|
| | | M | F | | M | F | | M | F | | M | F | | | |
| 1 | Urethral discharge syndrome | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0% |
| 2 | Vaginal discharge syndrome | 0 | 0 | 0 | 0 | 24 | 24 | 0 | 809 | 809 | 0 | 5 | 5 | 838 | 48% |
| 3 | Genital ulcer disease | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 4 | Pelvic inflammatory disease | 0 | 0 | 0 | 0 | 33 | 33 | 0 | 617 | 617 | 0 | 6 | 6 | 656 | 38% |
| 5 | Congenital syphilis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 6 | Ophthalmia Neonatorum | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% |
| 7 | Other | 0 | 0 | 0 | 0 | 4 | 4 | 0 | 247 | 247 | 0 | 0 | 0 | 251 | 14% |
| Total | | 0 | 0 | 0 | 0 | 61 | 61 | 1 | 1,673 | 1,674 | 0 | 11 | 11 | 1,746 | 100% |
| % by age group | | | | 0% | | | 3% | | | 96% | | | 1% | 100% | |

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

| | 0 to 4 | | Total < 5 | 5 to 17 | | Total 5 to 17 | 18 to 59 | | Total 18 to 59 | ≥ 60 | | Total ≥ 60 | Grand total |
|---|--------------|-----------|------------|-----------|-----------|---------------|-----------|------------|----------------|----------|----------|------------|-------------|
| | M | F | | M | F | | M | F | | M | F | | |
| Number at beginning of reporting period | 37 | 36 | 73 | 7 | 25 | 32 | 0 | 32 | 32 | 0 | 0 | 0 | 137 |
| Total admissions | 210 | 98 | 308 | 37 | 76 | 113 | 16 | 241 | 257 | 0 | 0 | 0 | 678 |
| Number of exits | authorized | 87 | 288 | 35 | 64 | 99 | 16 | 234 | 250 | 0 | 0 | 0 | 637 |
| | unauthorized | 4 | 1 | 5 | 2 | 2 | 4 | 4 | 4 | 0 | 0 | 0 | 13 |
| | death | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | referral | 5 | 10 | 15 | 1 | 6 | 7 | 0 | 0 | 0 | 0 | 0 | 22 |
| Total exits | 210 | 98 | 308 | 38 | 72 | 110 | 16 | 238 | 254 | 0 | 0 | 0 | 672 |
| Deaths within 24 hours | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | |
|---|-------|
| Number of days in reporting period | 91 |
| Number of beds | 26 |
| Sum number of days stay for authorised discharges | 1,207 |
| Average length of stay (days) | 1.9 |
| Bed occupancy | 54% |
| Hospitalisation rate (/1000/month) | 5.5 |

4.2 In-patient Admissions and Deaths

| | 0 to 4 | | U5 CFR | 5 to 17 | | 5-17 CFR | 18 to 59 | | 18-59 CFR | ≥ 60 | | Total adm | Total deaths | Crude CFR |
|------------------------|------------|----------|--------|------------|----------|----------|------------|----------|-----------|----------|----------|------------|--------------|-----------|
| | Adm | Deaths | | Adm | Deaths | | Adm | Deaths | | Adm | Deaths | | | |
| 1 Paediatric medicine | 218 | 0 | | 88 | 0 | | 0 | 0 | | 0 | 0 | 306 | 0 | |
| 2 General Surgery | 90 | 0 | | 14 | 0 | | 40 | 0 | | 0 | 0 | 144 | 0 | |
| 3 Internal medicine | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| 4 Obstetrics | 0 | 0 | | 10 | 0 | | 208 | 0 | | 0 | 0 | 218 | 0 | |
| 5 Gynaecology | 0 | 0 | | 1 | 0 | | 9 | 0 | | 0 | 0 | 10 | 0 | |
| 6 COVID-19 (suspected) | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| 7 COVID-19 (confirmed) | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| 8 Other | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| Total | 308 | 0 | | 113 | 0 | | 257 | 0 | | 0 | 0 | 678 | 0 | |

Adm. = Admission; CFR = Case Fatality Rate

5. REFERRALS

5.1 Referrals by location

| | 0 to 4 | 5 to 17 | 18 to 59 | ≥ 60 | Grand total |
|-------------------------------|--------|---------|----------|------|-------------|
| 1 MOH Hospital | 87 | 97 | 216 | 41 | 441 |
| 2 Jordan University Hospital | 9 | 6 | 14 | 3 | 32 |
| 3 Private affiliated Hospital | 89 | 61 | 446 | 5 | 601 |
| 4 Royal Medical Services | 0 | 0 | 0 | 0 | 0 |
| 5 Other | 0 | 0 | 0 | 0 | 0 |

| | |
|--|-------|
| Total number of referred cases out side the camp | 1,074 |
| Referral Rate (/1000/month) | 8.7 |

5.2 Referrals by service

| | 0 to 4 | 5 to 17 | 18 to 59 | ≥ 60 | Grand total |
|---------------------|--------|---------|----------|------|-------------|
| 1 Paediatrics | 163 | 112 | 36 | 15 | 326 |
| 2 Internal medicine | 0 | 5 | 504 | 24 | 533 |
| 3 Obstetric | 0 | 2 | 66 | 0 | 68 |
| 4 Gynaecological | 0 | 0 | 7 | 0 | 7 |
| 5 Surgical | 22 | 45 | 63 | 10 | 140 |
| 6 Other | 0 | 0 | 0 | 0 | 0 |

6. LABORATORY

| | Total |
|--------------------------------------|--------|
| Number of laboratory tests conducted | 20,949 |

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

| | < 18 | ≥ 18 | Total |
|--|------|-------|-------|
| 1 First antenatal visit (during the first trimester) | 6 | 285 | 291 |
| 2 First antenatal visit (after the first trimester) | 1 | 27 | 28 |
| 3 Repeat antenatal visit | 54 | 2,683 | 2,737 |
| 4 High risk pregnancies detected | 39 | 1,379 | 1,418 |
| 5 Tested for anaemia | 6 | 339 | 345 |
| 6 Confirmed severe and moderate anaemia | 3 | 202 | 205 |
| 7 Number tested for syphilis | 0 | 0 | 0 |
| 8 Number tested positive for syphilis | 0 | 0 | 0 |
| 9 Abortions | 0 | 60 | 60 |

ANC Indicators

| | |
|--|-----|
| Proportion of first time antenatal visits made < 1st trimester | 91% |
|--|-----|

7.2 Antenatal care in facility

| | < 18 | ≥ 18 | Total |
|--|------|------|-------|
| Number of pregnant women at time of delivery who received: | | | |
| ≥ 4 ANC visits | 10 | 229 | 239 |
| 2 TT doses | 3 | 71 | 74 |
| anaemia screening | 10 | 234 | 244 |
| syphilis screening | 0 | 0 | 0 |

| | |
|-------------------------------------|-----|
| Coverage of complete antenatal care | 96% |
|-------------------------------------|-----|

| | |
|--|-----|
| Coverage of antenatal tetanus immunisation | 30% |
|--|-----|

| | |
|--|-----|
| Coverage of anaemia screening in pregnancy | 98% |
|--|-----|

7.3 Delivery care

| | Health Facility | | Home Delivery | | TOTAL |
|---------------------------------------|-----------------|------|---------------|------|-------|
| | < 18 | ≥ 18 | < 18 | ≥ 18 | |
| 1 Livebirths | 10 | 237 | 0 | 1 | 248 |
| 2 Stillbirths | 0 | 1 | 0 | 0 | 1 |
| 3 Low birth weight (< 2500g) | 0 | 8 | 0 | 0 | 8 |
| 4 Attended by a skilled health worker | 10 | 237 | 0 | 0 | 247 |
| 5 Obstetric complications | 0 | 0 | 0 | 0 | 0 |
| 6 Caesarean sections | 0 | 50 | 0 | 0 | 50 |

Delivery Indicators

| | |
|--|-----|
| Crude birth rate (/1000 population/ month) | 2.0 |
|--|-----|

| | |
|--|-------|
| Proportion of births attended by skilled health worker (excl. TBA) | 99.6% |
|--|-------|

| | |
|---|----|
| Proportion of low birth weight deliveries | 3% |
|---|----|

| | |
|---|-----|
| Proportion of all births performed by caesarean section | 20% |
|---|-----|

Proportion of obstetric complications treated among girls < 18

7.4 Postnatal care

| | < 18 | ≥ 18 | Total |
|--|------|------|-------|
| At least three PNC visits within 6 weeks | 3 | 106 | 109 |

Postnatal Indicators

| | |
|-------------------------------------|-----|
| Coverage of complete postnatal care | 44% |
|-------------------------------------|-----|

7.5 Family planning

| | New | | Repeat | | Total |
|--|------|------|--------|-------|-------|
| | < 18 | ≥ 18 | < 18 | ≥ 18 | |
| Combined pill (low dose) | 0 | 0 | 0 | 0 | 0 |
| Combined pill (highdose) | 0 | 0 | 0 | 0 | 0 |
| Progesterone pill (Micro-val; Micro-lut) | 8 | 226 | 1 | 334 | 569 |
| Emergency contraceptive pill | 0 | 0 | 0 | 0 | 0 |
| Injectable (Depo-Provera) | 0 | 33 | 0 | 27 | 60 |
| Implantable (Norplant) | 1 | 59 | 0 | 0 | 60 |
| Intra-uterine device (IUD) | 0 | 48 | 0 | 2 | 50 |
| Condom (male) | 3 | 32 | 0 | 127 | 162 |
| Condom (female) | 0 | 0 | 0 | 0 | 0 |
| Sterilisation (male) | 0 | 0 | 0 | 0 | 0 |
| Sterilisation (female) | 0 | 0 | 0 | 0 | 0 |
| Counseling (only) | 7 | 75 | 10 | 1,262 | 1,354 |
| Other | 0 | 0 | 0 | 0 | 0 |

7.6 Sexual and gender-based violence

| | < 18 | | ≥ 18 | | Total |
|---|------|---|------|---|-------|
| | M | F | M | F | |
| Total no rape survivors seen | 0 | 0 | 0 | 0 | 0 |
| No. of rape survivors examined within 72 hours | 0 | 0 | 0 | 0 | 0 |
| No. of rape survivors examined within 72 -120 hours | 0 | 0 | 0 | 0 | 0 |
| No. of rape survivors examined within 120 hrs - 2 weeks | 0 | 0 | 0 | 0 | 0 |
| No. of rape survivors examined after 2 weeks | 0 | 0 | 0 | 0 | 0 |
| No of rape survivors given PEP within 72 hours | 0 | 0 | 0 | 0 | 0 |
| No of female rape survivors given ECP within 120 hours | 0 | 0 | 0 | 0 | 0 |
| No of rape survivors given STI presumptive treatment within 2 weeks | 0 | 0 | 0 | 0 | 0 |
| No. cases of trauma in health centre due to domestic violence | 0 | 0 | 0 | 0 | 0 |

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

| SGBV Indicators | |
|--|-----|
| Incidence of reported rape (/10,000 population/year) | 0.0 |
| Proportion of rape survivors who receive PEP < 72 hrs | |
| Proportion of female rape survivors who receive ECP < 120 hrs | |
| Proportion of rape survivors who receive STI presumptive treatment < 2 wks | |

8. NUTRITION

8.1 Outpatient Therapeutic Program

| | 6 to 23 months | | 24 to 59 months | | ≥ 60 months | |
|--|----------------|---|-----------------|---|-------------|---|
| | M | F | M | F | M | F |
| 1 New admissions | 1 | 0 | 0 | 0 | 0 | 0 |
| 2 Re-visits | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 Exits- Recovered (moved to TSFP) | 2 | 3 | 0 | 0 | 0 | 0 |
| 4 Exits - None response | 0 | 1 | 0 | 0 | 0 | 0 |
| 5 Exits - Moved to SC | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 Exits - Moved to other OTP | 1 | 0 | 0 | 0 | 0 | 0 |
| 7 Exits - Medical Referral | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 Exits- Death | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 Exits- Defaulter | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 Sum number of days stay for discharged children (< 5) | | | | | 595 | |
| 11 Sum average weight gain for discharged children (< 5) | | | | | 9 | |

8.2 Supplementary Feeding Program - U5

| | 6 to 23 months | | 24 to 59 months | | ≥ 60 months | |
|--|----------------|----|-----------------|---|-------------|---|
| | M | F | M | F | M | F |
| 1 New admissions | 12 | 12 | 1 | 1 | 0 | 0 |
| 2 Re-visits | 0 | 3 | 2 | 3 | 0 | 0 |
| 3 Exits- Recovered | 7 | 18 | 1 | 1 | 0 | 0 |
| 4 Exits - None response | 1 | 2 | 0 | 0 | 0 | 0 |
| 5 Exits - Moved to SC | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 Exits - Moved to OTP | 1 | 0 | 0 | 0 | 0 | 0 |
| 7 Exits - Moved to other TSFP | 4 | 1 | 0 | 0 | 0 | 0 |
| 8 Exits - Medical Referral | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 Exits- Death | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 Exits- Defaulter | 1 | 0 | 0 | 0 | 0 | 0 |
| 11 Sum number of days stay for discharged children (< 5) | | | | | 3,256 | |
| 12 Sum average weight gain for discharged children (< 5) | | | | | 17 | |

8.3 Supplementary Feeding Program - PLW

| | < 18 | ≥ 18 |
|-------------------------------|------|------|
| 1 New admissions | 2 | 5 |
| 2 Re-visits | 0 | 7 |
| 3 Exits- Recovered | 1 | 7 |
| 4 Exits - None response | 0 | 1 |
| 5 Exits - Moved to other TSFP | 0 | 0 |
| 6 Exits - Medical Referral | 0 | 0 |
| 7 Exits- Death | 0 | 0 |
| 8 Exits- Defaulter | 0 | 2 |

8.4 MUAC (Health Facility)

| | 6 to 23 months | | 24 to 59 months | |
|---|----------------|-----|-----------------|-----|
| | M | F | M | F |
| 1 Children screened - Green (normal) | 747 | 749 | 325 | 310 |
| 2 Children screened - Yellow (borderline) | 4 | 14 | 0 | 1 |
| 3 Children screened - Red (danger) | 2 | 0 | 0 | 0 |
| 4 Children screened - Oedema | 0 | 0 | 0 | 0 |

8.5 GMP (Community)

| | 6 to 23 months | | 24 to 59 months | |
|---|----------------|-------|-----------------|-------|
| | M | F | M | F |
| 1 Children screened - Green (normal) | 2,064 | 1,943 | 2,067 | 2,384 |
| 2 Children screened - Yellow (borderline) | 2 | 1 | 1 | 0 |
| 3 Children screened - Red (danger) | 0 | 0 | 0 | 0 |
| 4 Children screened - Oedema | 0 | 0 | 0 | 0 |

Data Source | Health Information System

Contact Information

Azraq
Muhammad Fawad
Tasneem Obaid

Email: fawad@unhc.org
Email: obaidt@unhcr.org

Amman
Adam Musa Khalifa, UNHCR
Heba Hayek, UNHCR

Email: khalifaa@unhcr.org
Email: hayekh@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

