

## 1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F					
Refugee population	740	699	1,439	2,827	2,928	5,755	8,706	8,263	16,969	8,040	8,132	16,172	321	466	787	41,122
% by age group			4%			14%			41%			39%			2%	100%

## 2. MORTALITY

### 2.1 Mortality

Record ONE cause of mortality per case	< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F		M	F			M	F		M	F						
1 Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2 Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3 URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4 LRTI	1	0	1	0	0	0	17%	0	0	0	0	1	1	0	0	0	2	13%
5 Neonatal death	3	2	5	0	0	0	83%	0	0	0	0	0	0	0	0	0	5	31%
6 Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7 Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8 Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9 Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10 Meningitis (Non-meningococcal)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11 HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12 Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13 Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14 Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15 Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16 Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17 Cancer	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	1	2	2	13%
18 Cardiovascular disease (Non-IHD)	0	0	0	0	0	0	0%	0	0	0	1	0	1	1	1	2	3	19%
19 Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	6%
20 Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21 Diabetes	0	0	0	0	0	0	0%	1	0	1	0	0	0	0	0	0	1	6%
22 Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
23 Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24 Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25 Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26 Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27 Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28 Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29 Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30 Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31 Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32 Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33 COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34 Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35 Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36 Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37 Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38 Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39 Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40 Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41 Salmonellosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42 Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43 Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44 Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45 Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Monkeypox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47 Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48 Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49 Accidents	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50 Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51 Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52 Other	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	1	2	2	13%
<b>Total</b>	<b>4</b>	<b>2</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>6</b>	<b>16</b>	<b>100%</b>
% by age group			38%			0%				6%			19%			38%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.4	0.2	0.3
Infant Mortality Rate (IMR) (/1000/month)	1.8	1.0	1.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			17.1

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

## 3. MORBIDITY

### 3.1 Staffing and service availability

Number of full-time clinicians	23.2
Average number of full days on which each health facility was functioning	5.4
Total number of outpatient consultations	68,926
Health facility utilisation rate	5.2
Consultations per clinician per day	42

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	23,562	29,518	53,080
Re-visit Consultations	6,457	9,389	15,846
TOTAL Consultations	30,019	38,907	68,926

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 URTI	3,163	2,847	6,010	835.4	4,113	4,037	8,150	3,242	3,991	7,233	131	246	377	21,770	44%	529.4
2 ILI	221	173	394	54.8	178	196	374	74	150	224	4	5	9	1,001	2%	24.3
3 LRTI	302	213	515	71.6	172	148	320	100	181	281	11	31	42	1,158	2%	28.2
4 Watery diarrhoea	415	317	732	101.8	106	136	242	26	39	65	1	4	5	1,044	2%	25.4
5 Bloody diarrhoea	3	0	3	0.4	0	0	0	1	2	3	0	0	0	6	0%	0.1
6 Skin disease	262	313	575	79.9	241	426	667	211	348	559	18	29	47	1,848	4%	44.9
7 Eye disease	141	133	274	38.1	165	164	329	217	200	417	16	25	41	1,061	2%	25.8
8 Ear disease	157	118	275	38.2	159	187	346	185	439	624	13	36	49	1,294	3%	31.5
9 Dental conditions	56	53	109	15.2	839	1,021	1,860	1,302	2,498	3,800	59	98	157	5,926	12%	144.1
10 Intestinal worms	54	52	106	14.7	152	146	298	58	49	107	0	1	1	512	1%	12.5
11 Acute Jaundice Syndrome	1	0	1	0.1	1	2	3	0	1	1	0	0	0	5	0%	0.1
12 Urinary Tract Infection	29	105	134	18.6	70	282	352	209	705	914	19	57	76	1,476	3%	35.9
13 Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14 Measles (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15 Meningitis (suspected)	0	0	0	0.0	5	0	5	0	0	0	1	0	1	6	0%	0.1
16 Acute malnutrition- Moderate	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
17 Acute malnutrition- Severe	0	2	2	0.3	0	0	0	0	0	0	0	0	0	2	0%	0.0
18 Anaemia	117	102	219	30.4	92	147	239	27	372	399	1	4	5	862	2%	21.0
19 Abortion	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20 HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21 Other	915	912	1,827	254.0	1,280	1,627	2,907	2,603	3,899	6,502	195	369	564	11,800	24%	287.0
<b>Total</b>	<b>5,836</b>	<b>5,340</b>	<b>11,176</b>	<b>1553.5</b>	<b>7,573</b>	<b>8,519</b>	<b>16,092</b>	<b>8,255</b>	<b>12,874</b>	<b>21,129</b>	<b>469</b>	<b>905</b>	<b>1,374</b>	<b>49,771</b>	<b>100%</b>	<b>1210.3</b>
% by age group			22%				32%			42%			3%	100%		

### 3.3 Notifiable diseases

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2 COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3 Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4 Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5 Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6 Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7 Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8 Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9 Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10 Salmonellosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11 Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12 Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13 Varicella	41	49	90	12.5	226	194	420	7	11	18	0	0	0	528	100%	12.8
14 Whooping cough	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15 Monkeypox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
<b>Total</b>	<b>41</b>	<b>49</b>	<b>90</b>	<b>12.5</b>	<b>226</b>	<b>194</b>	<b>420</b>	<b>7</b>	<b>11</b>	<b>18</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>528</b>	<b>100%</b>	<b>12.8</b>
% by age group			17%				80%			3%			0%	100%		

### 3.4 Chronic health conditions

Record NEW and REVISITS		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Diabetes	0	0	0	7	14	21	200	307	507	99	159	258	786	20%
2	Hypertension	0	0	0	0	0	0	373	566	939	176	281	457	1,396	35%
3	Ischaemic heart disease	0	0	0	0	0	0	52	19	71	25	21	46	117	3%
4	Cardiovascular disease (other)	2	3	5	12	2	14	20	37	57	5	6	11	87	2%
5	Asthma	39	22	61	67	44	111	46	92	138	26	9	35	345	9%
6	Chronic obstructive pulmonary disease	0	0	0	0	0	0	30	13	43	10	14	24	67	2%
7	Thyroid disorders	8	5	13	10	20	30	32	260	292	1	23	24	359	9%
8	Cancer	1	0	1	0	0	0	4	2	6	1	0	1	8	0%
9	Liver disease	1	0	1	2	2	4	2	2	4	2	0	2	11	0%
10	Musculoskeletal disorders	2	0	2	3	9	12	76	94	170	4	8	12	196	5%
11	Other	15	14	29	55	82	137	191	184	375	30	32	62	603	15%
<b>Total</b>		<b>68</b>	<b>44</b>	<b>112</b>	<b>156</b>	<b>173</b>	<b>329</b>	<b>1,026</b>	<b>1,576</b>	<b>2,602</b>	<b>379</b>	<b>553</b>	<b>932</b>	<b>3,975</b>	<b>100%</b>
% by age group				3%			8%			65%			23%	100%	

### 3.5 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	38	29	67	127	108	235	123	89	212	6	10	16	530	37%
2	Alcohol/Substance abuse	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3	Intellectual disability and development disorders	0	1	1	12	10	22	7	6	13	0	0	0	36	3%
4	Psychosis (including bipolar disorder)	0	0	0	5	8	13	92	82	174	8	18	26	213	15%
5	Moderate-severe emotional disorder	0	0	0	31	65	96	128	213	341	24	18	42	479	34%
6	Medically unexplained somatic complaint	0	0	0	0	1	1	4	1	5	0	0	0	6	0%
7	Dementia or delirium	0	0	0	2	1	3	0	0	0	7	15	22	25	2%
8	Other psychological complaint	9	0	9	46	33	79	22	10	32	4	2	6	126	9%
<b>Total</b>		<b>47</b>	<b>30</b>	<b>77</b>	<b>223</b>	<b>226</b>	<b>449</b>	<b>376</b>	<b>401</b>	<b>777</b>	<b>49</b>	<b>63</b>	<b>112</b>	<b>1,415</b>	<b>100%</b>
% by age group				5%			32%			55%			8%	100%	

### 3.6 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Burns	6	12	18	8	10	18	5	14	19	3	0	3	58	7%
2	Bites	2	0	2	4	1	5	7	2	9	0	0	0	16	2%
3	Assault	0	0	0	12	1	13	4	0	4	0	1	1	18	2%
4	Accidents	55	40	95	247	118	365	101	47	148	5	6	11	619	71%
5	Self-harm	0	0	0	1	0	1	0	0	0	0	0	0	1	0%
6	Suicidal attempt	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	13	9	22	31	22	53	50	26	76	3	3	6	157	18%
<b>Total</b>		<b>76</b>	<b>61</b>	<b>137</b>	<b>303</b>	<b>152</b>	<b>455</b>	<b>167</b>	<b>89</b>	<b>256</b>	<b>11</b>	<b>10</b>	<b>21</b>	<b>869</b>	<b>100%</b>
% by age group				16%			52%			29%			2%	100%	

### 3.7 Reproductive Tract Infections

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	0	0	0	25	25	0	943	943	0	6	6	974	57%
3	Genital ulcer disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4	Pelvic inflammatory disease	0	0	0	0	19	19	0	530	530	0	5	5	554	32%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	1	1	0	192	192	0	1	1	194	11%
<b>Total</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>45</b>	<b>45</b>	<b>0</b>	<b>1,665</b>	<b>1,665</b>	<b>0</b>	<b>12</b>	<b>12</b>	<b>1,722</b>	<b>100%</b>
% by age group				0%			3%		97%				1%	100%	

## 4. INPATIENT DEPARTMENT (In-Camp)

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	4	3	7	0	4	4	0	4	4	0	0	0	15
<b>Total admissions</b>	<b>148</b>	<b>95</b>	<b>243</b>	<b>60</b>	<b>54</b>	<b>114</b>	<b>18</b>	<b>270</b>	<b>288</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>648</b>
Number of exits	authorized	84	225	51	56	107	18	268	286	1	2	3	621
	unauthorized	4	2	6	0	2	0	4	4	0	0	0	12
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	4	10	14	9	0	9	0	1	0	0	0	24
<b>Total exits</b>	<b>149</b>	<b>96</b>	<b>245</b>	<b>60</b>	<b>58</b>	<b>118</b>	<b>18</b>	<b>273</b>	<b>291</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>657</b>
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	26
Sum number of days stay for authorised discharges	1,238
Average length of stay (days)	2.0
Bed occupancy	55%
Hospitalisation rate (/1000/month)	5.3

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1 Paediatric medicine	201	0		80	0		4	0		0	0	285	0	
2 General Surgery	42	0		26	0		46	0		3	0	117	0	
3 Internal medicine	0	0		0	0		0	0		0	0	0	0	
4 Obstetrics	0	0		8	0		229	0		0	0	237	0	
5 Gynaecology	0	0		0	0		9	0		0	0	9	0	
6 COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
7 COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
8 Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	<b>243</b>	<b>0</b>		<b>114</b>	<b>0</b>		<b>288</b>	<b>0</b>		<b>3</b>	<b>0</b>	<b>648</b>	<b>0</b>	

Adm. = Admission; CFR = Case Fatality Rate

## 5. REFERRALS

### 5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	94	108	228	36	466
2 Jordan University Hospital	13	18	18	0	49
3 Private affiliated Hospital	90	67	403	5	565
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total number of referred cases out side the camp	1,080
Referral Rate (/1000/month)	8.8

### 5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	168	66	0	0	234
2 Internal medicine	0	82	504	23	609
3 Obstetric	0	0	77	0	77
4 Gynaecological	0	0	4	0	4
5 Surgical	29	45	64	18	156
6 Other	0	0	0	0	0

## 6. LABORATORY

	Total
Number of laboratory tests conducted	18,140

## 7. REPRODUCTIVE HEALTH

### 7.1 Antenatal care

	< 18	≥ 18	Total
1 First antenatal visit (during the first trimester)	11	275	286
2 First antenatal visit (after the first trimester)	3	25	28
3 Repeat antenatal visit	53	2,559	2,612
4 High risk pregnancies detected	44	1,238	1,282
5 Tested for anaemia	1	294	295
6 Confirmed severe and moderate anaemia	5	158	163
7 Number tested for syphilis	0	0	0
8 Number tested positive for syphilis	0	0	0
9 Abortions	0	49	49

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	91%
--	-----

### 7.2 Antenatal care in facility

	< 18	≥ 18	Total
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	6	265	271
2 TT doses	0	87	87
anaemia screening	8	270	278
syphilis screening	0	0	0

Coverage of complete antenatal care	93%
-------------------------------------	-----

Coverage of antenatal tetanus immunisation	30%
--	-----

Coverage of anaemia screening in pregnancy	95%
--	-----

### 7.3 Delivery care

	Health Facility		Home Delivery		TOTAL
	< 18	≥ 18	< 18	≥ 18	
1 Livebirths	8	282	0	2	292
2 Stillbirths	0	1	0	0	1
3 Low birth weight (< 2500g)	0	17	0	0	17
4 Attended by a skilled health worker	8	282	0	0	290
5 Obstetric complications	0	0	0	0	0
6 Caesarean sections	0	78	0	0	78

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	2.4
--	-----

Proportion of births attended by skilled health worker (excl. TBA)	99.3%
--	-------

Proportion of low birth weight deliveries	6%
---	----

Proportion of all births performed by caesarean section	27%
---	-----

Proportion of obstetric complications treated among girls < 18

### 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	7	201	208

#### Postnatal Indicators

Coverage of complete postnatal care	71%
-------------------------------------	-----

## 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	0	0	0	0	0
Combined pill (highdose)	0	0	0	0	0
Progesterone pill (Micro-val; Micro-lut)	3	222	0	302	527
Emergency contraceptive pill	0	0	0	0	0
Injectable (Depo-Provera)	0	31	0	31	62
Implantable (Norplant)	0	59	0	0	59
Intra-uterine device (IUD)	0	43	0	6	49
Condom (male)	1	46	1	127	175
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	3	84	11	1,113	1,211
Other	0	0	0	0	0

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## 8. NUTRITION

### 8.1 Outpatient Therapeutic Program

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	1	1	0	0	0	0
2 Re-visits	0	0	0	0	0	0
3 Exits- Recovered (moved to TSFP)	0	0	0	0	0	0
4 Exits - None response	2	0	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to other OTP	1	1	0	0	0	0
7 Exits - Medical Referral	0	0	0	0	0	0
8 Exits- Death	0	0	0	0	0	0
9 Exits- Defaulter	0	0	0	0	0	0
10 Sum number of days stay for discharged children (< 5)					277	
11 Sum average weight gain for discharged children (< 5)					-1	

### 8.2 Supplementary Feeding Program - U5

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	6	4	1	2	0	0
2 Re-visits	1	2	1	0	0	0
3 Exits- Recovered	9	16	2	3	0	0
4 Exits - None response	0	0	0	1	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to OTP	2	0	0	0	0	0
7 Exits - Moved to other TSFP	1	2	1	0	0	0
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	0	0	0	0	0
10 Exits- Defaulter	0	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					2,877	
12 Sum average weight gain for discharged children (< 5)					20	

### 8.3 Supplementary Feeding Program - PLW

	< 18	≥ 18
1 New admissions	0	2
2 Re-visits	0	4
3 Exits- Recovered	1	1
4 Exits - None response	0	0
5 Exits - Moved to other TSFP	0	3
6 Exits - Medical Referral	0	0
7 Exits- Death	0	0
8 Exits- Defaulter	0	0

### 8.4 MUAC (Health Facility)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	617	633	215	215
2 Children screened - Yellow (borderline)	5	4	0	0
3 Children screened - Red (danger)	1	4	0	0
4 Children screened - Oedema	0	0	0	0

### 8.5 GMP (Community)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	1,953	1,954	2,058	2,312
2 Children screened - Yellow (borderline)	0	1	0	0
3 Children screened - Red (danger)	0	0	0	0
4 Children screened - Oedema	0	0	0	0

Data Source | Health Information System

#### Contact Information

**Azraq**  
Muhammad Fawad  
Tasneem Obaid

Email: fawad@unhc.org  
Email: obaidt@unhcr.org

**Amman**  
Adam Musa Khalifa, UNHCR  
Heba Hayek, UNHCR

Email: khalifaa@unhcr.org  
Email: hayekh@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

