

## 1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,638	1,560	3,198	5,348	5,068	10,416	15,191	14,433	29,624	15,749	17,042	32,791	823	1,154	1,977	78,006
% by age group			4%			13%			38%			42%			3%	100%

## 2. MORTALITY

### 2.1 Mortality

Record ONE cause of mortality per case	< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F		M	F			M	F		M	F		M	F			
1 Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2 Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3 URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4 LRTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	1%
5 Neonatal death	7	10	17	0	0	0	68%	0	0	0	0	0	0	0	0	0	17	25%
6 Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7 Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8 Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9 Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10 Meningitis (Non-meningococcal)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11 HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12 Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13 Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14 Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15 Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16 Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17 Cancer	0	0	0	0	0	0	0%	0	0	0	1	0	1	3	1	4	5	7%
18 Cardiovascular disease (Non-IHD)	1	0	1	0	0	0	4%	0	0	0	2	0	2	6	5	11	14	20%
19 Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	2	0	2	1	0	1	3	4%
20 Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21 Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
22 Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	1	1	1	1%
23 Liver disease	0	1	1	0	0	0	4%	0	1	1	1	0	1	0	0	0	3	4%
24 Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25 Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26 Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27 Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28 Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29 Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30 Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31 Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32 Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33 COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34 Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35 Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36 Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37 Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38 Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39 Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40 Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41 Salmonellosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42 Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43 Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44 Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45 Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Monkeypox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Assault	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	1%
47 Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48 Accidents	0	0	0	0	0	0	0%	0	1	1	0	0	0	0	0	0	1	1%
49 Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50 Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51 Other	2	3	5	0	1	1	24%	0	2	2	5	4	9	2	4	6	23	33%
<b>Total</b>	<b>10</b>	<b>14</b>	<b>24</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>100%</b>	<b>0</b>	<b>4</b>	<b>4</b>	<b>12</b>	<b>4</b>	<b>16</b>	<b>13</b>	<b>11</b>	<b>24</b>	<b>69</b>	<b>100%</b>
% by age group			35%			1%			6%			23%			35%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.2	0.4	0.3
Infant Mortality Rate (IMR) (/1000/month)	1.0	1.5	1.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			15.1

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. MORBIDITY

### 3.1 Staffing and service availability

Number of full-time clinicians	42.1
Average number of full days on which each health facility was functioning	4.9
Total number of outpatient consultations	178,536
Health facility utilisation rate	3.8
Consultations per clinician per day	33

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	61,179	88,133	149,312
Re-visit Consultations	9,817	19,407	29,224
TOTAL Consultations	70,996	107,540	178,536

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total < 5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 URTI	6,200	4,831	11,031	810.3	6,444	5,852	12,296	4,749	7,659	12,408	510	710	1,220	36,955	31%	473.7
2 ILI	1,320	1,199	2,519	185.0	1,553	1,389	2,942	571	1,290	1,861	53	83	136	7,458	6%	95.6
3 LRTI	1,251	859	2,110	155.0	285	200	485	260	301	561	55	74	129	3,285	3%	42.1
4 Watery diarrhoea	524	440	964	70.8	171	138	309	75	101	176	6	8	14	1,463	1%	18.8
5 Bloody diarrhoea	4	1	5	0.4	0	2	2	2	1	3	0	0	0	10	0%	0.1
6 Skin disease	963	926	1,889	138.8	1,013	1,731	2,744	1,050	1,586	2,636	124	149	273	7,542	6%	96.7
7 Eye disease	444	392	836	61.4	603	608	1,211	730	991	1,721	213	275	488	4,256	4%	54.6
8 Ear disease	1,408	1,081	2,489	182.8	597	697	1,294	499	748	1,247	100	94	194	5,224	4%	67.0
9 Dental conditions	120	130	250	18.4	2,319	2,443	4,762	3,086	5,047	8,133	231	180	411	13,556	11%	173.8
10 Intestinal worms	237	254	491	36.1	477	401	878	84	132	216	7	8	15	1,600	1%	20.5
11 Acute Jaundice Syndrome	9	3	12	0.9	2	8	10	5	6	11	0	0	0	33	0%	0.4
12 Urinary Tract Infection	135	311	446	32.8	287	820	1,107	782	3,432	4,214	108	203	311	6,078	5%	77.9
13 Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
14 Measles (suspected)	5	10	15	1.1	2	2	4	0	1	1	0	0	0	20	0%	0.3
15 Meningitis (suspected)	2	1	3	0.2	0	0	0	1	0	1	0	0	0	4	0%	0.1
16 Acute malnutrition- Moderate	102	91	193	14.2	97	93	190	47	94	141	1	0	1	525	0%	6.7
17 Acute malnutrition- Severe	4	6	10	0.7	1	2	3	2	6	8	0	0	0	21	0%	0.3
18 Anaemia	609	486	1,095	80.4	462	1,002	1,464	229	2,415	2,644	30	82	112	5,315	4%	68.1
19 Abortion	0	0	0	0.0	0	6	6	0	187	187	0	0	0	193	0%	2.5
20 HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21 Other	2,336	2,246	4,582	336.6	2,693	3,312	6,005	4,328	9,815	14,143	709	1,139	1,848	26,578	22%	340.7
<b>Total</b>	<b>15,673</b>	<b>13,267</b>	<b>28,940</b>	<b>2125.8</b>	<b>17,006</b>	<b>18,706</b>	<b>35,712</b>	<b>16,500</b>	<b>33,813</b>	<b>50,313</b>	<b>2,147</b>	<b>3,005</b>	<b>5,152</b>	<b>120,117</b>	<b>100%</b>	<b>1539.8</b>
% by age group			24%				30%			42%			4%	100%		

### 3.3 Notifiable diseases

Record NEW cases of disease only	0 to 4		Total < 5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2 COVID-19 (confirmed)	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
3 Acute Flaccid Paralysis	1	1	2	0.1	0	1	1	0	0	0	0	0	0	3	1%	0.0
4 Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5 Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6 Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7 Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8 Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9 Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10 Salmonellosis	6	0	6	0.4	0	3	3	0	3	3	0	0	0	12	4%	0.2
11 Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12 Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13 Varicella	30	31	61	4.5	105	86	191	10	6	16	0	0	0	268	90%	3.4
14 Whooping cough	10	4	14	1.0	0	0	0	0	0	0	0	0	0	14	5%	0.2
Monkeypox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
<b>Total</b>	<b>47</b>	<b>37</b>	<b>84</b>	<b>6.2</b>	<b>105</b>	<b>90</b>	<b>195</b>	<b>10</b>	<b>9</b>	<b>19</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>298</b>	<b>100%</b>	<b>3.8</b>
% by age group			28%				65%			6%			0%	100%		

### 3.4 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
1 Diabetes	1	1	2	44	59	103	2,349	4,275	6,624	1,386	2,552	3,938	10,667	21%	
2 Hypertension	0	1	1	6	11	17	2,908	5,173	8,081	1,876	3,246	5,122	13,221	27%	
3 Ischaemic heart disease	0	0	0	3	6	9	475	373	848	367	382	749	1,606	3%	
4 Cardiovascular disease (other)	17	17	34	48	47	95	595	557	1,152	358	399	757	2,038	4%	
5 Asthma	296	206	502	441	310	751	520	717	1,237	167	179	346	2,836	6%	
6 Chronic obstructive pulmonary disease	0	1	1	3	10	13	344	254	598	226	134	360	972	2%	
7 Thyroid disorders	6	9	15	41	72	113	154	1,401	1,555	299	196	495	2,178	4%	
8 Cancer	0	0	0	1	5	6	22	39	61	39	24	63	130	0%	
9 Liver disease	2	2	4	7	10	17	38	37	75	7	11	18	114	0%	
10 Musculoskeletal disorders	42	42	84	216	188	404	1,410	2,341	3,751	368	587	955	5,194	10%	
11 Other	97	108	205	239	304	543	2,597	4,347	6,944	1,266	1,912	3,178	10,870	22%	
<b>Total</b>	<b>461</b>	<b>387</b>	<b>848</b>	<b>1,049</b>	<b>1,022</b>	<b>2,071</b>	<b>11,412</b>	<b>19,514</b>	<b>30,926</b>	<b>6,359</b>	<b>9,622</b>	<b>15,981</b>	<b>49,826</b>	<b>100%</b>	
% by age group			2%			4%			62%			32%	100%		

### 3.5 Mental health

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
1 Epilepsy/Seizures	6	8	14	90	103	193	639	417	1,056	17	10	27	1,290	29%	
2 Alcohol/Substance abuse	0	0	0	11	13	24	12	6	18	0	0	0	42	1%	
3 Intellectual disability and development disorders	2	1	3	219	112	331	148	64	212	7	0	7	553	13%	
4 Psychosis (including bipolar disorder)	0	0	0	5	3	8	598	366	964	26	4	30	1,002	23%	
5 Moderate-severe emotional disorder	0	0	0	8	16	24	632	635	1,267	16	31	47	1,338	30%	
6 Medically unexplained somatic complaint	0	0	0	0	0	0	0	16	16	0	3	3	19	0%	
7 Dementia or delirium	0	0	0	0	0	0	0	0	0	4	32	36	36	1%	
8 Other psychological complaint	4	0	4	13	21	34	28	55	83	0	5	5	126	3%	
<b>Total</b>	<b>12</b>	<b>9</b>	<b>21</b>	<b>346</b>	<b>268</b>	<b>614</b>	<b>2,057</b>	<b>1,559</b>	<b>3,616</b>	<b>70</b>	<b>85</b>	<b>155</b>	<b>4,406</b>	<b>100%</b>	
% by age group			0%			14%			82%			4%	100%		

### 3.6 Injuries

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
1 Burns	58	59	117	37	34	71	30	51	81	1	3	4	273	5%	
2 Bites	20	7	27	83	13	96	33	25	58	5	3	8	189	4%	
3 Assault	3	2	5	12	3	15	10	1	11	0	0	0	31	1%	
4 Accidents	278	255	533	1,135	498	1,633	845	448	1,293	44	54	98	3,557	67%	
5 Self-harm	1	0	1	1	0	1	2	3	5	0	0	0	7	0%	
6 Suicidal attempt	0	0	0	0	1	1	4	0	4	0	4	4	9	0%	
7 Other	102	117	219	367	177	544	278	150	428	26	26	52	1,243	23%	
<b>Total</b>	<b>462</b>	<b>440</b>	<b>902</b>	<b>1,635</b>	<b>726</b>	<b>2,361</b>	<b>1,202</b>	<b>678</b>	<b>1,880</b>	<b>76</b>	<b>90</b>	<b>166</b>	<b>5,309</b>	<b>100%</b>	
% by age group			17%			44%			35%			3%	100%		

### 3.7 Reproductive Tract Infections

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1 Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2 Vaginal discharge syndrome	0	1	1	0	217	217	0	3,778	3,778	0	8	8	4,004	99%
3 Genital ulcer disease	0	0	0	0	1	1	0	15	15	0	0	0	16	0%
4 Pelvic inflammatory disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5 Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6 Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7 Other	0	0	0	0	0	0	1	7	8	0	0	0	8	0%
<b>Total</b>	0	1	1	0	218	218	1	3,800	3,801	0	8	8	4,028	100%
% by age group			0%			4%			72%			0%	100%	

## 4. INPATIENT DEPARTMENT (In-Camp)

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total admissions</b>	0	0	0	0	85	85	0	1,044	1,044	0	0	0	1,129
Number of exits	authorized	0	0	0	33	33	0	467	467	0	0	0	500
	unauthorized	0	0	0	0	0	0	4	4	0	0	0	4
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	53	53	0	573	573	0	0	626
<b>Total exits</b>	0	0	0	0	86	86	0	1,044	1,044	0	0	0	1,130
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	182
Number of beds	10
Sum number of days stay for authorised discharges	639
Average length of stay (days)	1.3
Bed occupancy	79%
Hospitalisation rate (/1000/month)	2.4

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1 Paediatric medicine	0	0		0	0		0	0		0	0	0	0	
2 General Surgery	0	0		0	0		0	0		0	0	0	0	
3 Internal medicine	0	0		0	0		0	0		0	0	0	0	
4 Obstetrics	0	0		85	0		1,044	0		0	0	1,129	0	
5 Gynaecology	0	0		0	0		0	0		0	0	0	0	
6 COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
7 COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
8 Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	0	0		85	0		1,044	0		0	0	1,129	0	

Adm. = Admission; CFR = Case Fatality Rate

## 5. REFERRALS

### 5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	680	584	1,932	241	3,437
2 Jordan University Hospital	0	2	22	3	27
3 Private affiliated Hospital	303	236	2,100	827	3,466
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total No of referred cases out side the Camp	6,930
Referral Rate (/1000/month)	14.8

## 5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	488	18	0	0	506
2 Internal medicine	325	417	2,448	1,035	4,225
3 Obstetric	0	57	1,323	0	1,380
4 Gynaecological	0	8	48	0	56
5 Surgical	170	322	235	36	763
6 Other	0	0	0	0	0

## 6. LABORATORY

	Total
Number of laboratory tests conducted	122,975

## 7. REPRODUCTIVE HEALTH

### 7.1 Antenatal care

	< 18	≥ 18	Total
1 First antenatal visit (during the first trimester)	140	1,305	1,445
2 First antenatal visit (after the first trimester)	76	722	798
3 Repeat antenatal visit	965	10,796	11,761
4 High risk pregnancies detected	88	1,085	1,173
5 Tested for anaemia	531	3,888	4,419
6 Confirmed severe and moderate anaemia	33	549	582
7 Number tested for syphilis	0	0	0
8 Number tested positive for syphilis	0	0	0
9 Abortions	12	234	246

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	64%
--	-----

### 7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	84	1,040	1,124
	2 TT doses	84	1,040	1,124
	anaemia screening	84	1,040	1,124
	syphilis screening	0	0	0

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	100%
Coverage of anaemia screening in pregnancy	100%

### 7.3 Delivery care

	Health Facility		Home Delivery		TOTAL
	< 18	≥ 18	< 18	≥ 18	
1 Livebirths	84	1,036	0	4	1,124
2 Stillbirths	0	5	0	0	5
3 Low birth weight (< 2500g)	1	37	0	0	38
4 Attended by a skilled health worker	84	1,036	0	4	1,124
5 Obstetric complications	0	2	0	0	2
6 Caesarean sections	31	430	0	0	461

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	2.4
Proportion of births attended by skilled health worker (excl. TBA)	100.0%
Proportion of low birth weight deliveries	3%
Proportion of all births performed by caesarean section	41%
Proportion of obstetric complications treated among girls < 18	

## 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	90	1,255	1,345

### Postnatal Indicators

Coverage of complete postnatal care	120%
-------------------------------------	------

## 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	4	108	17	792	921
Combined pill (highdose)	1	713	14	1,972	2,700
Progesterone pill (Micro-val; Micro-lut)	4	267	0	202	473
Emergency contraceptive pill	0	0	0	0	0
Injectable (Depo-Provera)	0	163	1	248	412
Implantable (Norplant)	0	30	0	2	32
Intra-uterine device (IUD)	0	248	3	92	343
Condom (male)	8	363	9	978	1,358
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	77	325	103	345	850
Other	0	6	1	0	7

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	1	1

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

### SGBV Indicators

Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## 8. NUTRITION

### 8.1 Outpatient Therapeutic Program

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	3	2	1	0	0	0
2 Re-visits	0	0	0	0	0	0
3 Exits- Recovered (moved to TSFP)	1	0	0	0	0	0
4 Exits - None response	0	0	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to other OTP	0	0	1	0	0	0
7 Exits - Medical Referral	1	4	3	1	0	0
8 Exits- Death	0	0	0	0	0	0
9 Exits- Defaulter	0	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					1,001	
12 Sum average weight gain for discharged children (< 5)					19	

## 8.2 Supplementary Feeding Program - U5

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	20	32	1	2	0	0
2 Re-visits	4	2	6	2	0	0
3 Exits- Recovered	15	25	6	4	1	1
4 Exits - None response	0	0	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to OTP	0	1	0	0	0	0
7 Exits - Moved to other TSFP	0	0	0	1	0	1
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	1	0	0	0	0	1
10 Exits- Defaulter	0	0	0	0	1	1
11 Sum number of days stay for discharged children (< 5)					4,473	
12 Sum average weight gain for discharged children (< 5)					40	

## 8.3 Supplementary Feeding Program - PLW

	< 18	≥ 18
1 New admissions	1	20
2 Re-visits	1	4
3 Exits- Recovered	0	40
4 Exits - None response	0	0
5 Exits - Moved to other TSFP	0	3
6 Exits - Medical Referral	0	0
7 Exits- Death	0	0
8 Exits- Defaulter	0	11

## 8.4 MUAC (Health Facility)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	983	1,026	275	315
2 Children screened - Yellow (borderline)	18	24	0	0
3 Children screened - Red (danger)	3	3	0	0
4 Children screened - Oedema	0	0	0	0

## 8.5 GMP (Community)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	4,001	3,991	3,927	4,023
2 Children screened - Yellow (borderline)	4	8	1	1
3 Children screened - Red (danger)	0	0	1	0
4 Children screened - Oedema	0	0	0	0

Data Source | Health Information System

Publication date: | 07/08/2024

**Contact Information**  
**Za'atari**  
 Muhammad Fawad, UNHCR Email: fawad@unhcr.org  
 Iyad Shtayiat, UNHCR Email: shtayiat@unhcr.org

**Amman**  
 Adam Musa Khalifa, UNHCR  
 Heba Hayek, UNHCR

Email: khalifaa@unhcr.org  
 Email: hayekh@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

