



1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,649	1,570	3,219	5,421	5,121	10,542	15,240	14,544	29,784	15,874	17,117	32,991	814	1,162	1,976	78,512
% by age group			4%			13%			38%			42%			3%	100%

2. MORTALITY

2.1 Mortality

Record ONE cause of mortality per case	< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F		M	F			M	F		M	F		M	F			
1 Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2 Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3 URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4 LRTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5 Neonatal death	6	3	9	0	0	0	64%	0	0	0	0	0	0	0	0	0	9	21%
6 Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7 Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8 Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9 Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10 Meningitis (Non-meningococcal)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11 HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12 Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13 Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14 Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15 Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16 Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17 Cancer	0	0	0	0	0	0	0%	0	0	0	1	0	1	2	1	3	4	10%
18 Cardiovascular disease (Non-IHD)	1	0	1	0	0	0	7%	0	0	0	1	0	1	5	3	8	10	24%
19 Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	2%
20 Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21 Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
22 Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
23 Liver disease	0	1	1	0	0	0	7%	0	1	1	0	0	0	0	0	0	2	5%
24 Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25 Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26 Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27 Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28 Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29 Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30 Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31 Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32 Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33 COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34 Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35 Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36 Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37 Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38 Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39 Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40 Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41 Salmonellosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42 Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43 Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44 Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45 Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Monkeypox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Assault	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	2%
47 Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48 Accidents	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49 Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50 Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51 Other	1	2	3	0	0	0	21%	0	2	2	3	3	6	2	2	4	15	36%
Total	8	6	14	0	0	0	100%	0	3	3	7	3	10	9	6	15	42	100%
% by age group			33%			0%			7%			24%			36%	100%		

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.2	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.4	0.3	0.3
Infant Mortality Rate (IMR) (/1000/month)	1.6	1.3	1.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			15.3

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. MORBIDITY

### 3.1 Staffing and service availability

Number of full-time clinicians	43.4
Average number of full days on which each health facility was functioning	5.1
Total number of outpatient consultations	100,190
Health facility utilisation rate	4.2
Consultations per clinician per day	35

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	34,592	48,660	83,252
Re-visit Consultations	5,758	11,180	16,938
TOTAL Consultations	40,350	59,840	100,190

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total < 5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 URTI	3,937	3,036	6,973	506.7	3,909	3,631	7,540	3,098	4,835	7,933	324	431	755	23,201	33%	295.5
2 ILI	1,113	1,000	2,113	153.5	1,121	1,057	2,178	365	760	1,125	30	45	75	5,491	8%	69.9
3 LRTI	814	576	1,390	101.0	157	101	258	165	171	336	32	47	79	2,063	3%	26.3
4 Watery diarrhoea	204	211	415	30.2	86	48	134	32	42	74	2	4	6	629	1%	8.0
5 Bloody diarrhoea	2	1	3	0.2	0	2	2	1	0	1	0	0	0	6	0%	0.1
6 Skin disease	606	578	1,184	86.0	580	969	1,549	579	915	1,494	60	81	141	4,368	6%	55.6
7 Eye disease	240	215	455	33.1	293	308	601	399	500	899	103	143	246	2,201	3%	28.0
8 Ear disease	1,021	766	1,787	129.9	314	391	705	266	377	643	54	37	91	3,226	5%	41.1
9 Dental conditions	52	76	128	9.3	1,334	1,371	2,705	1,766	2,762	4,528	108	87	195	7,556	11%	96.2
10 Intestinal worms	117	150	267	19.4	261	235	496	47	75	122	4	5	9	894	1%	11.4
11 Acute Jaundice Syndrome	5	3	8	0.6	1	3	4	4	4	8	0	0	0	20	0%	0.3
12 Urinary Tract Infection	57	159	216	15.7	146	443	589	405	1,891	2,296	68	93	161	3,262	5%	41.5
13 Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
14 Measles (suspected)	2	1	3	0.2	1	0	1	0	0	0	0	0	0	4	0%	0.1
15 Meningitis (suspected)	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
16 Acute malnutrition- Moderate	48	39	87	6.3	59	50	109	33	45	78	0	0	0	274	0%	3.5
17 Acute malnutrition- Severe	1	1	2	0.1	1	1	2	2	6	8	0	0	0	12	0%	0.2
18 Anaemia	335	268	603	43.8	269	570	839	117	1,243	1,360	10	43	53	2,855	4%	36.4
19 Abortion	0	0	0	0.0	0	3	3	0	88	88	0	0	0	91	0%	1.2
20 HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21 Other	1,276	1,167	2,443	177.5	1,377	1,675	3,052	2,330	4,988	7,318	400	510	910	13,723	20%	174.8
<b>Total</b>	<b>9,830</b>	<b>8,247</b>	<b>18,077</b>	<b>1313.6</b>	<b>9,909</b>	<b>10,858</b>	<b>20,767</b>	<b>9,610</b>	<b>18,703</b>	<b>28,313</b>	<b>1,195</b>	<b>1,526</b>	<b>2,721</b>	<b>69,878</b>	<b>100%</b>	<b>890.0</b>
% by age group			26%				30%			41%			4%	100%		

### 3.3 Notifiable diseases

Record NEW cases of disease only		0 to 4		Total < 5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
		M	F			M	F		M	F		M	F				
1	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2	COVID-19 (confirmed)	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	1%	0.0
3	Acute Flaccid Paralysis	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	1%	0.0
4	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Salmonellosis	4	0	4	0.3	0	2	2	0	2	2	0	0	0	8	4%	0.1
11	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Varicella	20	18	38	2.8	66	45	111	8	5	13	0	0	0	162	89%	2.1
14	Whooping cough	8	3	11	0.8	0	0	0	0	0	0	0	0	0	11	6%	0.1
	Monkeypox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	<b>Total</b>	<b>32</b>	<b>23</b>	<b>55</b>	<b>4.0</b>	<b>66</b>	<b>47</b>	<b>113</b>	<b>8</b>	<b>7</b>	<b>15</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>183</b>	<b>100%</b>	<b>2.3</b>
	% by age group			30%				62%			8%			0%	100%		

### 3.4 Chronic health conditions

Record NEW and REVISITS		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
		M	F		M	F		M	F		M	F				
1	Diabetes	0	1	1	30	29	59	1,181	2,012	3,193	698	1,221	1,919	5,172	20%	
2	Hypertension	0	0	0	6	11	17	1,476	2,611	4,087	924	1,596	2,520	6,624	26%	
3	Ischaemic heart disease	0	0	0	3	6	9	214	141	355	159	144	303	667	3%	
4	Cardiovascular disease (other)	10	13	23	28	30	58	319	260	579	169	161	330	990	4%	
5	Asthma	165	117	282	279	178	457	333	402	735	81	80	161	1,635	6%	
6	Chronic obstructive pulmonary disease	0	0	0	2	9	11	153	91	244	102	52	154	409	2%	
7	Thyroid disorders	4	3	7	26	40	66	73	763	836	275	87	362	1,271	5%	
8	Cancer	0	0	0	1	3	4	9	13	22	24	14	38	64	0%	
9	Liver disease	1	1	2	6	10	16	30	21	51	7	6	13	82	0%	
10	Musculoskeletal disorders	20	26	46	137	125	262	816	1,367	2,183	199	289	488	2,979	12%	
11	Other	68	70	138	134	194	328	1,339	2,260	3,599	665	994	1,659	5,724	22%	
	<b>Total</b>	<b>268</b>	<b>231</b>	<b>499</b>	<b>652</b>	<b>635</b>	<b>1,287</b>	<b>5,943</b>	<b>9,941</b>	<b>15,884</b>	<b>3,303</b>	<b>4,644</b>	<b>7,947</b>	<b>25,617</b>	<b>100%</b>	
	% by age group			2%			5%			62%			31%	100%		

### 3.5 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
		M	F		M	F		M	F		M	F				
1	Epilepsy/Seizures	3	4	7	45	46	91	304	213	517	10	3	13	628	28%	
2	Alcohol/Substance abuse	0	0	0	10	12	22	10	6	16	0	0	0	38	2%	
3	Intellectual disability and development disorders	2	0	2	107	61	168	75	41	116	6	0	6	292	13%	
4	Psychosis (including bipolar disorder)	0	0	0	4	1	5	293	194	487	24	3	27	519	23%	
5	Moderate-severe emotional disorder	0	0	0	4	10	14	323	341	664	13	19	32	710	31%	
6	Medically unexplained somatic complaint	0	0	0	0	0	0	0	11	11	0	2	2	13	1%	
7	Dementia or delirium	0	0	0	0	0	0	0	0	0	4	18	22	22	1%	
8	Other psychological complaint	2	0	2	4	9	13	16	25	41	0	0	0	56	2%	
	<b>Total</b>	<b>7</b>	<b>4</b>	<b>11</b>	<b>174</b>	<b>139</b>	<b>313</b>	<b>1,021</b>	<b>831</b>	<b>1,852</b>	<b>57</b>	<b>45</b>	<b>102</b>	<b>2,278</b>	<b>100%</b>	
	% by age group			0%			14%			81%			4%	100%		

### 3.6 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
		M	F		M	F		M	F		M	F				
1	Burns	34	38	72	24	21	45	17	33	50	1	0	1	168	7%	
2	Bites	10	6	16	47	5	52	12	10	22	1	1	2	92	4%	
3	Assault	0	1	1	3	0	3	7	1	8	0	0	0	12	0%	
4	Accidents	114	109	223	502	209	711	343	196	539	15	25	40	1,513	60%	
5	Self-harm	0	0	0	0	0	0	1	0	1	0	0	0	1	0%	
6	Suicidal attempt	0	0	0	0	0	0	1	0	1	0	0	0	1	0%	
7	Other	56	62	118	213	108	321	149	86	235	20	22	42	716	29%	
	<b>Total</b>	<b>214</b>	<b>216</b>	<b>430</b>	<b>789</b>	<b>343</b>	<b>1,132</b>	<b>530</b>	<b>326</b>	<b>856</b>	<b>37</b>	<b>48</b>	<b>85</b>	<b>2,503</b>	<b>100%</b>	
	% by age group			17%			45%			34%			3%	100%		

### 3.7 Reproductive Tract Infections

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1 Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2 Vaginal discharge syndrome	0	0	0	0	142	142	0	2,233	2,233	0	5	5	2,380	100%
3 Genital ulcer disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4 Pelvic inflammatory disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5 Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6 Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7 Other	0	0	0	0	0	0	1	7	8	0	0	0	8	0%
<b>Total</b>	0	0	0	0	142	142	1	2,240	2,241	0	5	5	2,388	100%
% by age group			0%			6%			90%			0%	100%	

## 4. INPATIENT DEPARTMENT (In-Camp)

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total admissions</b>	0	0	0	0	37	37	0	553	553	0	0	0	590
Number of exits	authorized	0	0	0	13	13	0	240	240	0	0	0	253
	unauthorized	0	0	0	0	0	0	2	2	0	0	0	2
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	24	24	0	311	311	0	0	335
<b>Total exits</b>	0	0	0	0	37	37	0	553	553	0	0	0	590
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	10
Sum number of days stay for authorised discharges	329
Average length of stay (days)	1.3
Bed occupancy	84%
Hospitalisation rate (/1000/month)	2.5

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1 Paediatric medicine	0	0		0	0		0	0		0	0	0	0	
2 General Surgery	0	0		0	0		0	0		0	0	0	0	
3 Internal medicine	0	0		0	0		0	0		0	0	0	0	
4 Obstetrics	0	0		37	0		553	0		0	0	590	0	
5 Gynaecology	0	0		0	0		0	0		0	0	0	0	
6 COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
7 COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
8 Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	0	0		37	0		553	0		0	0	590	0	

Adm. = Admission; CFR = Case Fatality Rate

## 5. REFERRALS

### 5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	278	295	989	122	1,684
2 Jordan University Hospital	0	1	15	2	18
3 Private affiliated Hospital	255	135	1,115	413	1,918
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total No of referred cases out side the Camp	3,620
Referral Rate (/1000/month)	15.4

## 5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	299	8	0	0	307
2 Internal medicine	154	210	1,233	519	2,116
3 Obstetric	0	21	701	0	722
4 Gynaecological	0	6	40	0	46
5 Surgical	80	186	145	18	429
6 Other	0	0	0	0	0

## 6. LABORATORY

	Total
Number of laboratory tests conducted	71,519

## 7. REPRODUCTIVE HEALTH

### 7.1 Antenatal care

	< 18	≥ 18	Total
1 First antenatal visit (during the first trimester)	80	726	806
2 First antenatal visit (after the first trimester)	31	374	405
3 Repeat antenatal visit	517	5,626	6,143
4 High risk pregnancies detected	30	498	528
5 Tested for anaemia	292	2,162	2,454
6 Tested positive for severe and moderate anaemia	22	273	295
7 Number tested for syphilis	0	0	0
8 Number tested positive for syphilis	0	0	0
9 Abortions	3	92	95

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	67%
--	-----

### 7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	37	552	589
	2 TT doses	37	552	589
	anaemia screening	37	552	589
	syphilis screening	0	0	0

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	100%
Coverage of anaemia screening in pregnancy	100%

### 7.3 Delivery care

	Health Facility		Home Delivery		TOTAL
	< 18	≥ 18	< 18	≥ 18	
1 Livebirths	37	550	0	2	589
2 Stillbirths	0	1	0	0	1
3 Low birth weight (< 2500g)	1	22	0	0	23
4 Attended by a skilled health worker	37	550	0	2	589
5 Obstetric complications	0	1	0	0	1
6 Caesarean sections	16	236	0	0	252

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	2.5
Proportion of births attended by skilled health worker (excl. TBA)	100.0%
Proportion of low birth weight deliveries	4%
Proportion of all births performed by caesarean section	43%
Proportion of obstetric complications treated among girls < 18	

## 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	52	666	718

### Postnatal Indicators

Coverage of complete postnatal care	122%
-------------------------------------	------

## 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	1	43	10	414	468
Combined pill (highdose)	1	373	9	1,035	1,418
Progesterone pill (Micro-val; Micro-lut)	3	144	0	90	237
Emergency contraceptive pill	0	0	0	0	0
Injectable (Depo-Provera)	0	76	0	118	194
Implantable (Norplant)	0	21	0	2	23
Intra-uterine device (IUD)	0	113	2	18	133
Condom (male)	8	201	8	522	739
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	38	164	29	137	368
Other	0	6	1	0	7

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

### SGBV Indicators

Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## 8. NUTRITION

### 8.1 Outpatient Therapeutic Program

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	0	0	2	0	1	0
2 Re-visits	0	0	0	0	0	0
3 Exits- Recovered	0	0	1	0	0	0
4 Exits - None response	0	0	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to other OTP	0	0	0	0	0	0
7 Exits- Moved to TSFP	0	0	0	2	3	1
8 Exits - Medical Referral	0	0	0	0	0	0
Exits- Death	0	0	0	0	0	0
9 Exits- Defaulter	0	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					530	
12 Sum average weight gain for discharged children (< 5)					13	

## 8.2 Supplementary Feeding Program - U5

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	0	0	7	16	1	1
2 Re-visits	0	0	1	0	4	2
3 Exits- Recovered	0	0	9	14	2	2
4 Exits - None response	0	0	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to OTP	0	0	0	1	0	0
7 Exits - Moved to other TSFP	0	0	0	0	0	1
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	0	1	0	0	0
10 Exits- Defaulter	0	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					2,922	
12 Sum average weight gain for discharged children (< 5)					22	

## 8.3 Supplementary Feeding Program - PLW

	< 18	≥ 18
1 New admissions	1	14
2 Re-visits	0	3
3 Exits- Recovered	0	35
4 Exits - None response	0	0
5 Exits - Moved to other TSFP	0	1
6 Exits - Medical Referral	0	0
7 Exits- Death	0	0
8 Exits- Defaulter	0	6

## 8.4 MUAC (Health Facility)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	501	552	119	145
2 Children screened - Yellow (borderline)	5	9	0	0
3 Children screened - Red (danger)	2	1	0	0
4 Children screened - Oedema	0	0	0	0

## 8.5 GMP (Community)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	2,811	2,884	2,653	2,676
2 Children screened - Yellow (borderline)	3	6	1	1
3 Children screened - Red (danger)	0	0	1	0
4 Children screened - Oedema	0	0	0	0

Data Source | Health Information System

### Contact Information

#### Za'atari

Muhammad Fawad, UNHCR  
Iyad Shtayiat, UNHCR

Email: fawad@unhcr.org  
Email: shtayiat@unhcr.org

#### Amman

Adam Musa Khalifa, UNHCR  
Heba Hayek, UNHCR

Email: khalifaa@unhcr.org  
Email: hayekh@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

