

1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,641	1,563	3,204	5,300	5,061	10,361	15,240	14,494	29,734	15,784	17,074	32,858	827	1,174	2,001	78,158
% by age group			4%			13%			38%			42%			3%	100%

2. MORTALITY

2.1 Mortality

Record ONE cause of mortality per case	< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F		M	F			M	F		M	F		M	F			
1 Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2 Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3 URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4 LRTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	4%
5 Neonatal death	1	7	8	0	0	0	73%	0	0	0	0	0	0	0	0	0	8	30%
6 Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7 Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8 Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9 Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10 Meningitis (Non-meningococcal)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11 HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12 Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13 Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14 Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15 Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16 Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17 Cancer	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	4%
18 Cardiovascular disease (Non-IHD)	0	0	0	0	0	0	0%	0	0	0	1	0	1	1	2	3	4	15%
19 Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	1	0	1	1	0	1	2	7%
20 Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21 Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
22 Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	4%
23 Liver disease	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	4%
24 Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25 Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26 Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27 Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28 Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29 Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30 Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31 Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32 Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33 COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34 Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35 Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36 Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37 Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38 Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39 Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40 Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41 Salmonellosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42 Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43 Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44 Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45 Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Monkeypox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47 Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48 Accidents	0	0	0	0	0	0	0%	0	1	1	0	0	0	0	0	0	1	4%
49 Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50 Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51 Other	1	1	2	0	1	1	27%	0	0	0	2	1	3	0	2	2	8	30%
<b>Total</b>	<b>2</b>	<b>8</b>	<b>10</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>100%</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>6</b>	<b>4</b>	<b>5</b>	<b>9</b>	<b>27</b>	<b>100%</b>
% by age group			37%			4%			4%			22%			33%	100%		

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.1	0.5	0.3
Infant Mortality Rate (IMR) (/1000/month)	0.4	1.7	1.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			15.0

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. MORBIDITY

### 3.1 Staffing and service availability

Number of full-time clinicians	40.7
Average number of full days on which each health facility was functioning	4.8
Total number of outpatient consultations	78,346
Health facility utilisation rate	3.4
Consultations per clinician per day	31

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	26,587	39,473	66,060
Re-visit Consultations	4,059	8,227	12,286
TOTAL Consultations	30,646	47,700	78,346

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total < 5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 URTI	2,263	1,795	4,058	299.2	2,535	2,221	4,756	1,651	2,824	4,475	186	279	465	13,754	27%	176.0
2 ILI	207	199	406	29.9	432	332	764	206	530	736	23	38	61	1,967	4%	25.2
3 LRTI	437	283	720	53.1	128	99	227	95	130	225	23	27	50	1,222	2%	15.6
4 Watery diarrhoea	320	229	549	40.5	85	90	175	43	59	102	4	4	8	834	2%	10.7
5 Bloody diarrhoea	2	0	2	0.1	0	0	0	1	1	2	0	0	0	4	0%	0.1
6 Skin disease	357	348	705	52.0	433	762	1,195	471	671	1,142	64	68	132	3,174	6%	40.6
7 Eye disease	204	177	381	28.1	310	300	610	331	491	822	110	132	242	2,055	4%	26.3
8 Ear disease	387	315	702	51.8	283	306	589	233	371	604	46	57	103	1,998	4%	25.6
9 Dental conditions	68	54	122	9.0	985	1,072	2,057	1,320	2,285	3,605	123	93	216	6,000	12%	76.8
10 Intestinal worms	120	104	224	16.5	216	166	382	37	57	94	3	3	6	706	1%	9.0
11 Acute Jaundice Syndrome	4	0	4	0.3	1	5	6	1	2	3	0	0	0	13	0%	0.2
12 Urinary Tract Infection	78	152	230	17.0	141	377	518	377	1,541	1,918	40	110	150	2,816	6%	36.0
13 Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14 Measles (suspected)	3	9	12	0.9	1	2	3	0	1	1	0	0	0	16	0%	0.2
15 Meningitis (suspected)	2	1	3	0.2	0	0	0	0	0	0	0	0	0	3	0%	0.0
16 Acute malnutrition- Moderate	54	52	106	7.8	38	43	81	14	49	63	1	0	1	251	0%	3.2
17 Acute malnutrition- Severe	3	5	8	0.6	0	1	1	0	0	0	0	0	0	9	0%	0.1
18 Anaemia	274	218	492	36.3	193	432	625	112	1,172	1,284	20	39	59	2,460	5%	31.5
19 Abortion	0	0	0	0.0	0	3	3	0	99	99	0	0	0	102	0%	1.3
20 HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21 Other	1,060	1,079	2,139	157.7	1,316	1,637	2,953	1,998	4,827	6,825	309	629	938	12,855	26%	164.5
<b>Total</b>	<b>5,843</b>	<b>5,020</b>	<b>10,863</b>	<b>800.8</b>	<b>7,097</b>	<b>7,848</b>	<b>14,945</b>	<b>6,890</b>	<b>15,110</b>	<b>22,000</b>	<b>952</b>	<b>1,479</b>	<b>2,431</b>	<b>50,239</b>	<b>100%</b>	<b>642.8</b>
% by age group			22%				30%			44%			5%	100%		

### 3.3 Notifiable diseases

Record NEW cases of disease only		0 to 4		Total < 5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
		M	F			M	F		M	F		M	F				
1	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3	Acute Flaccid Paralysis	1	0	1	0.1	0	1	1	0	0	0	0	0	0	2	2%	0.0
4	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Salmonellosis	2	0	2	0.1	0	1	1	0	1	1	0	0	0	4	3%	0.1
11	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Varicella	10	13	23	1.7	39	41	80	2	1	3	0	0	0	106	92%	1.4
14	Whooping cough	2	1	3	0.2	0	0	0	0	0	0	0	0	0	3	3%	0.0
	Monkeypox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	<b>Total</b>	<b>15</b>	<b>14</b>	<b>29</b>	<b>2.1</b>	<b>39</b>	<b>43</b>	<b>82</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>115</b>	<b>100%</b>	<b>1.5</b>
	% by age group			25%				71%			3%			0%	100%		

### 3.4 Chronic health conditions

Record NEW and REVISITS		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
		M	F		M	F		M	F		M	F				
1	Diabetes	1	0	1	14	30	44	1,168	2,263	3,431	688	1,331	2,019	5,495	23%	
2	Hypertension	0	1	1	0	0	0	1,432	2,562	3,994	952	1,650	2,602	6,597	27%	
3	Ischaemic heart disease	0	0	0	0	0	0	261	232	493	208	238	446	939	4%	
4	Cardiovascular disease (other)	7	4	11	20	17	37	276	297	573	189	238	427	1,048	4%	
5	Asthma	131	89	220	162	132	294	187	315	502	86	99	185	1,201	5%	
6	Chronic obstructive pulmonary disease	0	1	1	1	1	2	191	163	354	124	82	206	563	2%	
7	Thyroid disorders	2	6	8	15	32	47	81	638	719	24	109	133	907	4%	
8	Cancer	0	0	0	0	2	2	13	26	39	15	10	25	66	0%	
9	Liver disease	1	1	2	1	0	1	8	16	24	0	5	5	32	0%	
10	Musculoskeletal disorders	22	16	38	79	63	142	594	974	1,568	169	298	467	2,215	9%	
11	Other	29	38	67	105	110	215	1,258	2,087	3,345	601	918	1,519	5,146	21%	
	<b>Total</b>	<b>193</b>	<b>156</b>	<b>349</b>	<b>397</b>	<b>387</b>	<b>784</b>	<b>5,469</b>	<b>9,573</b>	<b>15,042</b>	<b>3,056</b>	<b>4,978</b>	<b>8,034</b>	<b>24,209</b>	<b>100%</b>	
	% by age group			1%			3%			62%			33%	100%		

### 3.5 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
		M	F		M	F		M	F		M	F				
1	Epilepsy/Seizures	3	4	7	45	57	102	335	204	539	7	7	14	662	31%	
2	Alcohol/Substance abuse	0	0	0	1	1	2	2	0	2	0	0	0	4	0%	
3	Intellectual disability and development disorders	0	1	1	112	51	163	73	23	96	1	0	1	261	12%	
4	Psychosis (including bipolar disorder)	0	0	0	1	2	3	305	172	477	2	1	3	483	23%	
5	Moderate-severe emotional disorder	0	0	0	4	6	10	309	294	603	3	12	15	628	30%	
6	Medically unexplained somatic complaint	0	0	0	0	0	0	0	5	5	0	1	1	6	0%	
7	Dementia or delirium	0	0	0	0	0	0	0	0	0	0	14	14	14	1%	
8	Other psychological complaint	2	0	2	9	12	21	12	30	42	0	5	5	70	3%	
	<b>Total</b>	<b>5</b>	<b>5</b>	<b>10</b>	<b>172</b>	<b>129</b>	<b>301</b>	<b>1,036</b>	<b>728</b>	<b>1,764</b>	<b>13</b>	<b>40</b>	<b>53</b>	<b>2,128</b>	<b>100%</b>	
	% by age group			0%			14%			83%			2%	100%		

### 3.6 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
		M	F		M	F		M	F		M	F				
1	Burns	24	21	45	13	13	26	13	18	31	0	3	3	105	4%	
2	Bites	10	1	11	36	8	44	21	15	36	4	2	6	97	3%	
3	Assault	3	1	4	9	3	12	3	0	3	0	0	0	19	1%	
4	Accidents	164	146	310	633	289	922	502	252	754	29	29	58	2,044	73%	
5	Self-harm	1	0	1	1	0	1	1	3	4	0	0	0	6	0%	
6	Suicidal attempt	0	0	0	0	1	1	3	0	3	0	4	4	8	0%	
7	Other	46	55	101	154	69	223	129	64	193	6	4	10	527	19%	
	<b>Total</b>	<b>248</b>	<b>224</b>	<b>472</b>	<b>846</b>	<b>383</b>	<b>1,229</b>	<b>672</b>	<b>352</b>	<b>1,024</b>	<b>39</b>	<b>42</b>	<b>81</b>	<b>2,806</b>	<b>100%</b>	
	% by age group			17%			44%			36%			3%	100%		

### 3.7 Reproductive Tract Infections

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1 Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2 Vaginal discharge syndrome	0	1	1	0	75	75	0	1,545	1,545	0	3	3	1,624	99%
3 Genital ulcer disease	0	0	0	0	1	1	0	15	15	0	0	0	16	1%
4 Pelvic inflammatory disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5 Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6 Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7 Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
<b>Total</b>	0	1	1	0	76	76	0	1,560	1,560	0	3	3	1,640	100%
% by age group			0%			3%			56%			0%	100%	

## 4. INPATIENT DEPARTMENT (In-Camp)

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total admissions</b>	0	0	0	0	48	48	0	491	491	0	0	0	539
Number of exits	authorized	0	0	0	20	20	0	227	227	0	0	0	247
	unauthorized	0	0	0	0	0	0	2	2	0	0	0	2
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	29	29	0	262	262	0	0	291
<b>Total exits</b>	0	0	0	0	49	49	0	491	491	0	0	0	540
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	10
Sum number of days stay for authorised discharges	310
Average length of stay (days)	1.3
Bed occupancy	74%
Hospitalisation rate (/1000/month)	2.3

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1 Paediatric medicine	0	0		0	0		0	0		0	0	0	0	
2 General Surgery	0	0		0	0		0	0		0	0	0	0	
3 Internal medicine	0	0		0	0		0	0		0	0	0	0	
4 Obstetrics	0	0		48	0		491	0		0	0	539	0	
5 Gynaecology	0	0		0	0		0	0		0	0	0	0	
6 COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	0	
7 COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	0	
8 Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	0	0		48	0		491	0		0	0	539	0	

Adm. = Admission; CFR = Case Fatality Rate

## 5. REFERRALS

### 5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	402	289	943	119	1,753
2 Jordan University Hospital	0	1	7	1	9
3 Private affiliated Hospital	48	101	985	414	1,548
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total No of referred cases out side the Camp	3,310
Referral Rate (/1000/month)	14.1

## 5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	189	10	0	0	199
2 Internal medicine	171	207	1,215	516	2,109
3 Obstetric	0	36	622	0	658
4 Gynaecological	0	2	8	0	10
5 Surgical	90	136	90	18	334
6 Other	0	0	0	0	0

## 6. LABORATORY

	Total
Number of laboratory tests conducted	51,456

## 7. REPRODUCTIVE HEALTH

### 7.1 Antenatal care

	< 18	≥ 18	Total
1 First antenatal visit (during the first trimester)	60	579	639
2 First antenatal visit (after the first trimester)	45	348	393
3 Repeat antenatal visit	448	5,170	5,618
4 High risk pregnancies detected	58	587	645
5 Tested for anaemia	239	1,726	1,965
6 Confirmed severe and moderate anaemia	11	276	287
7 Number tested for syphilis	0	0	0
8 Number tested positive for syphilis	0	0	0
9 Abortions	9	142	151

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	62%
--	-----

### 7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	47	488	535
	2 TT doses	47	488	535
	anaemia screening	47	488	535
	syphilis screening	0	0	0

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	100%
Coverage of anaemia screening in pregnancy	100%

### 7.3 Delivery care

	Health Facility		Home Delivery		TOTAL
	< 18	≥ 18	< 18	≥ 18	
1 Livebirths	47	486	0	2	535
2 Stillbirths	0	4	0	0	4
3 Low birth weight (< 2500g)	0	15	0	0	15
4 Attended by a skilled health worker	47	486	0	2	535
5 Obstetric complications	0	1	0	0	1
6 Caesarean sections	15	194	0	0	209

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	2.3
Proportion of births attended by skilled health worker (excl. TBA)	100.0%
Proportion of low birth weight deliveries	3%
Proportion of all births performed by caesarean section	39%
Proportion of obstetric complications treated among girls < 18	

## 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	38	589	627

### Postnatal Indicators

Coverage of complete postnatal care	117%
-------------------------------------	------

## 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	3	65	7	378	453
Combined pill (highdose)	0	340	5	937	1,282
Progesterone pill (Micro-val; Micro-lut)	1	123	0	112	236
Emergency contraceptive pill	0	0	0	0	0
Injectable (Depo-Provera)	0	87	1	130	218
Implantable (Norplant)	0	9	0	0	9
Intra-uterine device (IUD)	0	135	1	74	210
Condom (male)	0	162	1	456	619
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	39	161	74	208	482
Other	0	0	0	0	0

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	1	1

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

### SGBV Indicators

Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## 8. NUTRITION

### 8.1 Outpatient Therapeutic Program

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	0	0	1	2	0	0
2 Re-visits	0	0	0	0	0	0
3 Exits- Recovered	0	0	0	0	0	0
4 Exits - None response	0	0	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to other OTP	0	0	0	0	1	0
7 Exits- Moved to TSFP	0	0	1	2	0	0
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	0	0	0	0	0
Exits- Defaulter	0	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					471	
12 Sum average weight gain for discharged children (< 5)					6	

## 8.2 Supplementary Feeding Program - U5

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	0	0	13	16	0	1
2 Re-visits	0	0	3	2	2	0
3 Exits- Recovered	0	0	6	11	4	2
4 Exits - None response	0	0	0	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to OTP	0	0	0	0	0	0
7 Exits - Moved to other TSFP	0	0	0	0	0	0
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	0	0	0	0	0
10 Exits- Defaulter	0	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					1,551	
12 Sum average weight gain for discharged children (< 5)					17	

## 8.3 Supplementary Feeding Program - PLW

	< 18	≥ 18
1 New admissions	0	6
2 Re-visits	1	1
3 Exits- Recovered	0	5
4 Exits - None response	0	0
5 Exits - Moved to other TSFP	0	2
6 Exits - Medical Referral	0	0
7 Exits- Death	0	0
8 Exits- Defaulter	0	5

## 8.4 MUAC (Health Facility)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	482	474	156	170
2 Children screened - Yellow (borderline)	13	15	0	0
3 Children screened - Red (danger)	1	2	0	0
4 Children screened - Oedema	0	0	0	0

## 8.5 GMP (Community)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	1,190	1,107	1,274	1,347
2 Children screened - Yellow (borderline)	1	2	0	0
3 Children screened - Red (danger)	0	0	0	0
4 Children screened - Oedema	0	0	0	0

Data Source | Health Information System

Publication date: | 07/08/2024

**Contact Information**  
**Za'atari**  
 Muhammad Fawad, UNHCR Email: fawad@unhcr.org  
 Iyad Shtayiat, UNHCR Email: shtayiat@unhcr.org

**Amman**  
 Adam Musa Khalifa, UNHCR Email: khalifaa@unhcr.org  
 Heba Hayek, UNHCR Email: hayekh@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

