

## 1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,647	1,568	3,215	5,179	4,981	10,160	15,439	14,625	30,064	15,775	17,179	32,954	831	1,184	2,015	78,408
% by age group			4%			13%			38%			42%			3%	100%

## 2. MORTALITY

### 2.1 Mortality

Record ONE cause of mortality per case	< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F		M	F			M	F		M	F		M	F			
1 Malaria (suspected)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2 Malaria (confirmed)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3 URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4 LRTI	0	0	0	0	0	0	0%	1	0	1	0	1	1	1	0	1	3	9%
5 Neonatal death	2	5	7	0	0	0	70%	0	0	0	0	0	0	0	0	0	7	20%
6 Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7 Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8 Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9 Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10 Meningitis (Non-meningococcal)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11 HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12 Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13 Chronic malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14 Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15 Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16 Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17 Cancer	0	0	0	0	0	0	0%	1	0	1	2	2	0	1	1	4	11%	
18 Cardiovascular disease (Non-IHD)	0	0	0	0	0	0	0%	0	0	0	0	1	1	2	4	6	7	20%
19 Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	0	0	1	1	2	2	2	6%
20 Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
21 Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
22 Hypertension	0	0	0	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	3%
23 Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	1	1	1	3%
24 Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25 Mental health	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26 Maternal Death - Hemorrhage	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27 Maternal Death - Hypertensive disorder	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28 Maternal Death - Infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29 Maternal Death - Abortions	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30 Maternal Death - Embolism	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31 Maternal Death - Other direct causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32 Maternal Death - Indirect causes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33 COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34 Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35 Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36 Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37 Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38 Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39 Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40 Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41 Salmonellosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42 Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43 Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44 Varicella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45 Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Monkeypox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46 Assault	0	0	0	0	0	0	0%	1	0	1	1	0	1	0	0	0	2	6%
47 Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48 Accidents	0	0	0	2	0	2	20%	0	0	0	0	0	0	0	0	0	2	6%
49 Self-harm	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50 Suicidal attempt	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51 Other	0	1	1	0	0	0	10%	1	0	1	2	0	2	0	2	2	6	17%
<b>Total</b>	<b>2</b>	<b>6</b>	<b>8</b>	<b>2</b>	<b>0</b>	<b>2</b>	<b>100%</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>5</b>	<b>3</b>	<b>8</b>	<b>4</b>	<b>9</b>	<b>13</b>	<b>35</b>	<b>100%</b>
% by age group			23%			6%				11%			23%			37%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.2	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.2	0.3	0.2
Infant Mortality Rate (IMR) (/1000/month)	0.4	1.3	0.8
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			13.8

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. MORBIDITY

### 3.1 Staffing and service availability

Number of full-time clinicians	38.0
Average number of full days on which each health facility was functioning	4.9
Total number of outpatient consultations	75,989
Health facility utilisation rate	3.2
Consultations per clinician per day	31

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations	23,753	38,019	61,772
Re-visit Consultations	4,594	9,623	14,217
TOTAL Consultations	28,347	47,642	75,989

### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total < 5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
1 URTI	1,963	1,599	3,562	266.3	1,539	1,461	3,000	1,024	1,867	2,891	125	205	330	9,783	19%	124.8
2 ILI	48	54	102	7.6	290	269	559	230	454	684	31	42	73	1,418	3%	18.1
3 LRTI	158	115	273	20.4	73	56	129	79	91	170	20	19	39	611	1%	7.8
4 Watery diarrhoea	179	150	329	24.6	33	41	74	22	34	56	7	5	12	471	1%	6.0
5 Bloody diarrhoea	2	0	2	0.1	1	0	1	0	1	1	0	0	0	4	0%	0.1
6 Skin disease	400	389	789	59.0	356	502	858	390	481	871	33	85	118	2,636	5%	33.6
7 Eye disease	227	180	407	30.4	395	336	731	382	570	952	94	174	268	2,358	5%	30.1
8 Ear disease	215	209	424	31.7	227	235	462	264	494	758	61	83	144	1,788	3%	22.8
9 Dental conditions	86	76	162	12.1	1,095	1,073	2,168	1,487	2,610	4,097	89	117	206	6,633	13%	84.6
10 Intestinal worms	58	78	136	10.2	147	154	301	32	53	85	0	1	1	523	1%	6.7
11 Acute Jaundice Syndrome	2	1	3	0.2	4	7	11	0	1	1	0	3	3	18	0%	0.2
12 Urinary Tract Infection	119	274	393	29.4	218	610	828	505	2,521	3,026	105	149	254	4,501	9%	57.4
13 Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14 Measles (suspected)	0	3	3	0.2	1	2	3	0	0	0	0	0	0	6	0%	0.1
15 Meningitis (suspected)	0	0	0	0.0	5	1	6	0	1	1	0	0	0	7	0%	0.1
16 Acute malnutrition- Moderate	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
17 Acute malnutrition- Severe	6	4	10	0.7	4	5	9	1	3	4	0	0	0	23	0%	0.3
18 Anaemia	311	264	575	43.0	244	569	813	193	1,495	1,688	21	36	57	3,133	6%	40.0
19 Abortion	0	0	0	0.0	0	6	6	0	96	96	0	0	0	102	0%	1.3
20 HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21 Other	1,777	1,486	3,263	244.0	1,599	1,722	3,321	2,638	6,806	9,444	669	1,199	1,868	17,896	34%	228.2
<b>Total</b>	<b>5,551</b>	<b>4,882</b>	<b>10,433</b>	<b>780.0</b>	<b>6,231</b>	<b>7,049</b>	<b>13,280</b>	<b>7,248</b>	<b>17,578</b>	<b>24,826</b>	<b>1,255</b>	<b>2,118</b>	<b>3,373</b>	<b>51,912</b>	<b>100%</b>	<b>662.1</b>
% by age group			20%				26%			48%			6%	100%		

### 3.3 Notifiable diseases

Record NEW cases of disease only		0 to 4		Total < 5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
		M	F			M	F		M	F		M	F				
1	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	1	1	1	2%	0.0
2	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3	Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Salmonellosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Varicella	7	4	11	0.8	21	30	51	0	0	0	0	0	0	62	95%	0.8
14	Whooping cough	1	0	1	0.1	0	1	1	0	0	0	0	0	0	2	3%	0.0
	Monkeypox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	<b>Total</b>	<b>8</b>	<b>4</b>	<b>12</b>	<b>0.9</b>	<b>21</b>	<b>31</b>	<b>52</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>65</b>	<b>100%</b>	<b>0.8</b>
	% by age group			18%				80%			0%			2%	100%		

### 3.4 Chronic health conditions

Record NEW and REVISITS		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
		M	F		M	F		M	F		M	F				
1	Diabetes	3	7	10	17	32	49	1,025	1,890	2,915	673	1,260	1,933	4,907	22%	
2	Hypertension	0	0	0	2	1	3	1,380	2,379	3,759	868	1,539	2,407	6,169	28%	
3	Ischaemic heart disease	0	1	1	0	0	0	272	209	481	219	229	448	930	4%	
4	Cardiovascular disease (other)	4	6	10	13	10	23	254	303	557	172	230	402	992	4%	
5	Asthma	87	64	151	143	90	233	194	268	462	69	87	156	1,002	5%	
6	Chronic obstructive pulmonary disease	0	0	0	3	8	11	189	179	368	133	96	229	608	3%	
7	Thyroid disorders	4	8	12	23	48	71	103	827	930	39	173	212	1,225	6%	
8	Cancer	1	0	1	1	3	4	66	18	84	131	16	147	236	1%	
9	Liver disease	1	1	2	3	4	7	9	8	17	0	1	1	27	0%	
10	Musculoskeletal disorders	24	20	44	115	102	217	661	1,252	1,913	158	259	417	2,591	12%	
11	Other	10	6	16	57	111	168	878	1,351	2,229	467	507	974	3,387	15%	
	<b>Total</b>	<b>134</b>	<b>113</b>	<b>247</b>	<b>377</b>	<b>409</b>	<b>786</b>	<b>5,031</b>	<b>8,684</b>	<b>13,715</b>	<b>2,929</b>	<b>4,397</b>	<b>7,326</b>	<b>22,074</b>	<b>100%</b>	
	% by age group			1%			4%			62%			33%	100%		

### 3.5 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
		M	F		M	F		M	F		M	F				
1	Epilepsy/Seizures	0	7	7	73	61	134	344	258	602	8	7	15	758	32%	
2	Alcohol/Substance abuse	0	0	0	0	0	0	2	0	2	0	0	0	2	0%	
3	Intellectual disability and development disorders	2	0	2	116	63	179	63	19	82	0	0	0	263	11%	
4	Psychosis (including bipolar disorder)	0	0	0	0	2	2	341	181	522	2	3	5	529	22%	
5	Moderate-severe emotional disorder	0	0	0	6	11	17	321	325	646	7	6	13	676	29%	
6	Medically unexplained somatic complaint	0	0	0	0	0	0	0	7	7	0	2	2	9	0%	
7	Dementia or delirium	0	0	0	0	0	0	0	0	0	4	16	20	20	1%	
8	Other psychological complaint	1	4	5	16	13	29	28	34	62	0	0	0	96	4%	
	<b>Total</b>	<b>3</b>	<b>11</b>	<b>14</b>	<b>211</b>	<b>150</b>	<b>361</b>	<b>1,099</b>	<b>824</b>	<b>1,923</b>	<b>21</b>	<b>34</b>	<b>55</b>	<b>2,353</b>	<b>100%</b>	
	% by age group			1%			15%			82%			2%	100%		

### 3.6 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
		M	F		M	F		M	F		M	F				
1	Burns	18	27	45	25	20	45	11	25	36	1	0	1	127	5%	
2	Bites	8	8	16	29	11	40	13	9	22	2	1	3	81	3%	
3	Assault	0	0	0	7	6	13	3	4	7	0	1	1	21	1%	
4	Accidents	175	145	320	504	251	755	401	218	619	34	17	51	1,745	64%	
5	Self-harm	0	0	0	0	3	3	3	1	4	0	0	0	7	0%	
6	Suicidal attempt	0	0	0	1	3	4	1	2	3	0	0	0	7	0%	
7	Other	53	56	109	230	87	317	167	125	292	20	8	28	746	27%	
	<b>Total</b>	<b>254</b>	<b>236</b>	<b>490</b>	<b>796</b>	<b>381</b>	<b>1,177</b>	<b>599</b>	<b>384</b>	<b>983</b>	<b>57</b>	<b>27</b>	<b>84</b>	<b>2,734</b>	<b>100%</b>	
	% by age group			18%			43%			36%			3%	100%		

### 3.7 Reproductive Tract Infections

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1 Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2 Vaginal discharge syndrome	0	2	2	0	134	134	0	2,586	2,586	0	20	20	2,742	100%
3 Genital ulcer disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4 Pelvic inflammatory disease	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
5 Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6 Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7 Other	0	0	0	1	1	2	1	2	3	6	0	6	11	0%
<b>Total</b>	0	2	2	1	135	136	1	2,589	2,590	6	20	26	2,754	100%
<b>% by age group</b>			<b>0%</b>			<b>5%</b>			<b>95%</b>			<b>1%</b>	<b>100%</b>	

## 4. INPATIENT DEPARTMENT (In-Camp)

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total admissions</b>	0	0	0	0	44	44	0	470	470	0	0	0	514
Number of exits	authorized	0	0	0	12	12	0	159	159	0	0	0	171
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	30	30	0	311	311	0	0	341
<b>Total exits</b>	0	0	0	0	42	42	0	470	470	0	0	0	512
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	10
Sum number of days stay for authorised discharges	247
Average length of stay (days)	1.4
Bed occupancy	81%
Hospitalisation rate (/1000/month)	2.2

### 4.2 In-patient Admissions and Deaths

	0 to 4			5 to 17			18 to 59		≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths	U5 CFR	Adm	Deaths	5-17 CFR	Adm	Deaths	18-59 CFR	Adm			
1 Paediatric medicine	0	0		0	0		0	0		0	0	0	
2 General Surgery	0	0		0	0		0	0		0	0	0	
3 Internal medicine	0	0		0	0		0	0		0	0	0	
4 Obstetrics	0	0		42	0		470	0		0	0	512	
5 Gynaecology	0	0		0	0		0	0		0	0	0	
6 COVID-19 (suspected)	0	0		0	0		0	0		0	0	0	
7 COVID-19 (confirmed)	0	0		0	0		0	0		0	0	0	
8 Other	0	0		0	0		0	0		0	0	0	
<b>Total</b>	0	0		42	0		470	0		0	0	512	

Adm. = Admission; CFR = Case Fatality Rate

## 5. REFERRALS

### 5.1 Referrals by location

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 MOH Hospital	300	340	1,083	123	1,846
2 Jordan University Hospital	0	0	1	1	2
3 Private affiliated Hospital	1	79	869	432	1,381
4 Royal Medical Services	0	0	0	0	0
5 Other	0	0	0	0	0

Total No of referred cases out side the Camp	3,229
Referral Rate (/1000/month)	13.7

## 5.2 Referrals by service

	0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1 Paediatrics	80	5	0	0	85
2 Internal medicine	151	246	1,120	539	2,056
3 Obstetric	0	28	702	0	730
4 Gynaecological	0	1	20	1	22
5 Surgical	70	139	111	16	336
6 Other	0	0	0	0	0

## 6. LABORATORY

	Total
Number of laboratory tests conducted	36,682

## 7. REPRODUCTIVE HEALTH

### 7.1 Antenatal care

	< 18	≥ 18	Total
1 First antenatal visit (during the first trimester)	90	658	748
2 First antenatal visit (after the first trimester)	57	425	482
3 Repeat antenatal visit	436	6,744	7,180
4 High risk pregnancies detected	61	696	757
5 Tested for anaemia	240	1,764	2,004
6 Confirmed severe and moderate anaemia	32	323	355
7 Number tested for syphilis	0	0	0
8 Number tested positive for syphilis	0	0	0
9 Abortions	6	97	103

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	61%
--	-----

### 7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	42	467	509
	2 TT doses	42	467	509
	anaemia screening	42	467	509

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	100%
Coverage of anaemia screening in pregnancy	100%

### 7.3 Delivery care

	Health Facility		Home Delivery		TOTAL
	< 18	≥ 18	< 18	≥ 18	
1 Livebirths	42	467	0	0	509
2 Stillbirths	0	3	0	0	3
3 Low birth weight (< 2500g)	0	11	0	0	11
4 Attended by a skilled health worker	42	467	0	0	509
5 Obstetric complications	0	0	0	0	0
6 Caesarean sections	5	176	0	0	181

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	2.2
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	2%
Proportion of all births performed by caesarean section	36%
Proportion of obstetric complications treated among girls < 18	

## 7.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	25	296	321

Postnatal Indicators	
Coverage of complete postnatal care	63%

## 7.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Combined pill (low dose)	1	55	2	383	441
Combined pill (highdose)	9	432	6	678	1,125
Progesterone pill (Micro-val; Micro-lut)	3	117	1	190	311
Emergency contraceptive pill	0	0	0	0	0
Injectable (Depo-Provera)	1	79	1	74	155
Implantable (Norplant)	0	54	0	1	55
Intra-uterine device (IUD)	0	112	0	71	183
Condom (male)	2	252	3	513	770
Condom (female)	0	0	0	0	0
Sterilisation (male)	0	0	0	0	0
Sterilisation (female)	0	0	0	0	0
Counseling (only)	0	11	0	1	12
Other	0	0	0	0	0

## 7.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## 8. NUTRITION

### 8.1 Outpatient Therapeutic Program

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	0	0	2	5	0	0
2 Re-visits	0	0	0	0	0	0
3 Exits- Recovered	0	0	0	2	0	0
4 Exits - None response	0	0	1	0	0	0
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to other OTP	0	0	0	0	0	0
7 Exits- Moved to TSFP	0	0	1	1	0	0
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	0	0	0	0	0
Exits- Defaulter	0	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					513	
12 Sum average weight gain for discharged children (< 5)					7	

### 8.2 Supplementary Feeding Program - U5

	6 to 23 months		24 to 59 months		≥ 60 months	
	M	F	M	F	M	F
1 New admissions	0	0	11	13	2	3
2 Re-visits	0	0	1	3	2	1
3 Exits- Recovered	0	0	4	17	1	0
4 Exits - None response	0	0	0	2	0	1
5 Exits - Moved to SC	0	0	0	0	0	0
6 Exits - Moved to OTP	0	0	0	1	0	0
7 Exits - Moved to other TSFP	0	0	2	1	0	0
8 Exits - Medical Referral	0	0	0	0	0	0
9 Exits- Death	0	0	0	0	0	0
10 Exits- Defaulter	0	0	0	0	0	0
11 Sum number of days stay for discharged children (< 5)					3,080	
12 Sum average weight gain for discharged children (< 5)					26	

### 8.3 Supplementary Feeding Program - PLW

	< 18	≥ 18
1 New admissions	1	9
2 Re-visits	0	6
3 Exits- Recovered	0	2
4 Exits - None response	0	0
5 Exits - Moved to other TSFP	0	1
6 Exits - Medical Referral	0	0
7 Exits- Death	0	0
8 Exits- Defaulter	0	0

### 8.4 MUAC (Health Facility)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	380	435	109	91
2 Children screened - Yellow (borderline)	9	14	1	0
3 Children screened - Red (danger)	1	5	0	0
4 Children screened - Oedema	0	0	0	0

### 8.5 GMP (Community)

	6 to 23 months		24 to 59 months	
	M	F	M	F
1 Children screened - Green (normal)	74	69	148	142
2 Children screened - Yellow (borderline)	0	0	0	0
3 Children screened - Red (danger)	0	0	0	0
4 Children screened - Oedema	0	0	0	0

Data Source | Health Information System

Publication date: 23/10/2024

#### Contact Information

##### Za'atari

Muhammad Fawad, UNHCR  
Iyad Shtayiat, UNHCR

Email: fawad@unhcr.org  
Email: shtayiat@unhcr.org

##### Amman

Adam Musa Khalifa, UNHCR  
Heba Hayek, UNHCR

Email: khalifaa@unhcr.org  
Email: hayekh@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

