



- Adequate/ meets min. standard
- Partially adequate/ over 70% of min. standard
- Inadequate/ below standard
- Non-existent/ not provided
- ↑ Service improved since last month
- ↓ Service declined since last month

Category	Item	Status	
Camp Management	Crowd management measures	Partially adequate	
	Burial assistance	Adequate	
	Community governance structures	Adequate	
	Predictable & timely information dissemination mechanisms	Partially adequate	
	Diversity of voices and languages	Partially adequate	
	Complaints and Feedback Mechanism	Adequate	
	Site maintenance activities	Partially adequate	
	Shelter & non-Food Items (NFIs)	Shelter living space	Inadequate
		Vulnerable families receiving essential NFIs	Partially adequate
		Protection	People receiving cash for protection
Refugees and asylum seekers registered	Adequate		
Referral pathways	Adequate		
Protection monitoring	Partially adequate		
Community-based protection mechanisms	Partially adequate		
Gender-Based Violence (GBV)	Medical care to survivors		Partially adequate
	Prevention awareness	Adequate	
	Case management	Partially adequate	
Child Protection	Women and Girls Safe Space	Partially adequate	
	Food Security	Support to identified unaccompanied & separated children	Partially adequate
Child-friendly spaces		Partially adequate	
Psychosocial support to children		Adequate	
Food - for 14 days		Adequate	
Site Planning & Maintenance:	Public electricity	Non-existent	
	Elevation of critical infrastructure above flood levels	Inadequate	
	Functional drainage system	Partially adequate	
	Lighting of outdoor areas	Partially adequate	
	Lighting inside shelters	Non-existent	
	Roads and pathways	Inadequate	
	Signage and wayfinding systems	Partially adequate	
	Fire safety	Inadequate	
	Water, Sanitation, and Hygiene (WASH)	Clean water per person per day	Adequate
		Water supply accessibility	Partially adequate
Gender disaggregated latrines and showers		Partially adequate	
Number of latrines available		Partially adequate	
Number of showers available		Inadequate	
Lighting inside latrines and showers		Inadequate	
Hygiene promotion messaging		Adequate	
WASH NFIs		Partially adequate	
Waste disposal		Partially adequate	
Nutrition		Malnutrition treatment programs	Partially adequate
	Malnutrition prevention programs	Partially adequate	
	Supplementary nutrition services	Partially adequate	
Health	Primary healthcare	Adequate	
	Vaccination for children	Partially adequate	
	Secondary healthcare	Partially adequate	
	Transportation/ambulance	Inadequate	
	Essential medicines and medical supplies	Adequate	
	Preparedness for disease outbreaks	Partially adequate	
Care to individuals with severe mental health conditions	Partially adequate		
Mobility devices for persons with physical disabilities	Inadequate		

Transit center one (TC1) was set up in April 25, 2023, to host the first new arrivals. It serves as a temporary center for refugees and returnees. The transit center, with a current capacity of 1,453 individuals, is accommodating average of 2,580 refugees and returnees, which puts it at over 158% of its intended capacity. The population continued to increase, specially during the last week of November.

While most services are relatively consolidated, however, mainly linked with the protracted situation of the site, associated protection risks are noted due to the overcrowded tap stands, limited food assistance and lack of dignified spaces/overcrowded shelters for both men and women. However, while there is still insufficient lighting in WASH facilities (showers, latrines), the installation of fifty one (51) solar street lights along the WASH corridors improved the overall sense of security.

Existing gaps

- **Safety & Security:** There is still lack of internal lighting in shelters and latrines, but there was increased outdoor lighting, however, latrines and showers still in darkness
- **Health:** The two centers have only one ambulance to cater to a population of roughly 12,000 refugees and returnees.
- **Hazard:** The risk of fire is imminent as dry season started with densely packed, flammable shelters and the absence of fire breaks/extinguishers, however, fire warden were trained, assembly point mapped and safety unit in coordination with CCCM in exploring available resources to address the potential fire incidents.
- **WASH:** The ratio of access to functional sanitation and Hygiene facilities is below the minimum standards.
- **Disability inclusion:** There is a limited availability of mobility aids and equipment for people with disabilities.