1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,262	1,202	2,463	3,664	3,555	7,218	12,111	11,330	23,441	11,960	13,510	25,470	603	888	1,491	60,084
% by age group			4%			12%			39%			42%			2%	100%

2. MORTALITY

2.1 Mortality

		< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
		M	F		M	F			M	F		M	F		M	F			
1	Neonatal death	2	2	4			0	0%			0			0			0	4	24%
2	Maternal Death			0			0	0%		0	0		0	0			0	0	0%
3	URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4	Pneomonia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5	Bronchitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6	LRTI (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7	Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8	Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9	Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10	Gastric and duedenal ulcer	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11	Appendicitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12	Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13	Meningitis (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14	HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15	Leishmaniasis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16	Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17	Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
18	Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
19	Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
20	Cancer	0	0	0	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	6%
21	Cardiovascular disease (other)	0	0	0	0	0	0	0%	0	0	0	1	2	3	0	0	0	3	18%
22	Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	2	0	2	0	0	0	2	12%
23	Heart Failure	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24	Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25	Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26	Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27	Liver disease	0	1	1	0	0	0	0%	0	0	0	0	0	0	0	0	0	1	6%
28	Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29	Renal disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	6%
30	Sickle cell disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31	Thyroid disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32	Alcohol-related disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33	Epilepsy/ Seizures	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	6%
34	Substance use disorders (benzodiazepine or other prescription medication)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35	Substance use disorders related to opiate use	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36	Self-harm/suicide	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37	Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38	Acute viral hepatitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39	Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40	COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41	Influenza-Like Illness (ILI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42	Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43	Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44	Mpox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45	Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46	Salmonelosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47	Severe Acute Respiratory Infections (SARI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49	Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50	Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51	Varicella (chickenpox)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52	Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
53	Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
54	Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
55	Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
56	Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
57	Accidents	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
58	Unknown	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
59	Other	0	0	0	0	0	0	0%	2	1	3	0	0	0	1	0	1	4	24%
	Total	2	3	5	0	0	0	100%	2	1	3	4	3	7	2	0	2	17	100%
	% by age group			29%			0%				18%			41%			12%	88%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.1	0.2	0.2
Infant Mortality Rate (IMR) (/1000/month)	0.5	0.8	0.7
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			9.5

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

3. MORBIDITY

3.1 Staffing and service availability

Number of full-time clinicians	37.1
Average number of full days on which each health facility was functioning	5.1
Total number of outpatient consultations	73,735
Health facility utilisation rate	3.8
Consultations per clinician per day	30

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations (all causes combined)	22,036	34,362	56,398
New Non-Communicable Diseases (NCD) Consultations	90	251	341
New Mental Health (MH) Consultations	24	41	65
Re-visit Consultations (all causes combined)	4,909	12,428	17,337
TOTAL Consultations	26,945	46,790	73,735

3.2 Acute health conditions

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	URTI	2,055	1,768	3,823	394.9	1,470	1,572	3,042	1,119	1,923	3,042	131	207	338	10,245	23%	170.5
2	Pneumonia	7	4	11	1.1	4	2	6	1	6	7	0	1	1	25	0%	0.4
3	Bronchitis	62	40	102	10.5	47	38	85	59	75	134	11	9	20	341	1%	5.7
4	LRTI (other)	64	54	118	12.2	39	14	53	29	45	74	1	7	8	253	1%	4.2
5	Skin disease	549	557	1,106	114.2	529	1,017	1,546	384	1,037	1,421	37	71	108	4,181	9%	69.6
6	Eye disease	189	181	370	38.2	395	518	913	465	886	1,351	151	180	331	2,965	7%	49.3
7	Ear disease	188	134	322	33.3	214	259	473	236	503	739	46	44	90	1,624	4%	27.0
8	Dental conditions	79	55	134	13.8	893	1,059	1,952	1,042	2,090	3,132	33	85	118	5,336	12%	88.8
9	Intestinal worms	101	120	221	22.8	177	195	372	30	51	81	2	1	3	677	1%	11.3
10	Watery diarrhoea	144	139	283	29.2	34	32	66	7	5	12	0	0	0	361	1%	6.0
11	Bloody diarrhoea	0	2	2	0.2	1	1	2	0	2	2	0	0	0	6	0%	0.1
12	Gastric and duodenal ulcer	7	3	10	1.0	46	67	113	265	352	617	84	108	192	932	2%	15.5
13	Appendicitis	1	0	1	0.1	8	4	12	1	1	2	0	0	0	15	0%	0.2
14	Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15	Tuberculosis (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Measles (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
17	Meningitis (suspected)	1	1	2	0.2	0	0	0	0	0	0	0	0	0	2	0%	0.0
18	Meningitis confirmed (other)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
19	HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20	Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21	Acute malnutrition	10	17	27	2.8	2	7	9	0	18	18	0	1	1	55	0%	0.9
22	Anaemia	318	307	625	64.6	215	477	692	117	1,034	1,151	11	31	42	2,510	6%	41.8
23	Acute Jaundice Syndrome	3	6	9	0.9	0	0	0	0	5	5	0	0	0	14	0%	0.2
24	Abortion	0	0	0	0.0	0	6	6	0	87	87	0	0	0	93	0%	1.5
25	Urinary Tract Infection	64	157	221	22.8	157	484	641	310	1,683	1,993	96	103	199	3,054	7%	50.8
26	Other acute health conditions	1,034	894	1,928	199.1	1,236	1,533	2,769	1,898	5,140	7,038	315	628	943	12,678	28%	211.0
	Total	4,876	4,439	9,315	962.1	5,467	7,285	12,752	5,963	14,943	20,906	918	1,476	2,394	45,367	100%	755.1
	% by age group			21%				28%			46%			5%	100%		

3.3 Notifiable diseases

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2	Acute viral hepatitis	0	0	0	0.0	0	1	1	1	0	1	0	0	0	2	0%	0.0
3	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	ILI	88	77	165	17.0	267	316	583	153	306	459	34	21	55	1,262	94%	21.0
5	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Mpox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Rabies	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Rubella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11	Salmonelosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Severe Acute Respiratory Infections (SARI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Varicella (chickenpox)	9	10	19	2.0	19	32	51	4	1	5	0	0	0	75	6%	1.2
17	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
18	Whooping cough	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
19	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	Total	97	87	184	19.0	286	349	635	158	307	465	34	21	55	1,339	100%	22.3
	% by age group			14%				47%			35%			4%	100%		

3.4 Chronic health conditions

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Asthma	130	71	201	58	32	90	120	202	322	25	63	88	701	4%
2	Cancer	0	0	0	0	1	1	64	11	75	120	16	136	212	1%
3	Cardiovascular disease (other)	13	3	16	11	8	19	76	107	183	47	73	120	338	2%
4	Ischaemic heart disease	0	0	0	1	0	1	105	80	185	80	86	166	352	2%
5	Heart Failure	2	0	2	3	0	3	31	45	76	30	54	84	165	1%
6	Chronic obstructive pulmonary disease	0	0	0	4	3	7	100	92	192	56	61	117	316	2%
7	Diabetes	0	1	1	8	22	30	679	1,485	2,164	305	775	1,080	3,275	20%
8	Hypertension	0	0	0	0	1	1	1,107	1,860	2,967	542	1,038	1,580	4,548	28%
9	Liver disease	0	0	0	1	0	1	9	18	27	4	5	9	37	0%
10	Musculoskeletal disorders	38	24	62	198	147	345	670	1,151	1,821	149	250	399	2,627	16%
11	Renal disease	3	0	3	1	6	7	35	44	79	18	32	50	139	1%
12	Sickle cell disease	1	1	2	0	1	1	5	4	9	1	3	4	16	0%
13	Thyroid disorders	3	10	13	17	56	73	61	916	977	15	99	114	1,177	7%
14	Other NCDs	16	20	36	44	75	119	593	1,169	1,762	316	383	699	2,616	16%
	Total	206	130	336	346	352	698	3,655	7,184	10,839	1,708	2,938	4,646	16,519	100%
	% by age group			2%			4%			66%			28%	100%	

3.5 Mental health

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	13	16	29	87	76	163	265	207	472	20	16	36	700	41%
2	Alcohol/Substance abuse	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
3	Substance use disorders related to opiate use	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4	Substance use disorders related to benzodiazepine or other prescription medication	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
5	Other substance use disorders	0	0	0	0	0	0	2	0	2	0	0	0	2	0%
6	Intellectual disability	2	0	2	31	22	53	24	5	29	0	0	0	84	5%
7	Development disorders	0	0	0	3	2	5	0	0	0	0	0	0	5	0%
8	Acute psychosis	0	0	0	0	5	5	44	43	87	0	0	0	92	5%
9	Chronic psychosis	0	2	2	5	13	18	104	43	147	1	1	2	169	10%
10	Bipolar disorders (Mania)	0	0	0	5	14	19	18	17	35	4	0	4	58	3%
11	Dementia	0	0	0	0	0	0	0	1	1	1	12	13	14	1%
12	Delirium	0	0	0	0	2	2	19	15	34	0	0	0	36	2%
13	Moderate-severe depression	0	0	0	1	5	6	67	78	145	9	7	16	167	10%
14	Posttraumatic stress disorder	0	0	0	4	1	5	1	2	3	0	1	1	9	1%
15	Moderate-severe forms of anxiety disorder and mixed presentations	0	0	0	6	12	18	70	107	177	2	2	4	199	12%
16	Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
17	Self-harm/ suicide attempt	0	0	0	1	0	1	2	0	2	0	0	0	3	0%
18	Acute stress	0	0	0	2	3	5	3	11	14	2	0	2	21	1%
19	Grief	0	0	0	0	0	0	0	5	5	0	0	0	5	0%
20	Other psychological complaint	0	0	0	23	18	41	35	47	82	3	0	3	126	7%
	Total	15	18	33	168	173	341	656	581	1,237	42	39	81	1,692	100%
	% by age group			2%			20%			73%			5%	100%	

3.6 Injuries

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Bites	5	5	10	48	14	62	26	8	34	0	2	2	108	8%
2	Assault	0	0	0	5	1	6	3	0	3	0	0	0	9	1%
3	Accidents	85	86	171	389	169	558	201	125	326	7	17	24	1,079	77%
4	Other	26	12	38	76	24	100	43	26	69	4	3	7	214	15%
	Total	116	103	219	518	208	726	273	159	432	11	22	33	1,410	100%
	% by age group			16%			51%			31%			2%	100%	

3.7 Reproductive Tract Infections

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	3	3	0	47	47	0	955	955	0	4	4	1,009	99%
3	Genital ulcer disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4	Pelvic inflammatory disease	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	0	0	0	6	6	0	0	0	6	1%
	Total	0	3	3	0	47	47	0	962	962	0	4	4	1,016	100%
	% by age group			0%			5%			95%			0%	100%	

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

	< 1	1 to 4	5 to 17	18 to 59	≥ 60	Grand total
Number at beginning of reporting period	0	0	0	0	0	0
New admissions	0	0	92	333	0	425

Number of exits	authorized	0	0	1	6	0	7
	unauthorized	0	0	0	0	0	0
	death	0	0	0	0	0	0
	referral	0	0	91	327	0	418
	Deaths within 24 hours	0	0	0	0	0	0
Total exits		0	0	92	333	0	425
Number at end of reporting period		0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	10
Sum number of days stay for all discharges	104
Average length of stay (days)	**14.9**
Bed occupancy	**11%**
Hospitalisation rate- in-camp (/1000/month)	**2.4**

4.2 In-patient Admissions and Deaths

		0 to 4		0-4 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		≥ 60 CFR	Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths				
1	Paediatric medicine	0	0		0	0		0	0		0	0		0	0	
2	General Surgery	0	0		0	0		0	0		0	0		0	0	
3	Internal medicine	0	0		0	0		0	0		0	0		0	0	
4	Obstetrics	0	0		37	0	0%	191	0	0%	197	0	0%	425	0	0%
5	Gynaecology	0	0		0	0		0	0		0	0		0	0	
8	Other	0	0		0	0		0	0		0	0		0	0	
	Total	0	0		37	0	0%	191	0	0%	197	0	0%	425	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. LABORATORY

	Total
Number of laboratory tests conducted	**47,981**

6. REFERRALS

6.1 Referrals by location

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	MOH Hospital	244	166	766	45	1,221
2	Jordan University Hospital	0	0	0	0	0
3	Private affiliated Hospital	0	8	57	20	85
4	Royal Medical Services	0	0	0	0	0
5	Other	0	0	0	0	0

Number of referrals to out-of-camp hospitals for secondary and emergency healthcare	**1,306**
Referral Rate (/1000/month)	**7.2**

6.2 Referrals by service

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	Paediatrics	198	7	0	0	205
2	Internal medicine	7	93	258	54	412
3	Obstetric	0	27	503	0	530
4	Gynaecological	0	3	18	1	22
5	Surgical	39	44	44	11	138
6	Other	0	0	0	0	0

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

		< 20	≥ 20	Total
1	First antenatal visit (during the first trimester)	110	378	488
2	First antenatal visit (after the first trimester)	29	126	155
	First antenatal visit (TOTAL)	139	504	643
3	Repeat antenatal visit	911	2,867	3,778
4	High risk pregnancies detected	151	1,321	1,472
5	Tested for anaemia at ANC 1st contact/visit	157	751	908
6	Confirmed anemia (Hb<10) at ANC 1st contact/visit	5	90	95
7	Received breastfeeding counsellling	132	388	520
8	Tested for urine protein	163	601	764
9	Tested positive for urine protein	28	135	163

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	**76%**

7.2 Antenatal care coverage at time of delivery

		< 20	≥ 20	Total
Number of pregnant women at time of delivery who:	Received 4 or more antenatal visits	91	334	425
	Received 2 doses of TT vaccine during antenatal period	91	334	425
	Were screened for anemia during antenatal period	91	334	425

	Were screened for proteinuria during antenatal period	91	334	425

Coverage of complete antenatal care	101%
Coverage of antenatal tetanus immunisation	101%
Coverage of anaemia screening in pregnancy	101%
Coverage of proteinuria screening in pregnancy	101%

7.3 Delivery care

		Health Facility		Home Delivery		Total
		< 20	≥ 20	< 20	≥ 20	
1	Livebirths	91	329	0	0	420
2	Stillbirths	0	5	0	0	5
3	Newborns breastfed within 1 hour of birth	91	329	0	0	420
4	Neonatal death	0	0	0	0	0
5	Low birth weight (< 2500g)	0	8	0	0	8
6	Attended by a skilled health worker (excluding TBA)	91	331	0	0	422
7	Obstetric complications	0	0	0	0	0
8	Obstetric complications referred	30	92	0	0	122
9	Caesarean sections performed	26	126	0	0	152
10	Abortions	4	47	0	0	51

Delivery Indicators	
Crude birth rate (/1000 population/ month)	2.3
Proportion of births attended by skilled health worker (excl. TBA)	100.5%
Proportion of low birth weight deliveries	2%
Proportion of all births performed by caesarean section	36%

7.4 Special procedures in maternity

		< 20	≥ 20	Total
1	Blood transfusion	1	20	21
2	Cervical tear repair	0	0	0
3	Episiotomy	52	43	95
4	Laceration (perineal tear) repaired	0	0	0
5	Magnesium sulphate given for pre-eclampsia /eclampsia	0	6	6
6	Management to prevent (and/or treat) obstetric fistula	0	0	0
7	Manual exploration of the uterus	0	0	0
8	Manual removal of placenta	0	0	0
9	Neonatal resuscitation	0	0	0
10	Parenteral antibiotics given for peripartum infection	0	0	0
11	Post-abortion care (Manual vcauum aspiration or curettage)	0	0	0
12	Repair of ruptured uterus	0	0	0
13	Shoulder dystocia management	0	0	0
14	Uterotonic (oxytocin) given to manage postpartum hemorrhage	0	0	0
15	Vaginal breech delivery	0	0	0
16	VBAC (Vaginal Birth After Caesarian)	5	35	40
17	Other	0	0	0

7.5 Postnatal care

		< 20	≥ 20	Total
1	Attended for 1st PNCl visit within 24 hours of delivery	92	334	426
2	Attended for 2nd PNC visit within 48-72 hrs of delivery	30	128	158
3	Attended for 3rd PNC visit within 7-14 days of delivery	40	121	161
4	Attended for 4th PNC visit within 6 weeks of delivery	17	39	56

Postnatal Indicator	
Coverage of complete postnatal care	13%

7.6 Family planning

	New Users				Repeat Users				Discontinued Users				Total
	< 20		≥ 20		< 20		≥ 20		< 20		≥ 20		
	M	F	M	F	M	F	M	F	M	F	M	F	
Combined pill (low dose)		16		91		34		322		0		0	463
Combined pill (highdose)		5		24		30		490		0		109	549
Progesterone pill (Micro-val; Micro-lut)		25		49		12		156		0		19	242
Emergency contraceptive pill		0		0		0		0		0		0	0
Injectable (Depo-Provera)		1		32		3		79		0		35	115
Implantable (Norplant)		7		44		1		0		0		0	52
Intra-uterine device (IUD)		6		56		0		32		0		0	94
Condom (male)	11		86		54		462		0		60		613
Condom (female)		0		0		0		0		0		0	0
Sterilisation (male)	0		0		0		0		0		0		0
Sterilisation (female)		0		0		0		0		0		0	0
Counseling (only)	0	3	0	14	0	0	0	0	0	0	0	0	17
Other	0	3	0	2	0	0	0	0	0	0	0	0	5

7.7 Sexual and gender-based violence

	< 20		≥ 20		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
Rape survivors examined within 72 hours	0	0	0	0	0
Rape survivors examined within 72 -120 hours	0	0	0	0	0
Rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
Rape survivors examined after 2 weeks	0	0	0	0	0
Rape survivors given PEP within 72 hours	0	0	0	0	0
Female rape survivors given ECP within 120 hours	0	0	0	0	0
Rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
Rape survivors referred for MHPSS	0	0	0	0	0
Rape survivors referred for protection or other services	0	0	0	0	0
Cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

8. NUTRITION

8.1 Outpatient Therapeutic Program

		0 to 5 months		6 to 23 months		24 to 59 months	
		M	F	M	F	M	F
	Number at beginning of reporting period	0	0	1	4	1	2
1	Number of new admissions (WHF/BMI, MUAC, oedema)	0	0	2	0	0	0
2	Number of relapse	0	0	0	0	0	0
3	Number of rereadmissions	0	0	0	0	0	2
4	Number moved in from SC/OTP	0	0	0	0	0	0
5	Numner of Exits- Recovered	0	0	2	1	1	0
6	Number of Exits - Non response	0	0	1	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0
8	Number of Exits - Moved to other OTP	0	0	0	0	0	0
9	Number of Exists- Moved to TSFP	0	0	0	1	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	0	0	0	1
13	Other Exits	0	0	0	0	0	0
	Number at end of reporting period	0	0	0	3	1	3
14	Sum number of days stay for exit promoted to TSFP and recovered (< 5)				206		
15	Sum average weight gain for exit promoted to TSFP and recovered (< 5)				3		

8.2 Targeted Supplementary Feeding Program

		0 to 5 months		6 to 23 months		24 to 59 months		HIV/TB		PLWs
		M	F	M	F	M	F	M	F	
	Number at beginning of reporting period	0	0	14	12	2	2	0	0	42
1	Number of New admissions (WFH/BMI, MUAC)	0	0	0	8	1	0	0	1	9
2	Number of readmissions	0	0	0	2	0	1	0	0	1
3	Number of relapse	0	0	1	0	0	0	0	0	0
4	Other admissions	0	0	1	0	0	0	0	0	1
5	Number of Exits- Recovered	0	0	10	7	0	1	0	0	4
6	Number of Exits - Non response	0	0	1	2	2	1	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0	0	0	0
8	Number of Exits - Moved to OTP	0	0	0	0	1	0	0	0	0
9	Number of Exits - Moved to other TSFP	0	0	0	1	0	1	0	0	2
10	Number of Exists - Medical Referral	0	0	0	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	0	1	0	0	0	0	4
13	Other exits	0	0	0	0	0	0	0	0	0
	Number at end of reporting period	0	0	4	12	0	3	0	0	45
14	Sum number of days stay for discharged children (< 5)				2,001					
15	Sum average weight gain for discharged children (< 5)				16					

8.3 MUAC Screening

		6 to 23 months		24 to 59 months		PLWs
		M	F	M	F	
1	Screened - Green (normal)	1,032	1,095	1,651	1,664	2,582
2	Screened - Yellow (borderline)	1	6	0	0	74
3	Screened - Red (danger)	1	0	0	1	0
4	Screened - Oedema	0	0	0	0	0