

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,111	1,641	2,752	8,211	11,375	19,586	22,890	23,765	46,655	21,870	28,519	50,389	1,180	2,041	3,221	122,603
% by age group			2%			16%			38%			41%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0		0	0	0	2	0	2	0	0	0	2	25%
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0		0	0	0	0	0	0	1	0	1	1	13%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0		0	1	1	0	1	1	1	2	3	5	63%
Total	0	0	0	100%	0	1	1	2	1	3	2	2	4	8	100%
% by age group			0%				13%			38%			50%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.3	0.2	0.3
Under 5 Mortality Rate (USMR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	49
Average number of full days on which each health facility was functioning	6.0
Total number of outpatient consultations	15,564
Health facility utilisation rate	6.6
Consultations per clinician per day	53

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	472	449	921	41.2	388	412	800	431	445	876	107	95	202	2799	23%	22.8
Influenza-like illness (ILI)	239	242	481	21.5	284	240	524	218	195	413	30	26	56	1474	12%	12.0
Lower Respiratory Tract Infection (LRTI)	69	59	128	5.7	74	70	144	68	98	166	29	35	64	502	4%	4.1
Watery diarrhoea*	196	178	374	16.7	131	156	287	70	67	137	17	4	21	819	7%	6.7
Bloody diarrhoea*	12	12	24	1.1	9	9	18	6	1	7	3	0	3	52	0%	0.4
Skin infection	72	60	132	5.9	47	60	107	41	36	77	7	3	10	326	3%	2.7
Eye infection	47	49	96	4.3	51	43	94	27	22	49	4	3	7	246	2%	2.0
Dental Conditions	12	12	24	1.1	29	39	68	64	77	141	7	9	16	249	2%	2.0
Intestinal Worms	3	1	4	0.2	28	34	62	57	59	116	10	4	14	196	2%	1.6
Acute Jaundice Syndrome*	4	7	11	0.5	10	16	26	4	0	4	1	0	1	42	0%	0.3
Measles*	9	7	16	0.7	15	8	23	4	1	5	0	0	0	44	0%	0.4
Meningitis*	1	3	4	0.2	4	0	4	0	0	0	0	0	0	8	0%	0.1
Acute Flaccid Paralysis*	2	1	3	0.1	0	0	0	0	0	0	0	0	0	3	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Fever of unknown origin	2	0	2	0.1	0	0	0	0	0	0	1	0	1	3	0%	0.0
Sexually Transmitted Infection (STI)	8	8	16	0.7	4	7	11	1	4	5	0	0	0	32	0%	0.3
Other	755	582	1337	59.9	594	628	1222	800	957	1757	467	372	839	5155	43%	42.0
Total	1903	1670	3573	160.0	1668	1722	3390	1792	1962	3754	683	551	1234	11951	100%	97.5
% by age group			30%				28%			31%			10%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	5	5	27	24	51	100	162	262	71	44	115	433	17%
Hypertension	0	0	0	1	0	1	108	112	220	74	90	164	385	15%
Asthma	18	26	44	29	30	59	75	76	151	26	24	50	304	12%
Ischaemic heart disease	1	0	1	0	1	1	28	26	54	29	22	51	107	4%
Cardiovascular disorders	7	6	13	4	5	9	10	7	17	7	14	21	60	2%
Chronic obstructive pulmonary disease (COPD)	2	1	3	6	2	8	7	5	12	7	4	11	34	1%
Liver disease	1	0	1	24	6	30	2	4	6	0	0	0	37	1%
Thyroid problems	0	0	0	0	3	3	5	23	28	1	2	3	34	1%
Cancer	0	1	1	0	0	0	2	6	8	7	0	7	16	1%
Other	25	31	56	90	107	197	189	156	345	323	168	491	1089	44%
Total	54	70	124	181	178	359	526	577	1103	545	368	913	2499	100%
% by age group			5%			14%			44%			37%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. PTSD	2	0	2	1	5	6	3	0	3	0	0	0	11	4%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
3. Schizophrenia	0	1	1	1	0	1	24	6	30	0	0	0	32	12%
4. Chronic depression	0	2	2	4	3	7	19	15	34	1	0	1	44	16%
5. Anxiety disorder	0	0	0	4	18	22	7	32	39	11	14	25	86	31%
6. Medically unexplained somatic complaint	0	2	2	4	9	13	8	16	24	3	0	3	42	15%
Other	2	11	13	7	8	15	14	8	22	4	6	10	60	22%
Total	4	16	20	21	43	64	76	77	153	19	20	39	276	100%
% by age group			7%			23%			55%			14%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	2	2	3	2	5	1	0	1	0	0	0	8	1%
2. Assault (with weapon)	3	1	4	13	1	14	56	9	65	7	0	7	90	11%
3. Assault (no weapon)	12	9	21	29	10	39	82	29	111	5	16	21	192	23%
4. Accident	5	7	12	18	5	23	23	6	29	5	2	7	71	8%
Other	24	26	50	75	84	159	95	106	201	42	25	67	477	57%
Total	44	45	89	138	102	240	257	150	407	59	43	102	838	100%
% by age group			11%			29%			49%			12%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	1	1	2	0	1	1	9	14	23	3	1	4	30
Total admissions	4	2	6	0	2	2	28	64	92	0	1	1	101
Number of exits	authorized	0	3	3	1	1	2	13	45	0	1	1	64
	unauthorized	0	0	0	0	0	0	1	0	0	0	0	1
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	6	11	17	0	0	17
Total exits	0	3	3	1	1	2	20	56	76	0	1	1	82
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group			10%			2%			80%			8%	100%

Number of days in reporting period	7
Number of beds	69
Sum number of days stay for authorised discharges	247
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	0.3
Bed occupancy	5%
Hospitalisation rate	3.3

4.2 In-patient Admissions and Deaths

	0 to 4			5 to 17			18 to 59			> 60			Total adm	Total deaths	Crude CFR
	Adm	Deaths	US CFR	Adm	Deaths	5-17 CFR	Adm	Deaths	18-59 CFR	Adm	Deaths				
1. Paediatric medicine	6	0	0%	1	0	0%	0	0		0	0	7	0	0%	
2. General Surgery	0	0		0	0		4	0	0%	0	0	4	0	0%	
3. Injury (war related)	0	0		1	0	0%	19	0	0%	0	0	20	0	0%	
4. Injury (non war related)	0	0		0	0		2	0	0%	0	0	2	0	0%	
5. Internal medicine	0	0		0	0		13	0	0%	0	0	13	0	0%	
6. Obstetrics	0	0		0	0		13	0	0%	0	0	13	0	0%	
7. Gynaecology	0	0		0	0		0	0		0	0	0	0		
Other	0	0		0	0		0	0		0	0	0	0		
Total	6	0	0%	2	0	0%	51	0	0%	0	0	59	0	0%	

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	334

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	5	64	69
First antenatal visit > 1st trimester	1	129	130
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	11	11
2 TT doses	0	0	0
anaemia screening	1	22	23

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	35%
Coverage of complete antenatal care	23%
Coverage of antenatal tetanus immunisation	0%
Coverage of anaemia screening in pregnancy	48%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	0	48	48
Still births	0	0	0
Low birth weight (<2500 g)	0	1	1
Attended by skilled health worker	0	48	48
Number of obstetric complications treated	0	1	1
Number of caesarean sections performed	0	13	13

Delivery Indicators	
Crude birth rate	4.7
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	2%
Proportion of all births performed by caesarean section	27%
Proportion of obstetric complications treated among girls < 18	0%

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	9	9

Postnatal Indicators	
Coverage of complete postnatal care	19%

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	1	1

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

28 February 2013

Contact Information

Za'atri
Ana Calvo, UNHCR

Email: calvo@unhcr.org
Phone: +962

Amman
Ann Burton, UNHCR

Email: burton@unhcr.org
Phone: +962

UNHCR gratefully acknowledges the support of the following partners:

