

Za'atri Jordan



Indicators at a glance 1 Health utilisation rate 5.8 8 2 Number of consultations per clinician per day 44 0 3 Hospitalisation rate 2.6 4 Referral rate 0 5 % deliveries attended by skilled personnel 98% 6 Crude Mortality Rate (CMR) (/1000/month) 0.3 0 7 Under-five Mortality Rate (U5MR) (/1000/month) 8.0 8 Neonatal Mortality Rate (NNMR) (/1000 livebirths) 36.4

Notes


This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- French Field Hospital
- Gynécologie Sans Frontières IMC Clinic
- **JHAS Clinic**
- MDM clinic
- Moroccan Field Hospital
- **RMS Field Hospital**
- Saudi clinic


Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible. However, at this early stage of implementation, indicators should be interpreted with care whilst the quality of data continues to be improved.

Morbidity

Acute health conditions (%)



Chronic health conditions (%)




Top 5 acute health conditions

| | % morbidity | # of cases |
|--|-------------|------------|
| 1 Upper Respiratory Tract Infection (URTI) | 36% | 4,595 |
| 2 Influenza-like illness (ILI) | 16% | 1,973 |
| 3 Watery diarrhoea* | 8% | 1,016 |
| 4 Lower Respiratory Tract Infection (LRTI) | 6% | 794 |
| 5 Dental Conditions | 5% | 670 |
| - Other | 29% | 3.618 |


Top 5 chronic health conditions

| | % morbidity | # of cases |
|---|-------------|------------|
| 1 Diabetes | 23% | 948 |
| 2 Hypertension | 21% | 873 |
| 3 Asthma | 16% | 681 |
| 4 Ischaemic heart disease | 6% | 235 |
| 5 Chronic obstructive pulmonary disease (COPI | D) 5% | 221 |
| - Other | 29% | 1,205 |
| | | |

Breakdown of acute health conditions



Breakdown of chronic health conditions



UNHCR gratefully acknowledges the support of the following partners:





















| Public Health | | |
|--|-----------|------------|
| Health Impact | Indicator | Standard |
| Crude Mortality Rate (CMR) (/1000/month) | 0.3 | < 1.5 |
| Under-five Mortality Rate (U5MR) (/1000/month) | 0.8 | < 3.0 |
| Neonatal Mortality Rate (NNMR) (/1000 livebirths) | 36.4 | < 40 |
| Access and utilization | | |
| No. of health facilities 6 | 1:26461 1 | : < 10,000 |
| Total number of consultations | 17,853 | |
| Health utilisation rate | 5.8 | 1 - 4 |
| No. of consultations per trained clinician per day | 44 | < 50 |

| Outbreak Alert and Response | Indicator | |
|---|-----------|---|
| Number of outbreaks reported | 0 | |
| % of outbreaks investigated within 48 hours | 100% | |
| Laboratory | | |
| Number of laboratory samples | 445 | |
| Immunization | | |
| Measles vaccination rate | > 95% | • |
| Full vaccination rate | > 95% | ? |
| Program drop-out rate | < 10% | ? |
| Vaccine wastage rate | < 8% | ? |
| | | |

Breakdown of mental health conditions



Breakdown of injuries



In-patient and referral In-patient department Hospitalisation rate (/1000/month) Bed occupancy rate Mean length of stay for authorised discharges (days) Indicator Standard Standard 1.00 Standard 1.00 Standard 1.00 1

| | Indicator | Standard | • |
|---|-----------|----------|---|
| Overall case fatality rate | 0% | | |
| Proportion of deaths within 24 hours of admission | 0% | | |
| Referral | | | |
| Total referral rate | | | ? |

| Reproductive Health | | | |
|---|-----------|----------|----------|
| Antenatal care | Indicator | Standard | |
| Coverage of antenatal care (4 or more visits) | 89% | ≥ 90% | - |
| Coverage of TT vaccination | 27% | ≥ 90% | |
| Coverage of anaemia screening in pregnancy | 38% | ≥ 90% | - |
| Delivery care | | | |
| Proportion of deliveries attended by skilled personnel | 98% | ≥ 90% | ② |
| Proportion of deliveries performed by caesarean section | 7% | 5 - 15% | 0 |
| Proportion of low birth weight deliveries (<2500g) | 25% | < 15% | 8 |
| Maternal mortality | | | |
| Number of maternal deaths reported | 0 | | |
| % of maternal deaths investigated within 48 hours | | 100% | |
| | | | |

| Postnatal care | Indicator | Standard | |
|--|-----------|----------|-------------|
| Coverage of postnatal care | 0% | ≥ 90% | No. |
| | | | |
| Family Planning | | | |
| Contraceptive prevalence rate | 0% | | |
| Sexual and Gender-based Violence | | | |
| Incidence of rape (reported cases/10,000/year)* | 0 | | Par . |
| % of rape survivors who received PEP** < 72 hours | | 100% | Page 1 |
| % of rape survivors who received ECP*** < 120 hours | | 100% | Par . |
| % of rape survivors who received STI**** prophylaxis < wks | 2 | 100% | Per Control |
| | | | |

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection





Legend







