

1. Population

Population	0 to	< 1	Total <1	1 to	4	Total 1	5 to	17	Total 5	18 t	o 59	Total 18	> (60	Total >	Grand
Population	M	F	TOTAL VI	M	F	to 4	M	F	to 17	M	F	to 59	M	F	60	total
Refugee population	2,528	2,528	5,056	7,704	8,908	16,612	22,269	21,668	43,937	22,871	28,409	51,280	1,324	2,167	3,491	120,376
% by age group			4%			14%			36%			43%			3%	100%

2. Mortality

2.1 Mortality

	Record ONE cause of mortality per case	0 to	o 4	Total <5	U5 %	5 to	17	Total 5	18 t	o 59	Total 18	> (60	Total >	Grand	Crude %
	Record ONE cause of mortality per case	M	F	TOTAL >5	mort	M	F	to 17	M	F	to 59	M	F	60	total	mort
1.	Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2.	Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3.	Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4.	Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	14%
5.	Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6.	Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7.	Cancer	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	14%
8.	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9.	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10.	Neonatal death	1	0	1	50%	0	0	0	0	0	0	0	0	0	1	14%
,	Other	0	1	1	50%	0	0	0	1	1	2	0	1	1	4	57%
	Total	1	1	2	100%	0	0	0	2	1	3	0	2	2	7	100%
	% by age group			29%				0%			43%			29%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.2	0.3	0.2
Under 5 Mortality Rate (U5MR)	0.4	0.3	0.4
Neonatal Mortality Rate (NNMR)			40.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	58
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	10,520
Health facility utilisation rate	4.5
Consultations per clinician per day	29

3.2 Acute health conditions

December 15 March 15	0 to	o 4	T-4-1 45	I I I I I I I I I I I I I I I I I I I	5 to 1	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand	% by	Crude
Record NEW cases of disease only	М	F	Total <5	U5 Incia	М	F	to 17	M	F	to 59	М	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	285	235	520	24.0	189	204	393	176	197	373	64	41	105	1391	20%	11.6
Influenza-like illness (ILI)	33	39	72	3.3	49	47	96	42	25	67	7	5	12	247	4%	2.1
Lower Respiratory Tract Infection (LRTI)	64	109	173	8.0	125	99	224	112	107	219	32	39	71	687	10%	5.7
Watery diarrhoea*	163	145	308	14.2	76	80	156	26	48	74	35	34	69	607	9%	5.0
Bloody diarrhoea*	7	7	14	0.6	13	16	29	1	1	2	0	1	1	46	1%	0.4
Skin infection	54	45	99	4.6	48	39	87	33	36	69	16	16	32	287	4%	2.4
Eye infection	27	28	55	2.5	22	25	47	11	17	28	11	10	21	151	2%	1.3
Dental Conditions	11	6	17	0.8	8	3	11	34	48	82	7	3	10	120	2%	1.0
Intestinal Worms	5	11	16	0.7	14	19	33	27	37	64	14	15	29	142	2%	1.2
Acute Jaundice Syndrome*	88	59	147	6.8	81	83	164	13	15	28	11	16	27	366	5%	3.0
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	18	8	26	1.2	12	11	23	2	3	5	0	0	0	54	1%	0.4
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	285	297	582	26.9	298	328	626	459	425	884	332	314	646	2738	40%	22.7
Total	1040	989	2029	93.6	935	954	1889	936	959	1895	529	494	1023	6836	100%	56.8
% by age group			30%				28%			28%			15%	100%	•	

^{*} indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 t	o 4	Total <	5 to	17	Total 5	18 to	o 59	Total 18	> 6	0	Total	Grand	% by
Record NEW and REVISITS	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Diabetes	7	9	16	11	19	30	144	148	292	93	101	194	532	18%
Hypertension	6	8	14	5	9	14	135	125	260	96	70	166	454	15%
Asthma	10	13	23	22	20	42	23	29	52	26	26	52	169	6%
Ischaemic heart disease	0	0	0	0	0	0	13	4	17	13	5	18	35	1%
Cardiovascular disorders	0	0	0	7	2	9	3	2	5	15	16	31	45	1%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	8	5	13	12	16	28	41	1%
Liver disease	0	0	0	13	10	23	9	7	16	3	7	10	49	2%
Thyroid problems	0	0	0	4	1	5	7	23	30	18	19	37	72	2%
Cancer	0	0	0	1	0	1	12	10	22	18	21	39	62	2%
Other	117	164	281	157	126	283	250	262	512	240	243	483	1559	52%
Total	140	194	334	220	187	407	604	615	1219	534	524	1058	3018	100%
% by age group			11%			13%			40%			35%	100%	

3.4 Mental health

	0 1	to 4	Total <	5 to	17	Total 5	18 to	59	Total 18	> (60	Total	Grand	% by
	М	F	5	М	F	to 17	M	F	to 59	M	F	> 60	total	cause
Epilepsy / seizures	0	2	2	6	0	6	5	0	5	0	0	0	13	11%
Alcohol and other substance abuse disorder	0	0	0	0	0	0	1	0	1	0	0	0	1	1%
Mental retardation / intellectual disability	0	0	0	3	1	4	3	4	7	0	0	0	11	9%
Psychotic disorder	0	0	0	0	0	0	17	3	20	0	0	0	20	17%
Severe emotional disorder	0	0	0	0	0	0	12	22	34	0	0	0	34	29%
Other psychological complaint	1	1	2	0	1	1	8	16	24	0	0	0	27	23%
Other	0	0	0	0	0	0	5	8	13	0	0	0	13	11%
Total	1	3	4	9	2	11	51	53	104	0	0	0	119	100%
% by age group			3%			9%			87%			0%	100%	

3.5 Injuries

		0 to	o 4	Total <	5 to	17	Total 5	18 to	o 59	Total 18	> (60	Total	Grand	% by
		М	F	5	М	F	to 17	M	F	to 59	M	F	> 60	total	cause
1	Bites (all causes)	0	0	0	10	6	16	4	0	4	0	0	0	20	4%
2	Injury (war related)	6	8	14	20	26	46	40	40	80	20	8	28	168	31%
3	Injury (non war related)	12	9	21	30	26	56	28	24	52	21	26	47	176	32%
4	Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
	Other	13	9	22	9	20	29	27	38	65	36	31	67	183	33%
	Total	31	26	57	69	78	147	99	102	201	77	65	142	547	100%
	% by age group			10%			27%			37%			26%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 t	o 4	Total <	5 to	17	Total 5	18 to	o 59	Total 18	> (60	Total	Grand
		M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total
Number at beginning of rep	porting period	9	9	18	0	0	0	1	2	3	0	0	0	21
Total admissions		10	11	21	2	1	3	4	8	12	0	0	0	36
	authorized	5	10	15	1	1	2	3	5	8	0	0	0	25
Number of exits	unauthorized	1	0	1	0	0	0	0	0	0	0	0	0	1
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	1	1	2	0	0	0	0	0	0	0	0	0	2
Total exits		7	11	18	1	1	2	3	5	8	0	0	0	28
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period	by age group			72%			3%			24%			0%	100%

Number of days in reporting period	2
Number of beds	68
Sum number of days stay for authorised discharges	85
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	3.4
Bed occupancy	90%
Hospitalisation rate	1.2

4.2 In-patient Admissions and Deaths

	0 t	o 4	U5 CFR	5 to	17	5-17	18 to 59	18-59	>	60	Total	Total	Crude
	Adm	Deaths	US CFK	Adm	Deaths	CFR	Adm Deaths	CFR	Adm	Deaths	adm	deaths	CFR
Paediatric medicine	23	0	0%	1	0	0%	0 0		0	0	24	0	0%
2. General Surgery	0	0		2	0	0%	4 0	0%	0	0	6	0	0%
3. Injury (war related)	0	0		0	0		0 0		0	0	0	0	
4. Injury (non war related)	0	0		0	0		0 0		0	0	0	0	
5. Internal medicine	0	0		0	0		1 0	0%	0	0	1	0	0%
6. Obstetrics	0	0		0	0		6 0	0%	0	0	6	0	0%
7. Gynaecology	0	0		0	0		0 0		0	0	0	0	
Other	0	0		0	0		2 0	0%	0	0	2	0	0%
Total	23	0	0%	3	0	0%	13 0	0%	0	0	39	0	0%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	158

8. Reproductive Health

8.1 Antenatal care

		< 18	≥ 18	Total
First antenatal visit < 1st trimes	ter	42	51	93
First antenatal visit > 1st trimes	ter	31	48	79
Niverban of annual transport	≥ 4 ANC visits	0	0	0
Number of pregnant women at time of delivery who received:	2 TT doses	0	0	0
	anaemia screening	0	19	19

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	54%
Coverage of complete antenatal care	0%
Coverage of antenatal tetanus immunisation	0%
Coverage of anaemia screening in pregnancy	76%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	0	25	25
Still births	0	0	C

Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	0	25	25
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	0	16	16

Delivery Indicators	
Crude birth rate	2.5
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	0%
Proportion of all births performed by caesarean section	64%
Proportion of obsetric complications treated among girls < 18	

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	1	20	21

Postnatal Indicators	
Coverage of complete postnatal care	84%

8.5 Sexual and gender-based violence

	<	< 18		< 18 ≥ 18		T-4-1
	M	F	M	F	Total	
Total no rape survivors seen	0	0	0	0	0	
No. of rape survivors examined within 72 hours	0	0	0	0	0	
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0	
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0	
No. of rape survivors examined after 2 weeks	0	0	0	0	0	
No of rape survivors given PEP within 72 hours	0	0	0	0	0	
No of female rape survivors given ECP within 120 hours		0		0	0	
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0	
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0	

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators		
Incidence of reported rape	0.0	
Proportion of rape survivors who receive PEP < 72 hrs		
Proportion of female rape survivors who receive ECP < 120 hrs		
Proportion of rape survivors who receive STI presumptive treatment < 2 wks		

Data Sources 1. Health Information System

Publication

21 June 2013

Contact Information **Za'atri** Ana Calvo, UNHCR

Email: calvo@unhcr.org

Amman Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:























