




Refugee population

Total refugee population: **120,376***

Demographic breakdown:



Key facts

Camp opened: **July 2012**

* Source of population data: WFP Distribution Figures

Indicators at a glance

1 Health utilisation rate	4.5	⚠️
2 Number of consultations per clinician per day	29	✅
3 Hospitalisation rate	1.2	🏠
4 Referral rate		❓
5 % deliveries attended by skilled personnel	100%	✅
6 Crude Mortality Rate (CMR) (/1000/month)	0.2	✅
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.4	✅
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	40.0	⚠️

Notes


This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- French Field Hospital
- Gynécologie Sans Frontières
- IMC Clinic
- JHAS Clinic
- Jordan Italian Field Hospital
- MDM Clinics 1 and 2
- MSF Hospital
- Moroccan Field Hospital
- Saudi Clinic


Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Morbidity

Acute health conditions (%)



Chronic health conditions (%)



Top 5 acute health conditions


Condition	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	20%	1,391
2 Lower Respiratory Tract Infection (LRTI)	10%	687
3 Watery diarrhoea*	9%	607
4 Acute Jaundice Syndrome*	5%	366
5 Skin infection	4%	287
- Other	51%	3,498

Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Diabetes	18%	532
2 Hypertension	15%	454
3 Asthma	6%	169
4 Thyroid problems	2%	72
5 Cancer	2%	62
- Other	57%	1,729

Breakdown of acute health conditions

by age




by gender




Breakdown of chronic health conditions

by age



by gender



UNHCR gratefully acknowledges the support of the following partners:



Public Health

Health Impact	Indicator	Standard	
Crude Mortality Rate (CMR) (/1000/month)	0.2	< 1.5	✓
Under-five Mortality Rate (U5MR) (/1000/month)	0.4	< 3.0	✓
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	40.0	< 40	⚠

Access and utilization	Indicator	Standard	
No. of health facilities	8	1 : 15047	1 : < 10,000 ✗
Total number of consultations	10,520		
Health utilisation rate	4.5	1 - 4	⚠
No. of consultations per trained clinician per day	29	< 50	✓


Outbreak Alert and Response	Indicator	Standard	
Number of outbreaks reported	0		
% of outbreaks investigated within 48 hours		100%	

Laboratory	Indicator	Standard	
Number of laboratory samples	158		


Immunization	Indicator	Standard	
Measles vaccination rate		> 95%	?
Full vaccination rate		> 95%	?
Program drop-out rate		< 10%	?
Vaccine wastage rate		< 8%	?

Breakdown of mental health conditions


By cause



By age




By gender




Breakdown of injuries


By cause



By age



By gender



In-patient and referral

In-patient department	Indicator	Standard	
Hospitalisation rate (/1000/month)	1.2	50 - 150	⚠
Bed occupancy rate	90%	> 75%	✓
Mean length of stay for authorised discharges (days)	3.4		

Overall case fatality rate	Indicator	Standard	
Overall case fatality rate	0%		
Proportion of deaths within 24 hours of admission	0%		

Referral	Indicator	Standard	
Total referral rate			?

Reproductive Health

Antenatal care	Indicator	Standard	
Coverage of antenatal care (4 or more visits)	0%	≥ 90%	✗
Coverage of TT vaccination	0%	≥ 90%	✗
Coverage of anaemia screening in pregnancy	76%	≥ 90%	✓

Delivery care	Indicator	Standard	
Proportion of deliveries attended by skilled personnel	100%	≥ 90%	✓
Proportion of deliveries performed by caesarean section	64%	5 - 15%	✗
Proportion of low birth weight deliveries (<2500g)	0%	< 15%	✓

Maternal mortality	Indicator	Standard	
Number of maternal deaths reported	0		
% of maternal deaths investigated within 48 hours		100%	

Postnatal care	Indicator	Standard	
Coverage of postnatal care	84%	≥ 90%	⚠

Family Planning	Indicator	Standard	
Contraceptive prevalence rate	1%		⚠

Sexual and Gender-based Violence	Indicator	Standard	
Incidence of rape (reported cases/10,000/year)*	0		⚠
% of rape survivors who received PEP*** < 72 hours		100%	⚠
% of rape survivors who received ECP*** < 120 hours		100%	⚠
% of rape survivors who received STI**** prophylaxis < 2 wks		100%	⚠

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection

