

1.0 Population

Population	0 to <1		Total <1	1 - 4		Total 1 - 4	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2354	2354	4708	4708	8296	15471	20740	20180	40920	21301	26458	47759	1233	2018	3251	112109
% by age group			4 %			14 %			37 %			43 %			3 %	100 %

2.0 Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 - 4		Total 0 - 4	U5 % mort	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total	Crude % mort
	M	F			M	F		M	F		M	F			
Neonatal death	1	0	1	50 %	0	0	0	0	0	0	0	0	0	1	25 %
Ischaemic heart disease	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Cancer	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Chronic obstructive pulmonary disease (COPD)	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Watery diarrhoea	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Bloody diarrhoea	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Other	1	0	1	50 %	0	1	1	0	0	0	0	0	0	2	50 %
Cardiovascular disorders	0	0	0	0 %	0	0	0	0	0	0	1	0	1	1	25 %
Lower Respiratory Tract Infection (LRTI)	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Injury	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Tuberculosis (confirmed)	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %
Total	2	0	2	100 %	0	1	1	0	0	0	1	0	1	4	100 %
% by age group			100 %				25 %			0 %			25 %	100 %	

Mortality indicators	M	F	Total
Crude mortality rate (CMR) (/1,000/month)	0.2	0.1	0.1
Under 5 mortality rate (U5MR) (/1,000/month)	0.8	0.0	0.4

2.2 Maternal Death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	0

3.0 Out-patient Department

3.1 Staffing and service availability

Number of full-time clinicians	71
Number of full days on which the health facility was functioning	6.3
Health facility utilisation rate (total visits/refugee/year)	5.5
Consultations per clinician per day	26.5

3.2 Acute health conditions

Record NEW cases of disease only	0 - 4		Total 0 - 4	U5% by cause	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total	% by cause	Crude Incid
	M	F			M	F		M	F		M	F				
Intestinal Worms	13	8	21	1 %	25	24	49	4	9	13	2	0	2	85	1 %	
Acute Jaundice Syndrome*	15	13	28	1 %	36	25	61	7	5	12	0	0	0	101	1 %	
Eye infection	87	32	119	5 %	51	61	112	114	101	215	35	28	63	509	6 %	
Tuberculosis (suspected)	1	0	1	0 %	0	0	0	0	0	0	0	0	0	1	0 %	
Measles*	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %	
Dental Conditions	21	14	35	2 %	38	38	76	118	81	199	28	21	49	359	4 %	
Meningitis*	1	1	2	0 %	0	2	2	2	0	2	0	0	0	6	0 %	
Acute Flaccid Paralysis*	0	0	0	0 %	0	0	0	0	0	0	0	0	0	0	0 %	
Influenza-like illness (ILI)	113	83	196	8 %	94	107	201	83	49	132	29	6	35	564	7 %	
Fever of unknown origin	61	44	105	5 %	53	19	72	22	4	26	2	2	4	207	2 %	
Skin infection	79	64	143	6 %	94	61	155	53	40	93	9	4	13	404	5 %	
Other	449	452	901	39 %	673	643	1316	439	516	955	192	199	391	3,563	43 %	
Sexually Transmitted Infection (STI)	0	0	0	0 %	0	0	0	1	0	1	0	0	0	1	0 %	
Upper Respiratory Tract Infection (URTI)	249	228	477	20 %	297	263	560	229	220	449	105	95	200	1,686	20 %	
Watery diarrhoea*	106	97	203	9 %	52	55	107	38	31	69	17	12	29	408	5 %	
Lower Respiratory Tract Infection (LRTI)	59	34	93	4 %	72	51	123	76	89	165	37	37	74	455	5 %	
Bloody diarrhoea*	2	7	9	0 %	5	2	7	0	1	1	0	0	0	17	0 %	
Total	1,256	1,077	2,333	100 %	1,490	1,351	2,841	1,186	1,146	2,332	456	404	860	8,366	100 %	75
% by age group			28 %				34 %			28 %			10 %	100 %		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted

3.3 Chronic health conditions

Record NEW and REVISITS	0 - 4		Total < 5	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total	% by cause
	M	F		M	F		M	F		M	F			
Asthma	30	18	48	25	22	47	41	39	80	15	13	28	203	8 %
Ischaemic heart disease	0	0	0	0	0	0	27	22	49	27	18	45	94	4 %
Cancer	0	0	0	0	0	0	3	8	11	1	0	1	12	0 %
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	7	5	12	13	4	17	29	1 %
Other	69	57	126	80	63	143	145	112	257	58	80	138	664	27 %
Hypertension	0	0	0	0	0	0	177	217	394	148	161	309	703	29 %
Thyroid problems	5	1	6	13	8	21	21	25	46	2	6	8	81	3 %
Cardiovascular disorders	0	0	0	0	9	9	35	30	65	40	27	67	141	6 %
Liver disease	2	1	3	5	0	5	3	3	6	0	0	0	14	1 %
Diabetes	0	0	0	8	13	21	133	126	259	89	117	206	486	20 %
Total	106	77	183	131	115	246	592	587	1,179	393	426	819	2,427	100 %
% by age group			8 %			10 %			49 %			34 %	100 %	

3.4 Mental Health

	0 - 4		Total < 5	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total	% by cause
	M	F		M	F		M	F		M	F			
Severe emotional disorder	0	0	0	0	1	1	18	8	26	2	0	2	29	20 %
Other psychological complaint	2	0	2	15	4	19	18	7	25	1	0	1	47	32 %
Psychotic disorder	0	0	0	1	0	1	23	2	25	0	0	0	26	18 %
Epilepsy / seizures	4	5	9	7	4	11	2	2	4	0	0	0	24	16 %
Alcohol and other substance abuse disorder	0	0	0	0	0	0	9	0	9	0	0	0	9	6 %
Mental retardation / intellectual disability	0	1	1	3	1	4	1	0	1	0	0	0	6	4 %
Medically unexplained somatic complaint	0	1	1	0	0	0	1	3	4	1	0	1	6	4 %
Total	6	7	13	26	10	36	72	22	94	4	0	4	147	100 %
% by age group			9 %			24 %			64 %			3 %	100 %	

3.5 Injuries

	0 - 4		Total < 5	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total	% by cause
	M	F		M	F		M	F		M	F			
Injury (war related)	0	1	1	10	10	20	29	18	47	5	3	8	76	9 %
Injury (non war related)	16	10	26	58	34	92	92	66	158	3	23	26	302	37 %
Other	29	27	56	48	48	96	71	55	126	48	59	107	385	47 %
Bites (all causes)	1	4	5	5	9	14	13	17	30	6	0	6	55	7 %
Total	46	42	88	121	101	222	205	156	361	62	85	147	818	100 %
% by age group			11 %			27 %			44 %			18 %	100 %	

4.0 In-patient Department

4.1 In-patient department activities

	0 - 4		Total < 5	5 - 17		Total 5 - 17	18 - 59		Total 18 - 59	> 60		Total > 60	Grand Total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	0	0	0	1	0	1	0	1	1	0	0	0	2	
Total admissions	0	1	1	1	1	2	2	3	5	0	2	2	10	
Number of exits	authorized	0	1	1	2	0	2	1	4	5	0	2	2	10
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits	0	1	1	2	0	2	1	4	5	0	2	2	10	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	
Number at end of reporting period	0	0	24	0	0	9	0	0	25	0	0	9	67	
% at end of reporting period by age group			36 %			13 %			37 %			13 %	100 %	

Number of days in reporting period	7
Number of beds	56
Sum number of days stay for authorised discharges	261

IPD Indicators	
Proportion of < 5 IPD deaths within 24 hours	0
Average length of stay (days)	26.1
Bed occupancy	67 %
Hospitalisation rate (/1,000/month)	0.4

4.2 In-patient admissions and deaths

	0 - 4		U5 CFR	5 - 17		5 - 17 CFR	18 - 59		18 - 59 CFR	> 60		> 60 CFR	Total Adm	Total Deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths				
Internal medicine	0	0	0.0	0	0	0.0	6	0	0.0	7	0	0.0	13	0	0.0
Injury (war related)	0	0	0.0	0	0	0.0	6	0	0.0	0	0	0.0	6	0	0.0
Gynaecology	0	0	0.0	0	0	0.0	3	0	0.0	0	0	0.0	3	0	0.0
Injury (non war related)	0	0	0.0	4	0	0.0	6	0	0.0	0	0	0.0	10	0	0.0
Other	1	0	0.0	3	0	0.0	2	0	0.0	4	0	0.0	10	0	0.0
Obstetrics	7	0	0.0	0	0	0.0	5	0	0.0	0	0	0.0	12	0	0.0
General Surgery	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0	1	0	0.0
Paediatric medicine	17	0	0.0	3	0	0.0	0	0	0.0	0	0	0.0	20	0	0.0
Total	25	0	0.0	10	0	0.0	29	0	0.0	11	0	0.0	75	0	0.0

Adm. = Admission; CFR = Case Fatality Rate

5.0 Referral

5.1 Referrals by location

This section was not collected

5.2 Referrals by service

This section was not collected

6.0 Laboratory

	Total
Number of laboratory tests conducted	668

7.0 EPI and Vitamin A

7.1 Vaccination

This section was not collected

7.2 Vaccine wastage

This section was not collected

8.0 Reproductive Health

8.1 Antenatal care

	< 18	> 18	Total	
First antenatal visit < 1st trimester	7	27	34	
First antenatal visit >1st trimester	26	193	219	
Number of pregnant women at time of delivery who:	Received 2 doses of tetanus toxoid vaccine during antenatal period	0	0	0
	Were screened for anaemia during antenatal period	2	49	51
	Received 4 or more ANC visits at end of period	1	18	19

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	13 %
Coverage of anaemia screening in pregnancy	113 %
Coverage of complete antenatal care	42 %
Coverage of antenatal tetanus immunisation	0 %

8.2 Delivery care

	< 18	≥ 18	Total
Live births	5	40	45
Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	5	40	45
Number of obstetric complications treated	0	1	1
Number of caesarean sections performed	2	4	6

Delivery Indicators

Crude birth rate (/1,000/month)	1.6
Proportion of births attended by skilled health worker (excl. TBA)	100 %
Proportion of low birth weight deliveries	0 %
Proportion of all births performed by caesarean section	13 %
Proportion obstetric complications treated among girls < 18	0 %

8.3 Postnatal care

	< 18	> 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	4	48	52

Postnatal Indicators

Coverage of complete postnatal care	116 %
-------------------------------------	-------

8.4 Family planning

Number of users	Total at beginning	New		Repeat		Discontinued		Total at end
		< 18	≥18	< 18	≥18	< 18	≥18	
Condom (Male)	0	0	22	0	22	0	0	44
Sterilisation (Male)	0	0	0	0	0	0	0	0
Progestogen-only pill (Micro-val; Micro-lut)	0	0	0	0	0	0	0	0
Implantable (Norplant)	0	0	0	0	0	0	0	0
Emergency Contraceptive Pill	0	0	0	0	0	0	0	0
Combined pill - high dose	0	0	9	0	7	0	0	16
Other	0	0	0	0	0	0	0	0
Condom (Female)	0	0	0	0	0	0	0	0
Sterilisation (Female)	0	0	0	0	0	0	0	0
Injectable (Depo-Provera)	0	0	6	0	15	0	0	21
Combined pill - low dose	0	0	38	0	81	0	0	119
Intra-Uterine Device (IUD)	0	0	0	0	0	0	0	0
Totals	0	0	75	0	125	0	0	0

8.5 Sexual and gender-based violence

This section was not collected

9.0 HIV/AIDS

9.1 Voluntary counselling and testing (VCT)

This section was not collected

9.2 Prevention of mother-to-child transmission (PMTCT)

This section was not collected