

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,296	2,296	4,592	6,997	8,091	15,088	20,226	19,680	39,906	20,773	25,802	46,575	1,203	1,968	3,171	109,332
% by age group			4%			14%			36%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0		0	0	0	0	0	0	0	1	1	1	100%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
Total	0	0	0	100%	0	0	0	0	0	0	0	1	1	1	100%
% by age group			0%			0%			0%			100%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.1	0.0
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	74
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	13,022
Health facility utilisation rate	6.2
Consultations per clinician per day	28

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	474	419	893	45.4	400	367	767	424	404	828	87	76	163	2651	27%	24.2
Influenza-like illness (ILI)	66	70	136	6.9	89	82	171	173	125	298	29	26	55	660	7%	6.0
Lower Respiratory Tract Infection (LRTI)	84	68	152	7.7	51	49	100	30	24	54	8	3	11	317	3%	2.9
Watery diarrhoea*	102	93	195	9.9	49	41	90	26	16	42	3	5	8	335	3%	3.1
Bloody diarrhoea*	4	5	9	0.5	7	1	8	3	5	8	2	1	3	28	0%	0.3
Skin infection	90	85	175	8.9	93	93	186	84	100	184	29	14	43	588	6%	5.4
Eye infection	54	56	110	5.6	37	55	92	62	72	134	20	21	41	377	4%	3.4
Dental Conditions	17	13	30	1.5	46	49	95	115	115	230	18	21	39	394	4%	3.6
Intestinal Worms	14	8	22	1.1	23	24	47	1	6	7	0	0	0	76	1%	0.7
Acute Jaundice Syndrome*	9	12	21	1.1	16	21	37	1	0	1	0	0	0	59	1%	0.5
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	2	0	2	0.1	0	0	0	1	0	1	0	0	0	3	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Fever of unknown origin	15	6	21	1.1	7	1	8	1	2	3	0	0	0	32	0%	0.3
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	505	483	988	50.2	711	565	1276	818	927	1745	172	170	342	4351	44%	39.8
Total	1436	1318	2754	139.9	1529	1348	2877	1740	1796	3536	368	337	705	9872	100%	90.3
% by age group			28%				29%			36%			7%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	47	28	75	162	168	330	71	90	161	566	25%
Hypertension	0	0	0	0	0	0	218	169	387	105	115	220	607	27%
Asthma	27	13	40	28	22	50	61	64	125	12	16	28	243	11%
Ischaemic heart disease	0	0	0	0	0	0	35	21	56	20	37	57	113	5%
Cardiovascular disorders	0	0	0	0	9	9	27	20	47	35	31	66	122	5%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	9	9	18	14	11	25	43	2%
Liver disease	0	0	0	2	2	4	4	3	7	0	0	0	11	0%
Thyroid problems	0	0	0	7	4	11	13	17	30	4	5	9	50	2%
Cancer	0	0	0	0	0	0	1	5	6	1	0	1	7	0%
Other	63	55	118	47	52	99	111	64	175	30	40	70	462	21%
Total	90	68	158	131	117	248	641	540	1181	292	345	637	2224	100%
% by age group			7%			11%			53%			29%	100%	

3.4 Mental health

	0 to 4	Total <	5 to 17	Total 5	18 to 59	Total 18	> 60	Total	Grand	% by
--	--------	---------	---------	---------	----------	----------	------	-------	-------	------

	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Epilepsy / seizures	4	0	4	6	8	14	7	2	9	0	1	1	28	13%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	11	0	11	0	1	1	12	5%
3. Mental retardation / intellectual disability	1	2	3	6	1	7	2	4	6	0	0	0	16	7%
4. Psychotic disorder	0	0	0	1	0	1	20	5	25	0	0	0	26	12%
5. Severe emotional disorder	0	0	0	1	2	3	11	8	19	5	3	8	30	13%
6. Other psychological complaint	4	3	7	24	25	49	19	27	46	0	1	1	103	46%
Other	0	0	0	0	2	2	2	1	3	3	0	3	8	4%
Total	9	5	14	38	38	76	72	47	119	8	6	14	223	100%
% by age group			6%			34%			53%			6%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	1	1	1	3	4	15	13	28	7	2	9	42	6%
2. Injury (war related)	0	0	0	21	13	34	41	7	48	0	1	1	83	12%
3. Injury (non war related)	18	18	36	29	20	49	56	21	77	8	21	29	191	27%
4. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	46	44	90	57	60	117	57	47	104	36	40	76	387	55%
Total	64	63	127	108	96	204	169	88	257	51	64	115	703	100%
% by age group			18%			29%			37%			16%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	3	1	4	1	0	1	0	0	0	0	0	0	5	
Total admissions	5	9	14	4	6	10	3	6	9	2	5	7	40	
Number of exits	authorized	5	7	12	4	6	10	2	5	7	2	4	6	35
	unauthorized	0	1	1	0	0	1	0	1	0	1	1	3	
	death	3	1	4	0	0	0	0	0	0	0	0	4	
referral	0	0	0	0	0	0	0	0	0	0	0	0		
Total exits	8	9	17	4	6	10	3	5	8	2	5	7	42	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	
% at end of reporting period by age group			33%			33%			33%			0%	100%	

Number of days in reporting period	7
Number of beds	70
Sum number of days stay for authorised discharges	275
Proportion of < 5 IPD deaths within 24 hours	0%
Average length of stay (days)	7.9
Bed occupancy	64%
Hospitalisation rate	1.5

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	14	0	0%	0	0		0	0		0	0	14	0	0%
2. General Surgery	0	0		0	0		0	0		0	0	0	0	
3. Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4. Injury (non war related)	0	0		0	0		0	0		0	0	0	0	
5. Internal medicine	0	0		10	0	0%	3	0	0%	5	0	18	0	0%
6. Obstetrics	0	0		0	0		0	0		0	0	0	0	
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	0	0		0	0		6	0	0%	1	0	7	0	0%
Total	14	0	0%	10	0	0%	9	0	0%	6	0	39	0	0%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	458

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	21	57	78
First antenatal visit > 1st trimester	23	164	187
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	1	14
	≥ 2 TT doses	0	3
	anaemia screening	1	49

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	29%
Coverage of complete antenatal care	26%
Coverage of antenatal tetanus immunisation	5%
Coverage of anaemia screening in pregnancy	88%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	3	54	57
Still births	0	1	1
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	3	54	57
Number of obstetric complications treated	6	9	15
Number of caesarean sections performed	2	12	14

Delivery Indicators	
---------------------	--

Crude birth rate	6.3
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	0%
Proportion of all births performed by caesarean section	25%
Proportion of obstetric complications treated among girls < 18	40%

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	4	45	49

Postnatal Indicators	
Coverage of complete postnatal care	86%

8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	0	40	0	18	58
Implantable (Norplant)	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation (Female)	0	0	0	0	0
Injectable (Depo - Provera)	0	4	0	5	9
Intra-Uterine Device (IUD)	0	0	0	0	0
Oral Contraceptive	0	42	1	44	87
Family Planning Counseling	0	0	0	0	0

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources: 1. Health Information System

Publication date: 21 June 2013

Contact Information: **Za'atri** Ana Calvo, UNHCR Email: calvo@unhcr.org

Amman Ann Burton, UNHCR Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

