

Outbreak Alert and Response


In Week 33, disease outbreak alerts are issued for the following diseases.

See notes below for calculation of alert thresholds.

Population trend



Diseases with epidemic potential



Graph legend:

— Incidence / number of cases
— Alert threshold

Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline[‡]

Bloody diarrhoea = 1.5 x baseline[‡]

Measles = 1 case

Meningitis = 5 cases

Acute Flaccid Paralysis = 1 case

Acute Jaundice Syndrome = 1.5 x baseline[‡]

Footnotes

[‡] baseline = average incidence or number of cases over the previous 3 weeks

* % morbidity refers to proportional morbidity of the disease for the current reporting week

** Incid / cases is the incidence (/1000/week) or number of cases for the current reporting week (incidence is shown unless otherwise indicated)

*** Trend shows if the incidence or number of cases between the previous and the current reporting week increased (↑), decreased (↓) or

Other diseases of public health importance

Disease	% morbidity	Incidence	W45	W48	Trend	Notes
7 Upper Respiratory Tract Infection (URTI)	43%	30.9			↑	
8 Influenza-like illness (ILI)	19%	13.7			↑	
9 Lower Respiratory Tract Infection (LRTI)	10%	7.0			↑	
10 Skin infection	13%	9.4			↑	
11 Eye infection	4%	3.0			↑	
12 Dental Conditions	6%	4.1			↑	
13 Intestinal Worms	1%	0.4			↓	
14 Tuberculosis (suspected)	0%	0.0			→←	
15 Fever of unknown origin	2%	1.3			↑	
16 Sexually Transmitted Infection (STI)	0%	0.1			↑	

UNHCR gratefully acknowledges the support of the following partners:

