

Camps reporting this week: Domiz, Gawilan

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population of reporting camps	761	762	1,523	3,047	3,048	6,095	5,511	4,750	10,261	16,516	10,347	26,863	1,538	1,498	3,036	47,778
% by age group			3%			13%			21%			56%			6%	100%

* estimates from data provided by UNHCR for Gawilan and Domiz camps

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	100%	0	0	0	0	0	0	0	0	0	0	100%
% by age group															

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	7
Average number of full days on which each health facility was	6.7
Total number of outpatient consultations	2,647
Health facility utilisation rate	2.9
Consultations per clinician per day	56

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	263	223	486	63.8	167	155	322	114	208	322	27	27	54	1184	53%	24.8
Lower Respiratory Tract Infection (LRTI)	15	10	25	3.3	10	13	23	10	5	15	6	7	13	76	3%	1.6
Watery diarrhoea*	15	13	28	3.7	2	3	5	3	2	5	2	1	3	41	2%	0.9
Bloody diarrhoea*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	5	6	11	1.4	8	2	10	4	15	19	1	0	1	41	2%	0.9
Eye infection	7	3	10	1.3	1	2	3	4	1	5	0	2	2	20	1%	0.4
Ear infection	15	13	28	3.7	4	9	13	2	8	10	2	0	2	53	2%	1.1
Dental Conditions	0	1	1	0.1	3	4	7	8	6	14	2	4	6	28	1%	0.6
Intestinal Worms	3	0	3	0.4	7	20	27	2	1	3	2	0	2	35	2%	0.7
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
Fever of unknown origin	0	0	0	0.0	1	1	2	4	6	10	5	11	16	28	1%	0.6
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	4	4	0	35	35	0	0	0	39	2%	0.8
Urinary tract infection (UTI)	0	9	9	1.2	4	9	13	13	55	68	4	3	7	97	4%	2.0
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Other	71	66	137	18.0	88	90	178	67	155	222	22	29	51	588	26%	12.3
Total	394	345	739	97.0	295	313	608	231	498	729	73	84	157	2233	100%	46.7
% by age group			33%				27%			33%			7%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. **incidence is cases per 1000 per week

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	1	1	2	0	0	0	3	5	8	8	11	19	29	30%	
Hypertension	0	0	0	2	1	3	0	7	7	4	14	18	28	29%	
Asthma	0	1	1	1	0	1	0	0	0	0	3	3	5	5%	
Ischaemic heart disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Cardiovascular disease (other)	0	0	0	1	0	1	1	4	5	6	9	15	21	22%	
Chronic obstructive pulmonary disease (COPD)	2	1	3	1	2	3	1	6	7	0	0	0	13	13%	
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Thyroid problems	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Cancer	0	0	0	0	0	0	0	0	0	0	1	1	1	1%	
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Total	3	3	6	5	3	8	5	22	27	18	38	56	97	100%	
% by age group			6%			8%			28%			58%	100%		

3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	0	1	1	0	0	0	0	0	0	1	100%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4. Mental retardation / intellectual disability	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5. Severe emotional disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Total	0	0	0	0	1	1	0	0	0	0	0	0	1	100%
% by age group			0%			100%			0%			0%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	3	2	5	9	10	19	1	4	5	11	2	13	42	13%
3. Burns	3	4	7	4	3	7	5	2	7	12	2	14	35	11%
4. Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	13	13	26	68	63	131	7	17	24	27	31	58	239	76%
Total	19	19	38	81	76	157	13	23	36	50	35	85	316	100%
% by age group			12%			50%			11%			27%	100%	

4. Referrals

4.1 Referrals - general

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	2	1	3	4	10
Elective	19	21	61	16	117
Other	0	0	0	0	0
Total	21	22	64	20	127
% by age group	17%	17%	50%	16%	100%

5. Laboratory & other investigations

	Total
Haematology	10
Imaging (X-ray, MRI/CT)	117
Other	0
Total	127

6. EPI and Vitamin A

	<1	≥1 to <5	Total
BCG			
Hepatitis B birth dose			
DPT I/HiB I/Hep B I* (Pentavalent I)			
DPT II/HiB II* (Tetravalent)			
DPT III/HiB III/Hep B II* (Pentavalent II)			
Polio 0			
Polio I			
Polio II			
Polio III			
Measles			
MMR			
Rotavirus 1			
Rotavirus 2			
Rotavirus 3			
Vitamin A			
Additional vaccines			

NO DATA

EPI Indicators (since December 2013)		
Total vaccinated this week		1561
a. Program dropout rate*		NAD
b. Immunisation coverage		
	BCG	NAD
	Hepatitis B birth dose	NAD
	DPT I	NAD
	DPT III	NAD
	Polio I	NAD
	Polio III	NAD
	Measles	NAD
	MMR**	NAD
	Rotavirus I	NAD
	Rotavirus III	NAD
c. Vitamin A coverage		NAD

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%
**For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.
NAD=No adequate data

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	13	115	128
First antenatal visit > 1st trimester	0	2	2
Number of pregnant women at time of delivery	0	0	0
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	98%

7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

6.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators		
Incidence of reported rape		0.0
Proportion of rape survivors who receive PEP < 72 hrs		
Proportion of female rape survivors who receive ECP < 120 hrs		
Proportion of rape survivors who receive STI presumptive treatment < 2 wks		

Data Sources: 1. Health Information System

Publication date:

04 March 2014

Contact Information

Duhok
Dr Bakhtiyar AHMED, DOH Duhok,
Email: BAHMED@duhokhealth.org

Erbil
Mohammed Marzoog, UNHCR
Email: MARZOOG@unhcr.org

We gratefully acknowledge the contributions of the following agencies:



